

<p>US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (TS 767) WASHINGTON, DC 20460</p> <p>NOTICE OF PESTICIDE REGISTRATION</p> <p><i>Under the Federal Insecticide, Fungicide, and Fertilizer Act</i></p>	<p>EPA REGISTRATION NUMBER</p> <p>TERM OF ISSUANCE</p>	<p>DATE OF ISSUANCE JUN 25 1989</p>
<p>NAME OF PESTICIDE PRODUCT</p>		
<p>NAME AND ADDRESS OF REGISTRANT (Article 7)(b) (1)</p>		
<p>NOTE: Changes in label for a pesticide offering in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the active U.S. EPA registration number.</p>		
<p>On the basis of information furnished by the registrant, the above named pesticide is hereby Registered / Reregistered under the Federal Insecticide, Fungicide, and Fertilizer Act.</p>		
<p>A copy of the label accepted in connection with this Registration / Reregistration is returned herewith.</p>		
<p>Registration is not a warranty, endorsement, or approval of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. Use or shipment of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been used by others.</p>		
<p><i>[Handwritten signature]</i></p>		
<p><input type="checkbox"/> ATTACHMENT IS APPLICABLE</p>		
<p>SIGNATURE OF APPROVING OFFICIAL</p>	<p>DATE</p>	

Bringle 118

h
f

**E-Z CLOR
POROUS FOOD CONTACT SURFACES
SANITIZER**

ACTIVE INGREDIENT:

CALCIUM HYPOCHLORITE 65%
INERT INGREDIENTS 35%

**KEEP OUT OF REACH OF CHILDREN
DANGER**

STATEMENT OF PRACTICAL TREATMENT (FIRST AID)

IF CONTACT WITH EYES OCCURS, flush with cold water for at least 15 minutes. Get medical attention.

IF CONTACT WITH SKIN, brush off excess chemical and flush skin with cold water for at least 15 minutes. If irritation persists, get medical attention.

IF SWALLOWED, feed bread soaked in milk, followed by olive oil or cooking oil. DO NOT induce vomiting. Call a physician immediately.

(See additional precautions on side panel.)


**E-Z CLOR SYSTEMS
1920 BELT WAY DRIVE
ST. LOUIS, MO 63114**

**EPA REG. NO. 8791-
EPA EST. NO. 39841 MO-1**

NET CONTENTS: 100 LBS. (45.36 kg)

AGREEMENT
I hereby agree to the terms and conditions of the purchase order as stated on the purchase order for EPA Reg. No. 8791-47

JAN 28 1982



(3)

DIRECTIONS FOR USE

RINSE METHOD - Prepare a 600 ppm solution by thoroughly mixing 3 oz. of this product with 20 gallons of water. Clean surfaces in the normal manner. Rinse all surfaces thoroughly with the 600 ppm solution, maintaining contact for at least 2 minutes. Prepare a 200 ppm sanitizing solution by thoroughly mixing 1 oz. of this product with 20 gallons of water. Prior to using equipment, rinse all surfaces with a 200 ppm available chlorine solution. Do not rinse and do not soak equipment overnight.

IMMERSION METHOD - Prepare a 600 ppm solution by thoroughly mixing, in an immersion tank, 3 oz. of this product with 20 gallons of water. Clean equipment in the normal manner. Prepare a 200 ppm sanitizing solution by thoroughly mixing 2 oz. of this product with 10 gallons of water. Prior to using, immerse equipment in the 200 ppm sanitizing solution for at least 2 minutes and allow the sanitizer to drain. Do not rinse and do not soak equipment overnight.

SPRAY/FOG METHOD - Pre-clean all surfaces after use. Prepare a 600 ppm available chlorine sanitizing solution of sufficient size by thoroughly mixing the product in a ratio of 3 oz. product with 20 gallons of water. Use spray or fogging equipment which can resist hypochlorite solutions. Always empty and rinse spray/fog equipment with potable water after use. Thoroughly spray or fog all surfaces until wet, allowing excess sanitizer to drain. Vacate area for at least 2 hours. Prior to using equipment, rinse all surfaces with a 200 ppm available chlorine solution. Prepare a 200 ppm sanitizing solution by thoroughly mixing 1 oz. of this product with 20 gallons of water.

PRECAUTIONARY STATEMENTS: READ BEFORE USE. HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Highly corrosive. Causes skin and eye damage. May be fatal if swallowed. Irritating to nose and throat. Wear goggles or face shield and rubber gloves when handling. Avoid breathing dust. Remove and wash contaminated clothing and shoes before reuse.

PRACTICAL TREATMENT (FIRST AID): Eye/Skin Contact - Flush with plenty of water for at least 15 minutes, while removing contaminated clothing and shoes. For eye contact, get immediate medical attention. If skin irritation occurs, get medical attention. Inhalation - Remove to fresh air. If signs of irritation or discomfort occur, take immediately to a hospital or physician. Swallowing - If conscious, drink large quantities of water and any common cooking (vegetable) oil, if available. Do not induce vomiting. Take immediately to a hospital or physician. If vomiting occurs, administer additional water. If unconscious or in convulsions, take immediately to a hospital. Do not attempt to induce vomiting or give anything by mouth to an unconscious person.

ENVIRONMENTAL HAZARDS: This product is toxic to fish. Do not discharge into lakes, streams, ponds, or public waters unless in accordance with NPDES Permit. For guidance, contact the regional office of the EPA.

PHYSICAL AND CHEMICAL HAZARD: Strong oxidizing agent! Mix only with water. Use only a clean, dry utensil made of metal or plastic each time this product is taken from the container. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause violent reaction leading to fire or explosion. Contamination with moisture, acids, organic matter, other chemicals or easily combustible materials such as petroleum or paint products may start a chemical reaction with generation of heat, liberation of hazardous gases and possible generation of a fire or explosion. In case of contamination or decomposition, do not re-seal container. If possible isolate container in open air or well-ventilated area. Flood with large volumes of water, if necessary.

STORAGE AND DISPOSAL: Keep this product dry in a tightly closed container, when not in use. Store in a cool, dry, well-ventilated area away from heat or open flame. In case of decomposition, isolate container (if possible) and flood area with large amounts of water to dissolve all materials before discarding this container. Do not reuse empty container but place in trash collection. Do not contaminate food or feed by storage or disposal, or cleaning of equipment.