SEP 2 9 2008

Mr. Robert Rosenwasser Alliance Packaging 109 Northpark Blvd., 4th Floor Covington, LA 70433

1

Subject: E-Z Chlor Hypochlor Chlorinating Tablets

EPA Registration Number 8791-50

Application Date: 6/30/03 Receipt Date: 7/1/03

Dear Mr. Rosenwasser:

The following amendment, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, is acceptable with the conditions listed below:

To update the 'first aid" statement in accordance with PR Notice 2001-1

#### **Conditions**

1. This product is registered as a 65% product. Please change the ingredient status to read:

Active Ingredient Calcium Hypochlorite...... 65.0% Total 100.0%

Available Chlorine 65%

- Under the "Precautionary Statements Hazards to Human and Domestic Animals" 2. Section, delete the sentence "Only use utensils that are thoroughly clean dry".
- 3. You must provide a "Hotline Telephone Number" under the First Aid Statement as per PR Notice 2001-1.

#### **General Comments**

A stamped conv of the accepted labeling is enclosed. Submit three (3) conies of your								
	ı final orinted	tabeling befor	<del>ie distributin</del> e	CONCURRENC	broduct bear	ing the revise	al labeling.	
SYMBOL					P			
SURNAME								
DATE		************			************			
OFFICIAL FILE COPY								

EPA Form 1320-1A (1/90)

Printed on Recycled Paper

Should you have any questions or comments concerning this letter, please contact Delores Williams at (703) 308-6372.

Sincerely,

Robert S. Brennis Product Manager 32

Regulatory Management Branch II Antimicrobials Division (7510C)



# HYPOCHLOR

### **CHLORINATING TABLETS**

Controls Algae and is Disinfectant & Sanitizer for the Treatment of Swimming Pool Waters

#### **Active Ingredient:**

Calcium Hypochlorite:	67.0%
Inert Ingredients:	
Total:	
Available Chlorine:	65%

## KEEP OUT OF REACH OF CHILDREN **DANGER**

Contamination or improper use may cause fire or explosion. Do not contaminate with any foreign matter, including other pool treatment products. Add only to water. Read all precautionary statements on back label and First Aid statements before use.

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

ζ.

DANGER: HIGHLY CORROSIVE. Causes skin and eye damage. May be fatal swallowed. Do not get in eyes, on skin, or on clothing. Do not handle with bare hands. Wear goggles or face shield and use rubber gloves when handling. Only use utensils

that are thoroughly elean dry. Irritating to nose and throat. Avoid breathing dust or fumes. Remove contaminated clothing and wash before reuse.

FIRST AID					
If in eyes	<ul> <li>Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>				
If on skin or clothing	<ul> <li>Take off contaminated clothing.</li> <li>Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>				
If swallowed	<ul> <li>Call poison control center, or doctor immediately for treatment advice.</li> <li>Have person sip a glass of water if able to swallow.</li> <li>Do not induce vomiting unless told to do so by the poison control center or doctor.</li> <li>Do not give anything by mouth to an unconscious person.</li> </ul>				
If inhaled	<ul> <li>Move person to fresh air.</li> <li>If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.</li> <li>Call a poison control center or doctor for further treatment advice.</li> </ul>				
Have the product container or label with you when calling a poison control center or doctor, or going for treatment.					
NOTE TO PHYSICIAN Probable mucosal damage may contraindicate the use of gastric lavage."					

ACCEPTED
with COMMENTS
NET WEIGHT: 25 lbs (11.3 Letter Dated:

SEP 2 9 2003

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide, registered under EPA Reg. No.

8791-50

#### **CHEMICAL HAZARDS: DANGER**

Strong Oxidizing Agent. Add only into water. Use only clean dry utensils to dispense this product. Do not use this product in a container or dispensing device that has been used with any other product. Keep all foreign matter, including other pool treatment chemicals, away from this product. Do not allow to become wet or damp before use. Contamination may start a chemical reaction that can give off heat and hazardous gases and may cause a fire or explosion. Do not touch this chemical with a flame or burning material (like a lighted cigarette).

**ENVIRONMENTAL HAZARDS:** This pesticide is toxic to fish and aquatic organisms.

#### STORAGE AND DISPOSAL

Keep this product dry in its tightly closed container when not in use. Store in a cool, dry, well-ventilated area. Keep away from heat or open flame. Do not reuse empty container. Rinse empty container thoroughly with water to dissolve all material and discard container in trash. For disposal of a contaminated or decomposing product, see Emergency Handling.

#### **EMERGENCY HANDLING**

In case of contamination or decomposition – Do not reseal container. Immediately remove container to an open and well-ventilated outdoor area by itself. Flood with large amounts of water. Dispose of the container and any remaining contaminated material in an approved landfill.

#### **DIRECTIONS FOR USE**

ί.

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

E•Z CLOR HYPOCHLOR CHLORINATING TABLETS for swimming pools containing 65% available chlorine, are designed to dissolve slowly (up to 5 hours) and provide a steady source of available chlorine in swimming pools. HYPOCHLOR CHLORINATING TABLETS help control the growth of algae and

effectively kill many bacteria, thus helping to keep the pool in sanitary condition. Four tablets weigh approximately 1 oz. (28 grams). One standard U.S. measure cup (240cm<sup>3</sup>) equals approximately 7 oz. (200g) of tablets.

#### **HOW TO ADD HYPOCHLOR CHLORINATING TABLETS:**

For best results use a dissolving basket, a floater feeder, or add the tablets to a plastic leaf strainer in the surface skimmer. Do not permit tablets to contact plastic or steel pool linings. Do not throw tablets directly into the pool. Superchlorination is best accomplished using a fast dissolving shock treatment rather than HYPOCHLOR CHLORINATING TABLETS. To use HYPOCHLOR CHLORINATING TABLETS for shocking or superchlorination, it is best to pre-dissolve the tablets in water (8 tablets in 1 gallon of water) and use the solution or put the tablets in the skimmer with the re-circulation system running and allow at least 5 hours for the tablets to dissolve.

#### **REGULAR TREATMENT FOR POOLS IN USE:**

Maintain pool water pH between 7.2 to 7.6, total alkalinity in the range of 50-100 ppm (parts per million), water hardness at 200 ppm minimum, and if cyanuric acid is used as a stabilizer maintain the level between 20 and 60 ppm. In unstabilized pools, maintain a 1.0-1.5 ppm free available chlorine residual. In stabilized pools, maintain a 1.5 ppm minimum free chlorine residual. Obtain and make use of a pool test kit to measure pH, free chlorine residual, total alkalinity, water hardness, and cyanuric acid concentration.

#### **INITIAL CHLORINATION:**

Begin operation of your re-circulation equipment. Superchlorinate the pool following the directions given below for superchlorination. Wait at least 4 hours preferably overnight, then vacuum the pool bottom. Determine the free chlorine residual using your test kit. If no residual is found, superchlorinate again. Wait 30 minutes and re-test. Repeat the treatment until a minimum 1.5 ppm free available chlorine residual has been

established. Make certain the pool water parameters described above are in their proper ranges.

NOTE: Re-entry into treated swimming pool is prohibited above levels of 3.0 ppm of chlorine.

#### **ROUTINE CHLORINATION:**

The total alkalinity, pH, water hardness, and stabilizer concentration should be maintained at their proper levels. Subsequently, add 3-4 oz. of tablets (1-2 oz. in stabilized pools) per 5,000 gallons of water daily or as often as needed to maintain a minimum of 1.5 ppm free chlorine residual in stabilized pools or 1.0 to 1.5 ppm free chlorine residual in unstabilized pools whether the pool is in use or not. Actual dosages of HYPOCHLOR CHLORINATING TABLETS required to maintain the desired free chlorine residual will vary with bathing sunlight, water temperature. load. stabilizer concentration, and other factors. Use a test kit frequently to determine and maintain the proper free chlorine residual. For small changes in free chlorine residual once a free chlorine residual is detected, the addition of 1 oz. of tablets to 5,000 gallons of water will raise the free chlorine residual approximately 1.0 ppm.

Manufactured for:
Alliance Packaging
109 Northpark Bivd, 4th Floor
Covington, LA 70433
EPA Reg. No. 8791-50
EPA Est. No. 748-WV-1

