

7

ACCEPTED
with COMMENTS
in EPA Letter Dated:

APR 20 1980

**E-Z CLOR
FABRIC SANITIZER 56**

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.
8791-56

CAS NO:

ACTIVE INGREDIENT:

Sodium Dichloro-S-Triazinatrione 18%
(provides 11% available Chlorine)

Inert Ingredients: 82%

100%

KEEP OUT OF REACH OF CHILDREN

DANGER

FIRST AID (PRACTICAL TREATMENT)

IF SWALLOWED, drink promptly a large quantity of milk, egg whites, gelatin solution, or, if these are not available, drink large quantities of water. Avoid alcohol.

IF ON SKIN, immediately brush off excess chemical and flush with plenty of water. Remove contaminated clothing. Wash clothing before reuse. If irritation persists, call a physician.

IF IN EYES, flush with plenty of water. Get medical attention.

IF INHALED, remove person to fresh air. Call a physician.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

E-Z CLOR SYSTEMS
1920 BELT WAY DRIVE
ST. LOUIS, MO 63114-5879

EPA Reg. No. 8791-
EPA Est. No. 39841-MO-1

NET CONTENTS: 10 LB (4.54 KG)

This product is recommended for stain removal and reduction of ammonia causing bacteria in institutional and commercial laundering of fabrics.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Wet fabric should be spin-dried before the sanitizer is applied. 2 1/4 oz. of this product should be added for each 16 gallon wash load. Run this solution in the pre-wash, followed by the regular wash cycle with a good detergent. The above application gives 100 ppm available chlorine in the pre-wash cycle.

The sanitizing solution should be used promptly after mixing. If the solution is allowed to stand or is reused and tests show the level of chlorine has not been maintained, add more of this product to maintain a use solution of 100 ppm available chlorine.

STORAGE AND DISPOSAL

STORAGE: Keep container tightly closed. Store in a dry place. Do not allow water to get into container. Keep container off wet floors. Do not contaminate water, food, or feed by storage or disposal.

DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or residue is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Completely empty container of contents including clinging particles. Do not reuse container. Wrap (container) and put in trash.

DO NOT REUSE CONTAINER. DESTROY WHEN EMPTY.

7/7 -

4

PRECAUTIONARY STATEMENTS

HAZARD TO HUMANS AND DOMESTIC ANIMALS

DANGER:

HIGHLY CORROSIVE. CAUSES IRREVERSIBLE EYE DAMAGE. CAUSES BURNS TO SKIN. IRRITATING TO NOSE AND THROAT. MAY BE FATAL IF SWALLOWED. WILL BURN WITH THE EVOLUTION OF CHLORINE AND EQUALLY TOXIC GASES.

Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Avoid breathing dust or fumes. Wash thoroughly with soap and water after handling. Remove and wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARD

This product is toxic to fish. Do not discharge into lakes, streams, ponds, or public waters unless in accordance with MPDES Permit. For guidance, contact the regional office of EPA.

PHYSICAL OR CHEMICAL HAZARD

STRONG OXIDIZING AGENT. WILL BURN WITH THE EVOLUTION OF CHLORINE AND EQUALLY TOXIC GASES. CONTACT WITH WATER SLOWLY LIBERATES IRRITATING AND HAZARDOUS CHLORINE CONTAINING GASES. DECOMPOSES AT 460° F. TO 480° F. WITH LIBERATION OF HARMFUL GASES.

Mix only with water. Use clean dry utensils. Do not add this product to any dispensing device containing remnants of other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter, or other chemicals may start a chemical reaction with generation of heat, liberation of hazardous gases, and possible generation of fire and explosion.

IN CASE OF: FIRE, if possible isolate container in open air or well ventilated area. Flood with large volume of water.

IN CASE OF: CONTAMINATION OR DECOMPOSITION, do not re-seal container.