


PROPOSED LABEL

MORTON FLYING - 2  
FLY BLOCK • MEDICATED



Net Weight: 35 - 11/32 Pounds

Prevents the breeding of Horn Flies and Face Flies in the mouth of cattle; aids in the prevention of Stomach Worms, Hookworms and Nodular Worms when used as directed; aids in the prevention of Foot Rot and soft tissue Lumpy Jaw, Nutritional source of Iodine, when fed to cattle at the rate of 1 oz. per head per day. *(non-lactating)*

PESTICIDALLY ACTIVE DRUG INGREDIENT:

Phenothiazine\* . . . . . 2.00%

INERT\*\*INGREDIENTS: . . . . . 98.00%

TOTAL 100.00%

(OTHER) ACTIVE DRUG INGREDIENT:

Ethylene Diamine Dihydriodide 0.044%

\* Biologically assayed

\*\* Refers only to ingredients which are neither insecticides nor drugs.

GUARANTEED ANALYSIS:

Crude Protein	not less than	4.00 %
Crude Fat	not less than	0.50 %
Crude Fiber	not more than	6.00 %
Total Sugars (as invert)	not less than	24.00 %
Salt	not more than	26.50 %
Salt	not less than	23.50 %
Phosphorus (P)	not less than	2.00 %
Calcium (Ca)	not more than	2.00 %
Calcium	not less than	1.70 %
Zinc (Zn)	not less than	0.1250%
Manganese (Mn)	not less than	0.1000%
Iron (Fe)	not less than	0.0625%
Iodine (I)	not less than	0.0350%
Copper (Cu)	not less than	0.0125%
Cobalt (Co)	not less than	0.0025%
Vitamin A	not less than	80,000 IU/lb.
Vitamin D <sub>3</sub>	not less than	16,000 IU/lb.

INGREDIENTS

Cane Molasses, Salt, Monocalcium Phosphate and Dicalcium Phosphate, Corn Germ Meal, Soybean Mill Feed, Vitamin A Palmitate (stability improved), D-Activated Animal Sterol (source of Vitamin D<sub>3</sub>), Zinc Oxide, Manganous Oxide, Ferrous Carbonate, Copper Oxide, Calcium Iodate, Cobalt Carbonate, Vegetable Oil.

continued.....

WARNING

DO NOT FEED TO LACTATING DAIRY ANIMALS. Occasional Sensitivity to Phenothiazine Has Been Reported.

KEEP OUT OF REACH OF CHILDREN

USDA REG. NO.

Manufactured For

MORTON SALT COMPANY • CHICAGO, ILLINOIS 60606  
A Division of Morton International, Inc. 