



**WOOD
PRESERVER
FOR ALL WOOD SURFACES**




CAUTION-COMBUSTIBLE MIXTURE

N Y F. D. C of A. No 1211

CLEAR-WOOD PRESERVER

FOR ALL WOOD SURFACES




**MOP IT
BRUSH IT
SPRAY IT
DIP IT
SOAK IT**

Stir thoroughly before using.
Wood should be clean, bare, and dry.
Apply one or more coats to saturate surface.
For use underground, dip a minimum of 3 minutes, or apply two flowing coats by brush, roller, or spray.
Wood can be handled or worked within minutes after application and while still damp.
If a gloss finish is to be applied, allow 48 hours for thorough curing before applying finish coat.

SIDINGS • FLOORS • DOORS • WINDOWS • MILLWORK • SHINGLES • POSTS • DOCKS • FENCES • PLYWOOD

WATERLOX

WOOD ROT



O. K. under varnish, shellac, paint, and other Waterlox products.
Clean up mineral spirits or paint thinner.
See your Waterlox dealer for specific instructions.

WATERLOX CHEMICAL & COATINGS CORP.
CLEVELAND, OHIO 44105

KEEP OUT OF REACH OF CHILDREN.
Read all instructions and safety cautions.


MEASURE

WATERLOX CLEAR WOOD PRES.	NO. PROOFS 8	C.K.
B.P. 14-107-32 DATE 6/3/68	PROOF DATE 6/7/68	

Returned to Continental with such error plainly noted in writing, (b) the



IT HALTS TERMITES



PREVENTS PAINT BLISTERS



it penetrates



8815-1


ACCEPTED

1/16/69

UNDER THE FEDERAL INSECTICIDE FUNGICIDE AND RODENTICIDE ACT FOR ECONOMIC PEST CONTROL REGISTERED UNDER NO. 222-1 SUBJECT TO ATTACHED COMMENTS.

CLEAR-WOOD PRESERVER

FOR ALL WOOD SURFACES



WATERLOX

PREVENTS WOOD ROT

DANGER: HARMFUL OR FATAL IF SWALLOWED. KEEP OUT OF REACH OF CHILDREN.
See back panel for additional cautions

1 GALLON U.S. MEASURE

CUST. WATERLOX CHEMICAL + COATINGS DESIGN 1 GAL. WATERLOX CLEAR WOOD PRES.

ENG. 370-8 S.O. 229-3206 SIZE 610x708 O.T. C.E. 20-733x7.425 B.P. 14.107.32 DATE 6/3/68

READ BEFORE SIGNING Customer agrees that (1) Continental Can Company, Inc. shall not be liable for (a) any error in the attached unless this proof is returned to Continental with such error plainly noted in writing, (b) the failure of any part of the attached to comply with any local, state or Federal law or regulation, (c) any part of the attached which infringes the property rights of others acquired, without limitation thereof, by usage, registration, copyright, letters patent or otherwise and (d) production colors not being exactly the same as the hand proved colors, if any, in the attached, although Continental will duplicate the colors as closely as possible. (2) Customer shall indemnify and hold Continental harmless against the liability described in (1) above, including attorney fees and court costs or for consequential damages, and (3) the liability of Continental for uncorrected errors plainly noted in the attached shall not exceed the actual cost of the containers bearing the noted error. Changes increase costs and delay production. CONTINENTAL CAN COMPANY, INC.

CHANGE AS DETAILED

APPROVED AS SUBMITTED

CUSTOMER SIGNATURE

DATE

NO. PRO CHA CHA CHA

Kennecott

KENNECOTT COPPER CORPORATION SPECIAL PRODUCTS DIVISION



TECHNICAL DATA

Chemicals

6065 HILLCROFT

HOUSTON TEXAS 77036

(713) 772-4651

KOCIDE[®] 404S FRONT LABEL



KOCIDE 404S

· FLOWABLE
· AGRICULTURAL FUNGICIDE

ACTIVE INGREDIENTS

CUPRIC HYDROXIDE 27.0%

SULFUR 15.5%

INERT INGREDIENTS 57.5%

TOTAL 100.0%

(METALLIC COPPER EQUIVALENT -- 17.5%)

ACCEPTED

NOV 19 1981

FEDERAL BUREAU OF INVESTIGATION

U.S. DEPARTMENT OF JUSTICE

LABORATORY

WASHINGTON, D.C. 20535

**CAUTION: KEEP OUT OF REACH OF CHILDREN
HARMFUL IF SWALLOWED**

EPA Reg. No. 8901-8

5 GALLONS

Kennecott COPPER CORPORATION



SPECIAL PRODUCTS DIVISION

HOUSTON, TEXAS 77036