

HABCO 5H is a granular non-selective weedkiller

designed to be applied dry to the surface of the

ground for control of weeds. The kill of weeds

may be slow as the chemical is absorbed through

roots of weeds and must be carried to root zone

by moisture. The degree of control and duration of

effect will vary with the amount of chemical ap-

DIRECTIONS

Before applying, measure area to be treated and

select rate per acre desired to get amount needed

for treatment. Calibrate over a small area and get

even coverage with the rate/acre selected. A

Seeder or Granular Herbicide Applicator may be

used. 21/3 cups of HABCO 5H per 100 sq. ft. is

approximately 400 lbs. broadcast per acre rate.

GENERAL WEED CONTROL

To control most weeds for an extended period of

time on non-crop land such as Utility, Highway,

Pipeline and Railroad Right of Way, Petroleum

Tank Farms, Lumberyards, Storage Areas, Indus-

trial Plant Sites, and around Farm Buildings, apply

60 to 120 lbs. per acre to control ANNUAL WEEDS

and GRASSES such as foxtail, crabgrass, ragweed,

plied, soil type, rainfall, and other conditions.

A ECrophysics for Zailroads and Industry

NOV 7 1974

FUNGICIDE AND RODENTICIDE FOR ECONOMIC POISON REGISTER-ED UNDER NOSACES

HABCO 5H

Product No. 20-739031

A Non-selective Weedkiller

CAUTION: Keep out of the reach of children.

Do not store with foodstuffs. Store in cool, dry place. Do not leave container where children or animals may take internally. Harmful if swallowed. Avoid contact with skin and clothing. May cause irritation of eyes, nose, throat and skin. Avoid breathing dust. Avoid contact with eyes. Avoid use on or near turf, valuable trees or other desirable plants. Special care should be taken against application in the root areas of trees and shrubs. Do not contaminate water used for irrigating or drinking. Wash clothing and equipment after application.

Do NOT contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

CONTAINER DISPOSAL

Do not re-use empty container. Destroy it by burying with wastes or by burning. Stay away from smoke and fumes.

ACTIVE INGREDIENTS:

By Wt.

Bromacil (5-bromo-3-sec-butyl-6-methyluracil) *

4.00%

INERT INGREDIENTS

96.00%

TOTAL — 100.00%

*U.S. Pat. Pending, E.I. DuPont De Nemours & Company

* HABCO is the exclusive trade mark property of HABCO, INC.

Apply 140 to 240 lbs. per acre to control PEREN-NIAL WEEDS and GRASSES such as Bahia grass, dogfennel, goldenrod, plantain, and wild carrot.

Apply 300 to 600 lbs. per acre to control HARD-TO-KILL PERENNIAL GRASSES such as JOHNSON-GRASS, BERMUDAGRASS, DALLISGRASS, NUT-GRASS, and VASEYGRASS.

Use the higher levels of the dosage rates on adsorptive soils (usually those high in organic matter or carbon). Make application of HABCO 5H just before or during the period of active growth of weeds.

NOTE

For best results, vegetation should be cleared before treatment. This reduces fire hazard of dead weeds and aids in getting more even coverage of the area.

CONDITIONS OF SALE

All statements concerning the use of this product apply only when used as directed.

The manufacturer makes no warranties, expressed or implied, concerning this product or its use, which extend beyond the description on the label. Read all directions carefully.

E.P.A. Reg. No. 8823-15

DRAFT D

and lambs'-quarters.

E.P.A. EST. 2342-FL-1

Minneapolis, Minnesota, Kansas City, Mi

ri and Birmingham, Alabama