


HABCO HYCHLOR 25H
(Granular)



ACTIVE INGREDIENTS

Sodium Chlorate	41.0%
Sodium Metaborate *	51.0%
Bromacil (5-bromo-3-sec-butyl-6-methyluracil) **	2.0%

INERT INGREDIENTS

Attaclay	6.0%
----------------	------

*Equivalent to 4.98% as elemental boron.

**Equivalent to 2.0% Bromacil, a product of E. I. DuPont De Nemours & Co.

CAUTION (18 point)

KEEP OUT OF THE REACH OF CHILDREN (12 point)

Harmful if swallowed. May Cause irritation of Eyes, Nose, Throat, and Skin. Avoid breathing dust. Avoid contact with skin, eyes, and clothing. Avoid handling with cuts or abrasions on hands and wear gloves. Wash clothing and equipment after application. Avoid contamination of irrigation water. Keep out of the reach of children and domestic animals. Avoid contamination of feed and foodstuffs, fertilizers, and seed.

IMPORTANT

Do not apply on or near desirable trees or other plants, or on other areas where their roots may extend, or in locations where the chemical may be washed or moved into contact with their roots. DO NOT use on lawns, walks, driveways, tennis courts, or similar areas. DO NOT apply near desirable plants. DO NOT contaminate irrigation or domestic waters. Thoroughly clean application equipment after use. DO NOT use equipment with which HABCO HYCHLOR 25H has been applied for applying insecticides, fungicides, and fertilizers as plant injury may result.

DO NOT STORE WITH FOODSTUFFS.
STORE IN A COOL, DRY PLACE.

Avoid Direct Contact with Ground or Concrete Floors.

HABCO HYCHLOR 25H is a granular non-selective weed killer designed to be applied dry to the surface of the ground for control of weeds and grasses. The product is formulated for use on railroad, industrial, and similar non-crop areas where lasting residual effect is desired.

DIRECTIONS

NOTE - HARBO HYCHLOR 25H must be spread uniformly at rates given for effective weed control. Apply with a Seeder or Granular Herbicide Applicator. Killing action is primarily through the roots of plants, so moisture is required after application to carry the herbicide to the root zone. With too little moisture, results may be slow to appear. Avoid application in hot, dry weather.

FOR CONTROL OF WEEDS IN WHITE GRASS - Apply 1 pound per 100 square feet. Also apply 1/2 pound per 100 square feet when weeds are small.

FOR CONTROL OF WEEDS IN PRAIRIE PLANTS - Apply 1 to 1.2 pounds per 100 square feet. Where control of Bermuda and Casey grasses are a serious problem, apply 2 pounds per 100 square feet for first application. Make application whenever weeds and grasses are not over a few inches high. Rank vegetation should be cleared before treatment. This product has a record of dead weeds and aids in getting more even coverage of the area.

CONDITIONS OF SALE

Neither the manufacturer nor the seller makes any guarantee, representation or warranty express or implied, concerning this material, except that it substantially conforms with the chemical description on this label, and any damages resulting from non-conformance thereto shall be limited to direct damages, shall not exceed the purchase price and shall not include consequential damages. The buyer and/or user assumes all risk and liability resulting from the product whether used according to directions or not and agrees to accept these conditions. No person is authorized to vary any of the terms of these conditions.

