

FM 14 8845-39

10/1

Kills Norway Rats, Roof Rats and House Mice
Microencapsulated Pelleted Bait
Easy-to-use packets

This rodenticide contains Warfarin, an anticoagulant chemical that reduces the clotting ability of the blood and, upon repeated feedings, causes fatal hemorrhage in rats and mice. Each particle of the Warfarin in this product has been specially coated with a material that reduces detection of the Warfarin by the rodents at the time the bait is consumed. The coating may help assure greater acceptance of the bait in cases where rodent awareness of uncoated Warfarin is responsible for low bait acceptability.

Directions for Use: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Read This Label: Read this entire label and follow all use directions and use precautions.

IMPORTANT: Do not expose children, pets or other non-target animals to rodenticides. To help to prevent accidents:

1. Store product not in use in a location out of reach of children and pets.
2. Apply bait in locations out of reach of children, pets, domestic animals and non-target wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and by children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hooved livestock, raccoons, bears or other potentially destructive animals or in areas prone to vandalism.
3. Dispose of product container and unused, spoiled and unconsumed bait as specified on this label.

Use Restrictions: For control of Norway rats, roof rats and house mice in and around homes, industrial buildings and similar man-made structures. Do not place bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food. Do not broadcast bait.

Selection of Treatment Areas: Determine areas where rats or mice will most likely find and consume the bait. Generally, these areas are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls, or in locations where rodents or their signs have been seen. Protect bait from rain or snow. Remove as much alternative food as possible.

Rid-a-Rat

RAT and MOUSE KILLER

Microencapsulated Formula to Enhance Acceptance
 Microencapsulated Formula for Better Acceptance
 Microencapsulated Formula to Enhance Bait Acceptance
GUARANTEED TO WORK OR MONEY BACK • SEE SIDE PANEL
 Four Easy-To-Use Packets

Active Ingredients	
Warfarin 3-(alpha-Acetylbenzyl)-4-hydroxycoumarin	0.025%
Inert Ingredients	99.975%
Total	100.000%

Keep Out of Reach of Children

CAUTION See back panel for additional precautionary statements

Contains Four 4 oz. Easy-to-use Packets
 Total Net Weight: 16 oz.

Application Directions

RATS: Apply 1 to 4 packets of bait per placement. Maintain an uninterrupted supply of fresh bait for at least 10 days.

MICE: Open packet and apply 1/4 to 1/2 ounces (1 to 2 level tablespoons) of bait at 8 to 12 foot intervals. Larger placements (up to 2 ounces) may be needed at points of very high mouse activity. Assure an uninterrupted supply of fresh bait for at least 15 days.

RATS AND MICE: Replace contaminated or spoiled bait immediately. Collect and dispose of all dead animals and unconsumed bait properly. To prevent reinfestation, eliminate food, water and harborage as much as possible. If reinfestation does occur, repeat treatment. Where a continuous source of infestation is present, establish permanent bait stations and replenish as needed.

STORAGE AND DISPOSAL

Storage: Store only in original container, in a dry place inaccessible to children and pets. **Disposal:** Do not reuse empty container. Securely wrap in newspaper and discard in trash.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Keep away from humans, domestic animals and pets. If swallowed, this material may reduce the clotting ability of the blood and cause bleeding.

NOTE TO PHYSICIAN: If ingested, administer Vitamin K, intramuscularly or orally, as indicated in bishydroxycoumarin overdoses. Repeat as necessary based on monitoring of prothrombin times.

Environmental Hazards

This product is toxic to mammals and birds. Do not apply this product to water, swamps, bogs or potholes.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

Questions or comments? Call toll free 800-332-5553 weekdays 9-5 Central Time.

Satisfaction Guarantee

If you are not completely satisfied, send the carton and your name, address and cash register receipt showing price, date and place of purchase for full refund to: Spectrum Group, 6625 Page Blvd., St. Louis, MO 63114.

Manufactured in the U.S.A. for: Spectrum Group, Division of United Industries Corporation, P.O. Box 15842, St. Louis, MO 63114-0842 Form No. A3/REG © 1992 EPA Reg. No. 6845-39 EPA Est. No. 61282-WI-1

ACCEPTED
 JUN 14 1993
 Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 8845-39

