

CAUTION

Hazards to Humans and Domestic Animals

Harmful if swallowed or absorbed through skin. Avoid breathing vapor and spray mist. Avoid contact with skin and eyes. Remove pets, birds and cover fish aquariums before spraying. Do not apply directly to or around food. Cover or remove any food utensils and food processing equipment during application. Do not apply while food processing is underway. After space spraying in areas where food is handled, wash all equipment, benches, shelving, etc. where exposed food will be handled with potable water.

Statement of Practical Treatment

If Swallowed: Call a physician or Poison Control Center immediately. Crink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Repeat until vomit fluid is clear. Never induce vomiting or give anything by mouth to an unconscious person. If on Skln: Wash contaminated clothing and wash affected areas with plenty of soap and water. If In Eyes: Flush eyes with plenty of wat ir. Call a physician if irritation persists. If Inhaled: Remove victim to fresh air. Apply artificial respiration if indicated.

Environmental Hazards

This pesticide is highly toxic to fish, birds and other wildlife. Do not apply directly to water or wetlands (swamps, bogs, marshes and potholes). Drift and runoff from treated sites may be hazardous to fish and to aquatic organisms in adjacent waters.

Physical and Chemical Hazards

Contents under pressure. Do not use near heat or open flame. Do not puncture or encirerate, increase to temperatures above 130 female cause bursting.

Storage and Disposal

Storage: Store in a cool place away from heat, direct sunlight, or open flame. Reep in original container and preferably in a Bosood storage agea. Disposal! Replace cap and discard container in train. Lo got puncture or inclinerate.



FLEA AND TICK SPRAY

for dogs and cats
Formula 117

Rapidly kills fleas on dogs and cats and also kills ticks on dogs.

Active Ingredients:

Tetramethrin ((1-Cyclohexene-1,2-dicarboximido)	
methyl 2,2-dimethyl-3-(2-methylpropeny.)	
cyclopropanecarboxylate]	0.050%
3-phenoxybenzyl-(1RS, 3RS; 1RS, 3SR)-2,2-	
dimethyl-3-(2-methylprop-1-enyl)	
cyclopropanecarboxylate	0.100%
Inert Ingredients 9	9.850%
Total 10	0.000%

Keep Out of Reach of Children CAUTION

See Back Panel for Additional Precautionary Statements

Net weight 12 oz.



, विद्याव

Directions for Use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

SHAKE BEFORE USE

Used as directed, Hot Shot Flea & Tick Spray quickly relieves pets of bothersome flea and tick problems.

Hot Shot Flea & Tick Spray will kill Fleas on Cats and Brown Dog Ticks and Fleas on Dogs.

Spray the animal from a distance of 8-12 inches. Start spraying at the tail, moving the dispenser rapidly and making sure that the animal's entire body is Lovered, including the legs and under the body. As you spray, fluff the hair so the spray will penetrate to the skin. Make sure spray wets ticks thoroughly. Do not spray into the eyes, face or on scrotum. Repeat as needed.

For cats apply at a rate of one second per pound of body weight. (For example: 5 seconds of total spraying on a 5 pound animal). For dogs apply at the rate of two seconds per pound of body weight for thin or short haired dogs and up to eight seconds per pound of body weight for heavy or long haired dogs.

NOTICE: Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.

Spectrum Group
Division of United Industries, Corp.
St. Louis, MO 63114

EPA Reg. No. 8845-83 EPA Est. No. 9688-MO-1

8845-83