

PRECAUTIONARY STATEMENTS

CAUTION

Hazards to Humans and Domestic Animals

Harmful if swallowed or absorbed through skin. Avoid breathing vapor and spray mist. Avoid contact with skin and eyes. Remove pets, birds and cover fish aquariums before spraying. Do not apply directly to or around food. Cover or remove any food utensils and food processing equipment during application. Do not apply while food processing is underway. After space spraying in areas where food is handled, wash all equipment, benches, shelving, etc. where exposed food will be handled with potable water.

Statement of Practical Treatment

If Swallowed: Call a physician or Poison Control Center immediately. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Repeat until vomit fluid is clear. Never induce vomiting or give anything by mouth to an unconscious person. If on Skin: Wash contaminated clothing and wash affected areas with plenty of soap and water. If in Eyes: Flush eyes with plenty of water. Call a physician if irritation persists. If Inhaled: Remove victim to fresh air. Apply artificial respiration if indicated.

Environmental Hazards

This pesticide is highly toxic to fish, birds and other wildlife. Do not apply directly to water or wetlands (swamps, bogs, marshes and potholes). Drift and runoff from treated sites may be hazardous to fish in adjacent waters.

Physical and Chemical Hazards

Contents under pressure. Do not use near heat or open flame. Do not puncture or incinerate. Exposure to temperatures above 130°F may cause bursting.

Storage and Disposal

Storage: Store in a cool place away from heat, direct sunlight, or open flame. Keep in original container and preferably in a locked storage area. Disposal: Replace cap and discard container in trash. Do not puncture or incinerate.

Directions for Use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

HOT SHOT®

FOGGER V

Kills Flies, Cockroaches, Fleas,
Saw-toothed Grain Beetles, Ticks,
Confused Flour Beetles, Rice Weevils,
Small Flying Moths, Pill Bugs, Crickets
One Unit Treats up to 6,000 Cubic Feet
Water-Based

Active Ingredients:

Pyrethrins	0.050%
+ N-Octyl bicycloheptene dicarboximide	0.400%
Permethrin [*-(3-Phenoxyphenyl)methyl (+/-) cis-trans-3-(2,2-dichloroethyl)]	
2,2-dimethylcyclopropanecarboxylate]	0.400%
Related reaction products	0.035%
Inert Ingredients**	99.115%
Total	100.000%
+ MGK 264, Insecticide Synergist	
*cis-trans isomer ration: min 35% (+/-) cis, max 65% (+/-) trans	
**Contains petroleum distillates	
EVERCIDE - Registered Trademark of McLaughlin Gormley King Company	

Keep Out of Reach of Children

CAUTION

See Back Panel for Additional
Precautionary Statements

Net Wt. 7.5 oz.

ACCEPTED

DEC. 17 1990

Under the Federal Insecticide, Fungicide, and
Rodenticide Act, as amended, for the
EPA Reg. No. 8845-123

For Use in Rooms, Apartments, Homes, Attics, Basements,
Campers, Boats, Household Storage Areas, Garages, Pet
Sleeping Areas, Cabins

This product will kill Cockroaches, Houseflies, Confused
Flour Beetles, Saw-toothed Grain Beetles, Rice Weevils,
Small Flying Moths, Fleas, Ticks, Pillbugs, Crickets.

Cover exposed food, dishes and food-handling
equipment. Open cabinets and doors to area to be
treated. Shut off fans and air conditioners. Put out all
flames and pilot lights. Close doors and windows. Point
valve opening away from face and eyes when releasing.
Use one unit for each 6,000 cubic feet of unobstructed
area. Use additional units for remote rooms or where free
flow of mist is not assured. Do not remain in the area
during treatment and ventilate thoroughly before re-entry.

TO OPERATE VALVE: To lock valve in open position for
automatic discharge, press valve button all the way down,
hooking the catch. Then place fogger on stand or table in
the center of the room with valve locked open, placing
several layers of newspaper or pad under fogger. Leave
building at once and keep building closed for four hours
before airing out. Open all doors and windows and allow
to air for 30 minutes. Repeat spraying in two weeks or
when necessary.

To Kill Ticks and Fleas: Destroy pet's old bedding and
replace. Use product as above. Treat dogs and cats with
registered tick control product prior to re-entry.

NOTICE: Seller warrants that the product conforms to its chemical
description and is reasonably fit for the purpose stated on the
label when used in accordance with directions under normal
conditions of use, but neither this warranty nor any other warranty
of MERCHANTABILITY or FITNESS FOR A PARTICULAR
PURPOSE, express or implied, extends to the use of this product
contrary to label instructions, or under abnormal conditions, or
under conditions not reasonably foreseeable to seller, and buyer
assumes the risk of any such use.

Manufactured in the U.S.A. for Spectrum Group,
Division of United Industries Corp.
Jacksonville, FL 32236-6246
Form: DCI1990

EPA Reg. No. 8845-123

EPA Est. No. 9866-MO-1

PM 15 Reg # 8845-123