

APR 27

300-5-14-969
12/4

Ms. Kathie J. Tryson
Spectrum Group
8825 Page Boulevard
P.O. Box 15842
St. Louis, MO 63114

Dear Ms. Tryson:

Subject: Label Amendment
Hot Shot Fogger V
EPA Registration No. 8845-123
Your Submission Dated March 26, 1992

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

At next label printing:

- Under Precautionary Statement add feed to the food dishes and food-handling equipment paragraph; i.e.,
 . . . exposed food/feed
 . . . food/feed handling
- Under Environmental Hazards delete "(or wetlands, swamps, bogs, marshes, and potholes)."

Sincerely yours,

BEST AVAILABLE COPY

George T. LaRocca
Product Manager (13)
Insecticide-Rodenticide Branch
Registration Division (H7505C)

Enclosure		CONCURRENCES					
SYMBOL	63216:II:A-4:Moats	WP13-5:KEVRIC:04/24/92:05/23/92	DD				
SURNAME							
DATE							

BEST

For Use in Rooms, Apartments, Homes, Attics, Basements, Campers, Boats, Household Storage Areas, Garages, Pet Sleeping Areas, Cabins

Kills Cockroaches, Houseflies, Confused Flour Beetles, Saw-toothed Grain Beetles, Rice Weevils, Small Flying Moths, Fleas (adult and pre-adult [larvae]), Ticks, Pillbugs, Crickets.

Directions for Use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Cover exposed food, dishes and food-handling equipment. Open cabinets and doors to area to be treated. Shut off fans and air conditioners. Put out all flames and pilot lights. Close doors and windows. Point valve opening away from face and eyes when releasing. Use one unit for each 6,000 cubic feet of unobstructed area. Use additional units for remote rooms or where free flow of mist is not assured. Do not remain in the area during treatment and ventilate thoroughly before re-entry.

Shake Well Before Using

TO OPERATE VALVE: To lock valve in open position for automatic discharge, press valve button all the way down, hooking the catch. Then place fogger on stand or table in the center of the room with valve locked open, placing several layers of newspaper or pad under fogger. Leave building at once and keep building closed for four hours before airing out. Open all doors and windows and allow to air for 30 minutes. Repeat spraying in two weeks or when necessary.

To Kill Ticks and Fleas: Destroy pet's old bedding and replace. Use product as above. Treat dogs and cats with registered tick control product prior to re-entry.

STORAGE AND DISPOSAL

Storage: Store in a cool place away from heat, direct sunlight, or open flame. Keep in original container and preferably in a locked storage area. Disposal: Replace cap and discard container in trash. Do not puncture or incinerate.

HOT SHOT.

FOGGER V

Kills Flies, Cockroaches, Fleas (Adult and Pre-adult [Larvae]), Saw-toothed Grain Beetles, Ticks, Confused Flour Beetles, Rice Weevils, Small Flying Moths, Pill Bugs, Crickets One Unit Treats up to 6,000 Cubic Feet Water-Based

Active Ingredients:

Pyrethrins	0.050%
+N-Octyl bicycloheptene dicarboximide	0.400%
Permethrin [(3-Phenoxyphenyl)methyl (+/-) cis-trans-3-(2,2-dichloroethenyl) 2,2-dimethylcyclopropanecarboxylate]	0.400%
Related reaction products	0.035%
Inert Ingredients**	99.115%
Total	100.000%

+MGK 264, Insecticide Synergist. *cis-trans isomer ratio: min 35% (+/-) cis, max 65% (+/-) trans. **Contains petroleum distillates.

Keep Out of Reach of Children
CAUTION

See Back Panel for Additional Precautionary Statements

Net Wt.

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 8845-123

APR 27
8845-123

PRECAUTIONS

Hazards to Humans

CAUTION: Harmful if swallowed. Avoid breathing vapors with skin and eyes. Remove from aquariums before spraying. Keep away from food. Cover or remove processing equipment during food processing is underway. Do not use where food is handled, shelving, etc. where exposed to potable water.

Statement of Practice

If Swallowed: Call a physician immediately. Drink 1 or 2 glasses of water. If vomiting by touching back of throat with vomit fluid is clear. Never induce vomiting by mouth to an unconscious person. Remove contaminated clothing and wash with soap and water. If in eyes, flush with water. Call a physician. Remove victim to fresh air. First aid instructions indicated.

Environmental Hazards

This pesticide is highly toxic to fish. Do not apply directly to water, marshes and potholes). It may be hazardous to fish.

Physical or Chemical Hazards

Contents under pressure. Do not puncture. Do not use at temperatures above 130°F.

NOTICE: Seller warrants

chemical description and name stated on the label when used under normal conditions of use. No other warranty of MERCHANTABILITY FOR A PARTICULAR PURPOSE extends to the use of this product, or under conditions not reasonably foreseeable. Manufactured in the U.S.A. Division of United Industries, St. Louis, MO 63114-5842

Form: DCI1990/A2
EPA Reg. No. 8845-123