

BLACK JACK

FLEA AND TICK KILLER FOR CARPETS AND RUGS

Precautionary Statements - Hazard to Humans and Domestic Animals
DANGEROUS: Harmful if swallowed or absorbed through skin. Avoid breathing vapors. Avoid contact with skin. In case of contact, immediately flush skin with plenty of water.

Do not use in commercial food processing, storage preparation or serving areas in the home, or food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Cover exposed food.

Remove pets, birds and cover fish aquariums before spraying.

PETEICAL DATA/ABUSES Contents under pressure. Do not expose to direct sun heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130° may cause bursting.

DIRECTIONS FOR USE - GENERAL CLASSIFICATION
It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Storage: Store in a cool area away from heat or open flame. Disposal: Do not reuse empty container. Wrap container and put in trash collection bin.

SMALL BOTTLE HOLD CONTAINER UPRIGHT. APPLY IN SHORT BURSTS.

To Kill Fleas and Ticks: Directly spray as many insects as possible. Spray both interior and exterior of upholstered furniture. Both top and bottom of rugs and carpets should be sprayed thoroughly. Also treat closets, closet areas under furniture and wherever these insects are seen or suspected.

Remove and destroy pet's old bedding. Spray sleeping quarters of pets around baseboards, under and door frames, wall cracks and focal areas of floors.

Repeat as necessary. Put fresh bed in pet's quarters after spray has dried. Also treat dogs and cats with a ring, dried flea and tick control product before allowing them to enter treated area.

To Kill House Flies, Blowflies, Small Flying Gnats, Gnats and Gnats: Close all doors and windows and direct spray upward into center of room at 10 second sweep position. Spray 5 to 10 seconds for average room. Keep room closed for 15 minutes after spraying. Ventilate thoroughly before entry. Sweep up and destroy fallen insects.

To Kill Cockroaches, Spiders and Crickets: Contact as many insects as possible with the spray in addition to thorough spraying of all parts of the room suspected of harbouring these pests. Special attention should be paid to cracks, hidden surfaces under sinks, behind stoves and refrigerators, food storage areas and wherever these pests are suspected of hiding. To kill ants treat doors, around window frames, ant trails and other areas of entry. Repeat as necessary.

To Kill Carpet Beetles: Directly spray as many insects as possible. Spray both interior and exterior of upholstered furniture. Both top and bottom of rugs and carpets should be sprayed thoroughly. Also treat closets, areas under furniture and wherever these insects are seen or suspected. Repeat as necessary.

To Kill Bedbugs, Cockroaches, Fleas and Spiders: Contact as many insects as possible with the spray. Also thoroughly spray all parts of the room suspected of harbouring these pests. Special attention should be paid to cracks, crevices, corners, places under sinks, behind stoves and refrigerators.

EPA Reg. No. 504-02
EPA En. No. 10000001
Flea En. No. 10000001

BLACK JACK

FLEA AND TICK KILLER FOR CARPETS AND RUGS

For Use in Households, Non-Food Areas of Warehouses, Hotels, Motels, Food Processing Plants, Theatres, Schools and Offices

Kills Common Pests: Fleas, Ticks, House Flies, Mosquitoes, Cockroaches, Fire Brats and others listed on back panel.

ACTIVE INGREDIENTS:

Tetramethrin (1-Cyclohexene-1, 2-dicarboximido) methyl 2,2-dimethyl-3-(2-methylpropenyl) cyclopropanecarboxylic 0.400%

*3-Phenoxybenzyl d-cis and trans 2,2-dimethyl-3-(2-methylpropenyl) cyclopropanecarboxylic 0.287%

*Other Isomers 0.013%

INERT INGREDIENTS: 99.300% 100.00%

*d-(cis, trans) phenothrin

*cis-trans isomer ratio: max 25% (+ or -) is min 75% (+ or -) trans

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Back Panel for Additional Precautionary Statements

NET CONTENTS 11 OZ. (308 GRAMS)

ACCEPTED

MAY 27 1982

U.S. EPA
FOLIO
RECEIVED
EPA REG. NO.
8848-42