Please read Instructions on reverse before completing form.	03 8848-62 4/13/98 PG 1 30-91	
United States Environmental Protect Office of Pesticide Programs (No. 2046) Washington, DC 20460 Application for Pe	Amendment Amendment	
Section I		
Company/Product Number 8848-62	2. EPA Product Manager 5: 3. Proposed Classification G. LaRocca 3. Proposed Classification	
4. Company/Product(Name) Black Jack Fly & Mosquito Killer	PM# X None Restricted	
5. Name and Address of Apolicant (Include ZIP Code) Safeguard Chemical Corporation 411 Wales Avenue Bronx, New York 10454	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. 4816-752	
Check if this is a new address	Tetraperm (.151575) Yard Product Name& Patio Water Based Aerosol	
Section II		
Amendment - Explain below Resubmission in response to Agency letter dated	Final printed labels in response to NOTIFICATION Agency letter dated ADD 4 \$ 4000	
Notification - Explain below.	"Me Too" Application. APR 1 3 1998 Other - explain below.	
Explanation: Use additional page(s) if necessary. (For section I and Section II.)		
Change the label to the primary label of EPA Reg.No. 4816-752 which is expected to be reviewed and with more claims. Section III		
1. Material This Product Will Be Packaged In:		
Child-Resistant Packaging Unit Packaging Water	Soluble Packaging 2. Type of Container Yes XX Metal	
If "Yes," No. per If "Yes	Paner 1	
submitted. 4 - 14 oz 112, 24		
3. Location of Net Contents Information XX Label Container 6,8,12,16,20,24 0 z Container C. Manner In Which Label is Affixed To Product XX Lithograph Paper glued XX Stendied Container C. Manner In Which Label is Affixed To Product XX Lithograph Paper glued XX Stendied		
Section IV 1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Title	Telephone No. (Include Area Code)	
	echnical Director (908) 351-5900	
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any prowingly false of misleading statement may be punishable by fine or imprisonment or both under applicable law. 6. Date Application Received •••(Stamped)		
2. Signature 3. Title	····. : · :	
Technical Director		
4. Typed Name S. Date Hong Tie Hu Ma	arch 31, 1998	
EPA Form 8570-1 (Rev. 12-90) Previous editions are obsolete. White - EPA File Copy (original) Yellew- Applicant copy		

NOTIFICATION

APR 1 3 1998

BLACK JACK

FLY & MOSQUITO KILLER

- * CONTROLS RESIDENTIAL AND ORNAMENTAL GARDEN IN-SECTS
- ***** FOR HOUSEHOLD USE
- * A BROAD SPECTRUM INSECTICIDE HIGHLY EFFECTIVE AGAINST ANTS, CARPENTER ANTS, BEES, CARPET BEETLES, CENTIFEDES, CLOVER MITES, COCKROACHES, CRICKETS, EARWIGS, FIRE-BRATS, FLEAS, CRAIN BEETLES, MILLIPEDES, MOLE CRICKETS, MOTHS, PILLBUGS, SCORPIONS, SILVERFISH, SOUBLUGS, SPI-DERS, TICKS, WASPS, AND MANY OTHER PESTS.

ACTIVE INGREDIENTS:

*Tetramethrin	0.15%
**Permethrin	0.15%
***Piperonyl Butoxide, Technical	0.75%
INERT INGREDIENTS:	
_	100.00%

"1-cyclohexene-1,2-dicarboximidomethyl-2,2-dimethy-3-(2-methylpropenyl) cyclopropanecarboxylate
"*(3-phenoxyphenyl) methyl (+/-) cis/trans 3-(2,2- dichloroethenyl) 2,2-

*13-phenoxyphenyl) methyl (+/-) cishrans 3-12,2- dichloroethenyl) 2,2dimethylcyclopropanecarboxylate. Cishrans ratio: min. 35% (+/-) cis and max. 65% (+/-) trans.

***Equivalent to min. 0.4% (butylcarbityl)(6-propylpiperonyl) ether and 0.1% related compounds.

TETRAPERM - Trademark of Agrévo Environmental Health, Inc.

EPA REG.NO. 8848-62 EPA EST.NO. 10806-NJ-1

KEEP OUT OF REACH OF CHILDREN

CAUTION :

STATEMENT OF PRACTICAL TREATMENT

IF ON SKIN: Wash with plenty of soap and water. Get medical attention.

IF IN EYES: Flush with plenty of water. Call a physician if irritation persists.

IF INHALED: Remove victim to fresh air. If not breathing give artificial respiration, preferably mouth to mouth. Get medical Attention.

See Side Panel For Use Precautions.



752s 112894ln

Hazards To Humans & Domestic Animals CAUTION Harmful if absorbed through skin or inhaled. Causes moderate eye irritation. Avoid contact with skin, eyes and clothing. Avoid eye irritation.

PRECAUTIONARY STATEMENTS

Harmful if absorbed through skin or inhaled. Causes moderate eye irritation. Avoid contact with skin, eyes and clothing. Avoid breathing vapor or spray mist. In case or contact immediately flush eyes or skin with plenty of water. Get medical attention if irritation persists. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse. Avoid contamination of feed and foodstuffs. Remove pets and birds and cover fish aquaria before spraying or surface applications. Vacate room after treatment and ventilate before reoccupying. On not allow children or pets to contact treated areas until surfaces are dry.

Environmental Hazards

This product is toxic to fish. Do not apply directly to any body of water. Do not contaminate water when disposing of equipment washwaters.

Physical Or Chemical Hazards

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 1 30°F may cause bursting. Do not apply this product in conduits, motor housings, junction and switch boxes or other electrical equipment because of possible shock hazard. Do not use on surfaces that can be harmed or stained by water.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Store in a cool, dry area. Do not transport or store below 32°F.

Wrap container in several layers of newspaper and dispose of in trash. Do not incinerate or puncture.

In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Exposed food should be covered or removed.

SHAKE WELL BEFORE USING

Remove protective cap, hold container upright and spray from a distance of 12 to 15 inches. Remove birds and cover rish aquariums before spraying.

INDOOR:

HOUSEFLES, FRUIT FLIES, ANOSQUITOES, GNATS, WASPS, BLOW FLIES, SRIPPER FLIES, BLOW FLIES, AND SMALL FLYING MOTHS: Close all doors and windows and direct spray upward into center of room with a slow sweeping motion. Spray S-10 seconds for average room. Direct spray to all parts of the room, especially windows and other light sources which attract these insects. Keep nozzle in constant motions (Keep room closed for 15 minutes after spraying. Ventilate room thoroughly before re-entry. Sweep up and discard fallen insects. Repeat treatment as necessary.

COCKROACHES, WATERBUGS, PALMETTO BUGS, SILVER-FISH, FIREBRATS, CRICKETS, SCORPIONS, SPIDERS, MILLI-PEDES, CENTIPEDES, SOWBUGS AND PILLBUGS: Spray into hiding places such as cracks and crevices, behind sinks, cabinets, along baseboards and floors, around drains and plumbing, hitting insects with spray whenever possible. Repeat treatment as necessary.

ANTS: Spray trails, nests and points of entry. Spray on ants where possible. Repeat as necessary.

CARPET BEETLES: Spray directly on beetles, floors, baseboards, shelves and carpets. Repeat treatment as necessary.

BEDBUGS: Spray mattresses, particularly around turts and seams. Take beds apart and spray into all joints. Treat baseboards, moldings and floors. Repeat treatment as necessary.

To control Clothes Moths and Carpet Beetles on wool and other protein naceous fibers: Remove infested articles from storage, brush thoroughly, and air for several hours in sunlight, if possible. Apply spray liberally to empty chests, closets, bureaus and other storages directing the spray into cracks, joints and crevices. After airing, infested articles may be treated by spraying lightly, keeping nozzle at least three feet from fabric to avoid staining

OUTDOOR

Point spray nozzle away from face. Hold can on slight downward angle. For best results, spray when air is calm. Allow a few minutes for product to take effect. Spray with wind if breeze is blowing.

Pests on Outside Suriaces Oi Buildings: For control of building infestation due to Ants. Clover Mites, Crickets, Earwigs, Millipedes, and Sowbugs (Pillbugs). Spray foundation of building where insects are active and may be find entrance, up to a height of 2 to 3 leet. Apply as a residual spray to outside surface of buildings where insects tend to congregate. Spray areas include (but are not limited to) screens, window (rames, eaves, porches, patios, garages and refuse dumps. Repeat treatment as necessary.

FLYING INSECTS: Flies, Mosquitoes, Gnats, Small Flying Moths, Hornets and Yellow Jackets. Allow log to drift over area. Direct spray toward bushes or grass from at least 4 to 6 feet away. Give special attention to breeding areas such as garbage cans and compost piles. Repeat as necessary.

CRANVLING INSECTS Ants, Cockroaches, including Asian Cockroaches, Crickets, Male Crickets, Centipedes, and Silver-fish. Spray infested surface of patio or picnic area, hitting as many insects as possible. Also spray legs of tables and chairs to repel ants. Spray ant trails and hills.

ANTS, LONE STAR TICKS, CRICKETS, FLEAS AND EARWIGS: Apply thoroughly to infestations in bushes, grass or weeds. For Ants, spray freely around ant trails and hills.

FOR CONTROL OF ORNAMENTAL GARDEN INSECTS: For use on roses, dahlias, asters and other ornamentals to kill Japanese Beetles hit by spray, as well as Whitellies, Aphids, Exposed Thrips, Spiders, Red Mites and Leafminers.

May be used on plants, as well as a multi-purpose spray in small gardens and for spot treatments of incipient insect infestations to prevent spreading in large garden areas. May also be used on other plants such as African Violets, asters, azaleas, begonias, camellias, carnations, chrysanthemums, dahlias, geraniums, crassula, grape vine, Kentia palm, laurel, marigolds, rhododendrons, roses, rubber plants, snapdragons, stocks, wandering Jews and zinnias.

Effective when used as directed against Whiteflies, Aphids, Spider and Red Mites, Exposed Thrips, Lace Bugs, Japanese Beetles, Pavement Ants, Clover Mites and Army Worms. When spraying plants, do not operate closer than 18 inches. Use sweeping motion. Spray in one second bursts. Be cautious about wetting tender foliage, young plants and new growth. Do not spray plants

when temperatures exceed 90°F. Contact insects directly whenever possible. Repeat treatment as infestations occur.

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

SAFEGUARD CHEMICAL CORP. 411 WALES AVENUE BRONX, NY 10454 MADE IN U.S.A.