2003 889 - CHILD STATES ENVIRONMENTAL PROTECTION AGENCY

Best Available Image

5550926 301

NOV 3 1998

Honglie Hu Safeguard Chemical Corporation 411 Wales Avenue Bronx, NY 19454

Subject:

Black Jack Liquid Multi-Purpose Insect Killer

EPA Registration No. 8848-67

Your fax dated September 22, 1998 in response to Agency letter dated

September 2, 1998

Dear Mr. Hu:

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, is acceptable provided that you:

- 1. Make the following changes to your label:
 - a. Based on the information provided in the fax received on September 22, 1998, you may add screen treatment to your label.
 - b. The claim "Discourages reformation of spiderwebs (controls cobwebs that harbor dust, pollen, and insects.)" is unacceptable. Delete this claim from your label.
 - c. At the end of the Precautionary Statements, add the sentence "Do not use on pets."
- 2. Submit two copies of your final printed labeling before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions. A stamped copy of the labeling is enclosed for your records.

Sincerely yours,

F

George T. LaRocca Product Manager 13 Insecticide Branch

CONCURRENCE Egistration Division (7505C)							
SYMBOL Enclosu	re						
SURNAME				***************************************			
DATE			 	***********		************	

EPA Form 1320-1A (1/90)

Printed on Recycled Paper

OFFICIAL FILE COPY

the Federal Inserticide, Punghide, and Redenteids Act mnended, for the posticide registered under EPA Rex. No.

PRECAUTIONARY STATEMENTS Hazards To Humans & Domestic Animals

CAUTION

Wash thoroughly after handling and before smoking or eating. Avoid contamination of feed and foodstuffs. Remove pets and birds and cover fish aquaria before surface applications. Do not use on humans. Do not allow children or pets to contact treated areas until surfaces are dry. Do not use on pets

Environmental Hazards

This product is extremely toxic to fish. Do not apply directly to any body of water. Do not contaminate water when disposing of equipment washwaters.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Do not reuse container. Wrap container in several layers of newspaper and discard in trash.

Remove cap, affix trigger, pump or other type sprayer to container for application. Do not transfer to another container.

SHAKE WELL BEFORE USING

READ ENTIRE LABEL BEFORE EACH USE

INDOOR APPLICATION

For spot application only. Do not use as a space spray indoors.

SURFACE SPR AYING: FOR 60-DAY (TWO MONTHS) CONTROL OF: COCKROACHES, WATERBUGS, PALMETTO BUGS, SCOR-PIONS, MILLIPEDES, CENTIPEDES, SOWBUGS, PILLBUGS, ANTS, SILVERFISH, FIREBRATS, SPIDERS, CRICKETS, CLOVER MITES, CHEESE MITES, GRANARY WEEVILS, RICE WEEVILS, CONFUSED FLOUR BEETLES, RUST RED FLOUR BEETLES, DRUCSTORE BEETLES, MEAL WORMS, GRAIN MITES AND CADELLES: Direct the spray into hiding places, cracks and crevices, and behind shelves and drawers. For Silverfish, spray bookcases. For Ants, spray trails, nests and points of entry.

ADDITIONAL ALTERNATE TEXT

Screen Treatment: Remove, clean and dry screens. Applying outdoors, hold bottle upright and spray 8-10 inches from surface with sweeping movement to apply even14. Spray both sides of screen to assure complete coverage. Two may be treated together. Wipe any excess liquid with lint-free cloth. Use on any type of screening. Repeat as necessary.

BLACK JACK LIQUID MULTI-PURPOSE INSECT KILLER

STOPS BUGS FROM COMING THROUGH SCREENS CONTROLS: HOUSE FLIES. MOSQUITOES, GNATS, SPI-DERS, ANTS, FLEAS, TICKS, ROACHES, PALMETTO BUGS, SILVERFISH, CRICKETS

CONTROLS SPIDERS IN THE HOME

- DISCOURAGES REFORMATION OF SPIDERWEBS (CON-TROLS COBWEBS THAT HARBOR DUST, POLLEN, AND,
- WATER BASED FORMULATION.)
- FOR DOMESTIC USE BOTH INDOORS AND OUTDOORS.
- A READY-TO-USE PEMETHRIN STABLE EMULSION INSEC-
- FOR CONTROL OF FLEAS, BROWN DOG TICKS AND LICE ON PREMISES
 - FOR CONTROL OF PESTS ON LIVESTOCK
 - WITH COUNTRY FRESH FRAGRANCE
 - PROVIDES 60-DAY (TWO MONTHS) CONTROL OF COCK-ROACHES
- PROVIDES 60-DAY (TWO MONTHS) CONTROL OF FLEAS
 - PROVIDES 60-DAY (TWO MONTHS) CONTROL OF STORED PRODUCT PESTS

ACTIVE INGREDIENT

100.00%

*(3-phenoxyphenyl) methyl (+/-) cis/trans 3-(2,2-dichloroethenyl) 2.2-dimethyloxolopropanecarooxylate. Cisitrans ratio: min. 35% (+/4) dis and max. 65% (4/4) trans.

EPA REC. NO. 8848-67 EPA EST.NO.8848-NY-1

KEEP OUT OF REACH OF CHILDREN CAUTION

See Side Panel For Additional Precautions.

NET CONTENTS: 16 Fl. Oz.

blacki 032558tk

SURFACE SPRAYING

To Control Spiders: Apply around infested areas, door frames, pipes under sinks, cracks, crevices, carpets and rugs. It can be used indoors and outdoors on paint, metal, fiberglass, concrete and masonry. Reapply as needed.

TO CONTROL CARPET BEETLES: Spray edges of carpeting and under carpeting and rugs. Make localized application to floor and baseboards. Spray directly into cracks, crevices and infested areas of shelving. Repeat treatment as needed.

TO CONTROL BEDBUGS: Spray mattresses lightly, particularly around turts and seams. Take beds apart and spray in all joints. Treat baseboards, moldings and floors. Repeat treatment as needed.

TO CONTROL FLEAS (ADULTS AND LARVAE) AND TICKS (ADULTS AND LARVAE): Thoroughly spray infested areas, pet beds, resting quarters, nearby cracks and crevices, along and behind baseboards, moldings, window and door frames, and entire areas of floor and floor covering. Fresh bedding should be placed in animal quarters following treatment. Repeat treatment as needed. Allow to dry thoroughly before allowing pets to contact treated areas.

TO CONTROL CLOTHES MOTHS: Remove any infested articles from storage, brush thoroughly, and air for several hours in sunlight, if possible. Apply spray liberally to empty cheshs closets, bureaus and other storages directing the spray into cracks, joints and crevices. After airing, infested articles may be treated lightly, keeping nozzle at least three feet from fabric to avoid staining.

TO KILL LICE AND LOUSE EGGS: Spray in an inconspicuous area to test for possible staining or discoloration. Inspect again after drying, then proceed to spray entire area to be treated. Spray from a distance of 8 to 10 inches. Treat only those garments and parts of bedding, including mattresses and furniture that cannot be either laundered or dry cleaned. Allow all treated particles to dry thoroughly before use.

ON LIVESTOCK: To protect cattle (beef and dairy), goats, sheep, hogs and horses from Horn Flies, Face Flies, House Flies, Mosquitoes and Gnats: Apply a light mist sufficient to wet the surface of the hair. For face flies, spray face and head, but do not spray into eyes.

TO CONTROL STABLE FLIES, HORSE FLIES AND DEER FLIES: Apply at a rate of 2 ounces per adult animal, sufficient to wet the hair thoroughly. Repeat treatment daily or at intervals necessary to give continued protection.

TO CONTROL BLOOD-SUCKING LICE: Apply to the infested areas of the animal, using a stiff brush to get the spray to the base of the hair. Repeat every 3 weeks if required.

TO CONTROL POULTRY LICE: Spray roosts, walls and nests or cages thoroughly. This should be followed by spraying over the birds with a fine mist.

TO CONTROL BEDBUGS AND MITES IN POULTRY HOUSES:

speak crevices of rocks poles inracks in wells, and cracks in nests where the Bedbugs and Nates Inde.

OUTDOOR APPLICATION

To help control ticks in outdoor activity areas, treat a hand of vegetation and leaf litter 6-10 feet wide and adjacent to activity areas, especially where dense vegetation occurs.

FOR CONTROL OF GARDEN INSECTS: For use on roses, dahlias, asfers and other ornamentals to kill Japanese Beetles hit by spray as well as Whiteflies, Aphids, Exposed Thrips, Spiders, Red Nites and Lealminers. May be used on plants as a multi-purpose spray in small gardens and for spot treatments of incipient insect infestations to prevent spreading in large garden areas.

May also be used on other plants such as African violets, asters, azaleas, begonias, camellias, carnations, chrysanthemums, dahlias, delphiniums, dogwoods, English ivy, eunonymus, fuschia, geraniums, crassula, grape vines. Kentia palms, laurels, marigolos, rhododendrons, roses, rubber plants, snapdragons stocks, wandering Jevis and zinnias.

Effective when used as directed against Whiteflies, Aphids, Spider and Red Mites, exposed Thrips, Lace Bugs, Japanese Beetles, Pavement Ants, Clover Mites and Armyworms.

When spraying plants, do not operate closer than 18 inches. Use sweeping motion. Be cautious about wetting tender foliage, young plants and new growth. Do not spray plants when temperatures exceed 90°F. Contact insects directly whenever possible. Repeat treatment as infestations occur.

Buyer assumes all risks of use, storage or handling of this product not in strict accordance with directions given herewith.

Safeguard Chemical Corporation

Bronk NY 10454 Made in USA