

8848-67

04-04-2011


1/5



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

Ms. Kim Davis
Safeguard Chemical Company
Reg West Company, LLC
8203 West 20th Street, Suite A
Greeley, CO 80634-4696



Dear Ms. Davis:

Subject: updating label
Black Jack Liquid Multi- Purpose Insect Killer
EPA Registration Number 8848-67
Your submission dated October 27, 2010

The application referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable.

A stamped label is enclosed for your records.

If you have any questions regarding this action, please contact Linda A. DeLuise of my team at (703) 305-5428.

Sincerely yours,

A handwritten signature in cursive script, appearing to read "Richard Gebken".

Richard Gebken
Product Manager (10)
Insecticide Branch
Registration Division (7504P)

Enclosure

Black Jack Liquid Multi-Purpose Insect Killer

{[Select marketing claims from "Marketing Claims" section]}

Active Ingredient:

Permethrin* (CAS No. 52645-53-1) 0.25%
Other Ingredients 99.75%
Total 100.00%

*Cis/trans ratio: min. 35% (±) cis and max. 65% (±) trans.

Keep Out of Reach of Children


CAUTION

See back panel for [First Aid and] additional Precautionary Statements.

EPA Reg. No. 8848-67

EPA Est. **ACCEPTED**

Net Contents: _____ fl oz (____g)
{6 ounces through 1 gallon}



{Back Panel}
{First Aid statements are optional for Toxicity Category IV.}

[First Aid

If Swallowed:	<ul style="list-style-type: none"> • Immediately call a poison control center or doctor. • Do not induce vomiting unless told so by a the poison control center or doctor. • Do not give any liquid by mouth to an unconscious person.
If Inhaled:	<ul style="list-style-type: none"> • Move person to fresh air • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth if possible. • Call a poison control center or doctor for treatment advice.
If on Skin Or Clothing:	<ul style="list-style-type: none"> • Take of contaminated clothing. • Rinse skin immediately with water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
If in Eyes:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center for treatment advice

Have a product container or label with you when calling the poison control center or doctor or going for treatment. You may contact 1-800-858-7378 for emergency medical treatment information.]

{Note: The First Aid statements' grid format will be used if market space permits; otherwise a paragraph format will be used.}

PRECAUTIONARY STATEMENTS

Hazard To Humans & Domestic Animals

CAUTION: Thoroughly wash with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

{Products labeled exclusively indoor applications may omit the 'Environmental Hazards' section}

Environmental Hazards

This product is extremely toxic to aquatic organisms, including fish and invertebrates. To protect the environment, do not allow pesticide to enter or run-off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help ensure that wind or rain does not

blow or wash pesticide from the treatment area. This pesticide is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Precautions and Restrictions Shake Well Before Using Read Entire Label Before Each Use

Avoid contamination of feed and foodstuff. Remove pets and birds and cover fish aquaria before surface applications. Do not use on humans or pets. Do not allow adults, children or pets to enter treated areas until sprays have dried. Do not use on pets.

Remove cap, affix trigger, pump or other type sprayer to container for application. Do not transfer to another container.

Indoor Application

For only spot application, do not use as a space spray.

For 60-day [two-months] Control of Ants, Cadelles, Centipedes, Cheese Mites, Clover Mites, Cockroaches, Confused Flour Beetles, Crickets, Drugstore Beetles, Firebrats, Grain Mites Granary Weevils, Meal Worms, Millipedes, Palmetto Bugs, Pillbugs, Rice Weevils, Rust Red Flour Beetles, Scorpions, Silverfish, Sowbugs, Spiders, and Waterbugs: Direct the spray into hiding places and behind shelves and drawers. For **Silverfish**, spray bookcases. For **Ants**, spray trails, nests and point of entry.

{Additional Alternate Text}

[Screen Treatment: Remove, clean and dry screens. Applying outdoors, hold bottle upright and spray 8-10 inches from surface with sweeping movements to apply evenly. Spray both sides of screen to assure complete coverage. Two may be treated together. Wipe any excess liquid with lint-free cloth. Use on any type of screening. Repeat as necessary.]

{Additional Alternate Text Surface Spraying}

[To control spiders: Apply around infested areas, doorframes, pipes under sinks, cracks, crevices, carpets and rugs. It can be used indoors and outdoors on paint, metal, fiberglass, concrete and masonry. Reapply as needed.]

To Control Bedbugs: Spray mattresses lightly, particularly around tufts and seams. Take beds apart and spray in all joints. Treat baseboards, molding and floors. Repeat treatment as needed.

To Control Carpet Beetles: Spray edges of carpeting and under carpeting and rugs. Make localized application to floor and baseboards. Spray directly into cracks, crevices and infested areas of shelving. Repeat as necessary.

To Control Clothes Moths: Remove any infested articles from storage, brush thoroughly, and air for several hours in sunlight, if possible. Apply spray liberally to empty chests, closets, bureaus and other storages directing the spray into cracks, joints and crevices. After airing, infested articles may be treated lightly, keeping nozzle at least three feet from fabric to avoid staining.

To Control Fleas (Adults and Larvae) and Ticks (Adults and Larvae): Thoroughly spray infested areas, pet beds, resting quarters, nearby cracks and crevices, along and behind baseboards, moldings, window and door frames, and entire areas of floor and floor covering. Fresh bedding should be placed in animal quarter following treatment. Repeat treatment as needed. Allow to dry thoroughly before allowing pets to contact treated areas.

To Kill Lice and Louse Eggs: Spray in an inconspicuous area to test for possible staining or discoloration. Inspect again after drying, then proceed to spray entire area to be treated. Stray from a distance of 8 to 10 inches. Treat only those garments and parts of bedding, including mattresses and furniture that cannot be either laundered or dry cleaned. Allow all treated particles to dry thoroughly before use.

On Livestock: To protect cattle (beef and dairy), goats, sheep, hogs and horses from Horn Flies, Face Flies, House Flies, Mosquitoes and Gnats: Apply a light mist sufficient to wet the surface of the hair. For face flies, spray face and head, but do not spray into eyes.

To Control Bedbugs And Mites In Poultry Houses: Spray crevices of roost poles, cracks in walls, and cracks in nests where the Bedbugs and Mites hide.

To Control Blood-Sucking Lice: Apply to the infested areas of the animal, using a stiff brush to get the spray to the base of the hair. Repeat every 3 weeks if required.

To Control Poultry Lice: Spray roosts, walls and nests or cages thoroughly. This should be followed by spraying over birds with a fine mist.

To Control Stable Flies, Horse Flies and Deer Flies: Apply at a rate of 2 ounces per adult animal, sufficient to wet the hair thoroughly. Repeat treatment daily or at intervals necessary to give continued protection.

Outdoor Application

To help control **Ticks** in outdoor activity areas, treat a band of vegetation and leaf litter 6-10 feet wide and adjacent to activity areas, especially where dense vegetation occurs.

For Control of Garden Insects: To kill Aphids, Armyworms, Clover Mites, Exposed Thrips, Japanese Beetles, Lace Bugs, Leafminers, Pavement Ants, Red Mites, Spider Mites and Whiteflies: Using a sweeping motion from a distance of at least 18 inches, directly spray insects whenever possible on African violets, asters, azaleas, begonias, camellias, camations, chrysanthemums, dahlias, delphiniums, dogwoods, English ivy, eunonymus, fuschia, geraniums, crassula, grape vines, Kentia palms, laurels, marigolds, rhododendrons, roses, rubber plants, snapdragons, stocks, wandering jews and zinnias. Spray in 1 second bursts and be cautious about wetting tender foliage, young plants and new growth. Over-application may cause damage. Do not spray plants when temperature exceeds 90°F (32°C). Reapply if reinfestation occurs, but not more than once every 2 weeks. Spray may be used on plants as multi-purpose spray in small gardens and for spot treatments of incipient insect infestations to prevent spreading in large garden areas.

Storage and Disposal

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store in original container in a cool, dry (preferably locked) area away from children and pets. **Pesticide/Container Disposal:** Non-refillable container; do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

(Per PR Notice 2007-4 the batch code/lot number will appear on the label or container.)

[Notice:] To the extent permitted by applicable law, buyer assumes all risk of use, storage or handling of this material not in strict accordance with directions given herewith.

[Manufactured by:] [Distributed by:]

5/15



Safeguard Chemical Corporation

411 Wales Avenue
Bronx, NY 10454



Made in the U.S.A.

{Marketing Claims}

Controls Spiders in the Home
Water Based Formulation
For Control of Pests on Livestock
With Country Fresh Fragrance
Stops Bugs From Coming Through Screens
For Domestic Use both indoors and Outdoors
Provides 60-day (Two Months) Control of Fleas
Provides 60-day (Two Months) Control of Stored Pests
A Ready-to-Use Permethrin Stable Emulsion Insecticide
For Control of Fleas, Brown Dog Ticks and Lice on Premises

Controls: Ants, Crickets, Fleas, Gnats, House Flies, Mosquitoes, Palmetto Bugs, Roaches, Silverfish, Spiders, Ticks

{End of Marketing Claims}

- [] Denotes alternate/optional verbiage
- { } Denotes verbiage not printed on market labeling