

8848-74

1/18/2001

1/5



U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Registration Division (H7505C)
401 "M" St., S.W.
Washington, D.C. 20460

EPA Reg. Number:

8848-74

Date of Issuance:

JAN 18 2001

Term of Issuance: Conditional

Name of Pesticide Product:

Black Jack Pyreperm
Household Insect Killer WBA
P59

NOTICE OF PESTICIDE:

☒ Registration
☐ Reregistration

(under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):

Safeguard Chemical Corporation
411 Wales Avenue
Bronx, NY 10454

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A), provided you:

1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.
2. Make the following label changes:
 - a. Revise the EPA Registration Number to read, "EPA Reg. No. 8848-74".
 - b. EPA has issued a PR Notice revising first aid statements (PRN 2001-1). The following are the revised statements that are required for products placed in category III and above. Please incorporate these statements on your labeling:

Signature of Approving Official:

George T. LaRocca, Product Manager 13

Date:

JAN 18 2001

- c. IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice."

Also, add the following statement near the first aid statements: "Have the product container or label with you when calling a poison control center or doctor or going for treatment."

EPA recommends that these statements be boxed and bulleted to present the information in a clear, easy-to-read fashion.

- c. The retreatment statements should include a maximum frequency of application, such as: "... but not more than ___ times per ___."
- d. Regarding the efficacy data that you cited on your Data Matrix:

MRID 43958901 supports "Knockdown" not "Residual Control" of the pests you list.

MRID 44858202 does not support residual claims for the cockroach.

MRID 67567 (Accession Number 234446) relates to Cockroaches NOT Spiders.

MRID 41851709 can not be cited as support because it is based on a product with a higher concentration of permethrin.

MRID 44858204 is not applicable to the present product as the deltamethrin content of the product tested was from 2X to 2.5X that of the subject product and that the formulations tested also were combinations with s-bioallethrin at 0.05%.

MRIDs 44874701, 44874703, 44874707, 44874708 supports a 1 (7 day) week residual claim for the Pharaoh Ant, Fire Ant, Crazy Ant and Cat Flea; a 14 week residual claim for German Cockroaches; and a 4 month residual claim for house flies.

MRID 44783503 supports a "Kills" claim for the scorpion.

Revise pest label claims accordingly or you may cite/submit additional efficacy data to support the current claims on the label. You may wish to consult with your supplier for this information. We have notified Aventis Environmental Science about the deficiencies in the efficacy data cited above.

- e. Delete use on dogs since no directions are provided for use on dogs and

labeling is not in compliance with the pet PR Notice 96-6.

- f. Change "pet" to "dog" under Directions for Use for Fleas and Ticks (Adult and Larvae).
 - g. Under Directions for Use add "Do not use in food/feed handling establishments, restaurants or similar sites where food is commercially prepared, processed or served".
 - h. Under Outdoor Directions add, "Not for use on plants being grown for sale or other commercial use".
3. Submit two copies of the revised final printed label for the record.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely,

George T. LaRocca
Product Manager (13)
Insecticide Branch
Registration Division (7505C)

Enclosure

4/5

BLACK JACK PYRAPERM

HOUSEHOLD INSECT KILLER WBAP59

In case of Medical emergencies or health and safety inquiries or in case of fire, leaking or damaged containers, information may be obtained by calling 1-800-535-5053

- * CONTROLS RESIDENTIAL AND GARDEN INSECTS
- * SEEKS OUT BUGS WHERE THEY HIDE
- * KILLS ON CONTACT
- * FOR HOUSEHOLD USE
- * NON-STAINING
- * A BROAD SPECTRUM INSECTICIDE HIGHLY EFFECTIVE AGAINST ANTS (INCLUDING CARPENTER ANTS), BEES, BEETLES (INCLUDING CARPET, FLOUR, GRAIN, AND GROUND BEETLES), CENTIPEDES, CLOVER MITES, COCK-ROACHES, CRICKETS (INCLUDING MOLE CRICKETS), EAR-WIGS, FIREBRATS, FLEAS, MILLIPEDES, MOTHS, PILLBUGS, SCORPIONS, SILVERFISH, SOWBUGS, SPIDERS, TICKS, WASPS, AND OTHER PESTS LISTED ON THE LABEL
- * KILLS LICE AND THEIR EGGS
- * FOR USE ON BEDDING, FURNITURE AND OTHER INANI-MATE OBJECTS INFESTED WITH LICE
- * NO UNPLEASANT ODOR
- * WATER-BASED FORMULA
- * FOR USE ON DOGS AND ON PREMISES TO CONTROL FLEAS AND TICKS
- * PROTECTS FOR UP TO [4 WEEKS], [12 WEEKS], [3 MONTHS]

ACTIVE INGREDIENTS:

Pyrethrins	0.10%
Piperonyl Butoxide, Technical	0.50%
Permethrin	0.20%

OTHER INGREDIENTS:	99.20%
	100.00%

Pyraperm, Pyrenone And Permanone - Registered Trademarks of Aventis Environmental Science.

EPA REG.NO. 8848-
EPA EST.NO. 10806-NJ-1

KEEP OUT OF REACH OF CHILDREN

CAUTION

FIRST AID

IF INHALED: Remove victim to fresh air. If not breathing, give arti-ficial respiration, preferably mouth to mouth. Get medical atten-tion.

See Rear Panel For Use

NET WT. 9 OZ (255 g)

PRECAUTIONARY STATEMENTS

Hazards To Humans & Domestic Animals

CAUTION

Harmful if inhaled. Avoid breathing vapor or spray mist. Remove contaminated clothing and wash before reuse. Avoid contamina-tion of feed and foodstuffs. Remove pets and birds and cover fish aquaria before spraying. Vacate room after treatment and venti-late before reoccupying. Do not allow children or pets to contact treated areas until surfaces are dry.

Environmental Hazards

This product is toxic to fish. Do not apply directly to any body of water. Do not contaminate water when disposing of equipment washwaters.

Physical Or Chemical Hazards

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to tem-peratures above 130°F may cause bursting. Do not use this prod-uct in or on electrical equipment due to the possibility of shock hazard.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Store in a cool, dry area. Do not transport or store below 32°F. Wrap container in several layers of newspaper and dispose of in trash. Do not incinerate or puncture.

In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Exposed food should be covered or removed.

Do not use in rooms/areas while occupied by patients, the elder-ly or infirm. Do not apply to classrooms when in use.

SHAKE WELL BEFORE USING

Remove protective cap, hold container upright and spray from a distance of 12 to 15 inches.

INDOORS:

CLUSTER FLIES, HOUSEFLIES, FRUIT FLIES, MOSQUITOES, GNATS, WASPS, HORNETS, BEES, BLACK FLIES, SKIPPER FLIES, BLOW FLIES AND SMALL FLYING MOTHS: Close all doors and windows and direct spray upward into center of room with a slow sweeping motion. Spray 5-10 seconds for average room, moving toward the door. Direct spray to all parts of the room, especially windows and other light sources which attract these insects. Keep nozzle in constant motion. Leave room and keep area closed for

ACCEPTED

See Rear Panel For Use

Caution COMMENTS

In EPA Letter Dated

JAN 18 2001

Under the Federal Insecticide,
Fungicide and Rodenticide Act,
this product has been found to be
effective for the pests listed
under EPA Reg. No.
8848-74

15 minutes after spraying. Ventilate room thoroughly before re-entry. Sweep up and discard fallen insects. Repeat treatment as necessary.

COCKROACHES, WATERBUGS, PALMETTO BUGS, SILVERFISH, FIREBRATS, CRICKETS, SCORPIONS, SPIDERS, MILLIPEDES, CENTIPEDES, SOWBUGS AND PILLBUGS: Spray into hiding places such as cracks and crevices, behind sinks, cabinets, along baseboards and floors, around drains and plumbing, hitting insects with spray whenever possible. Repeat treatment as necessary.

ANTS: Spray trails, nests and points of entry. Spray on ants where possible. Repeat as necessary.

CARPET BEETLES: Spray directly on beetles, floors, baseboards, shelves and carpets. Repeat treatment as necessary.

BEDBUGS: Spray mattresses, particularly around tufts and seams. Make beds apart and spray into all joints. Treat baseboards, moldings and floors. Repeat treatment as necessary. Allow all sprayed articles to dry thoroughly before use.

TO CONTROL CLOTHES MOTHS AND CARPET BEETLES on wool and other proteinaceous fibers: Remove infested articles from storage, brush thoroughly, and air for several hours in sunlight, if possible. Apply spray liberally to empty chests, closets, bureaus and other storages directing the spray into cracks, joints and crevices. After airing, infested articles may be treated by spraying lightly, keeping nozzle at least three feet from fabric to avoid staining.

FLEAS IN BUILDINGS - SPACE SPRAY: Hold can 36 inches above floor and direct spray toward floor and lower walls at a rate of 10 seconds per 100 sq. ft. making sure that all floor, sofa and chair surfaces are contacted. Leave room and keep area closed for 15 minutes. Open and ventilate before reoccupying. Repeat treatment after 7 days or as needed.

FLEAS & TICKS (ADULTS AND LARVAE): Remove and thoroughly clean or destroy pet bedding. Spray pet sleeping quarters, bed, entire floor and floor covering, with special attention to cracks and crevices around baseboards, and window and door frames. Infested upholstered furniture and mattresses may also be treated with this product. A test application should be made to upholstery or drapery fabrics in an inconspicuous place before use.

TO KILL LICE AND LOUSE EGGS: Spray in an inconspicuous area to test for possible staining or discoloration. Inspect again after drying, then proceed to spray entire area to be treated. Hold container upright with nozzle away from you. Depress valve and spray from a distance of 8 to 10 inches. Spray each square foot for three seconds. Spray only those garments and parts of bedding, including mattresses and furniture that cannot be either laundered or dry cleaned. Allow all sprayed articles to dry thoroughly before use.

OUTDOORS:

Point spray nozzle away from face. Hold can on slight downward angle. For best results, spray when air is calm. Allow a few minutes for product to take effect. Spray with wind if breeze is blowing.

FLYING INSECTS: *Flies, Mosquitoes, Gnats, Small Flying Moths,*

Homets, Wasps and Yellow Jackets. Allow fog to drift over area. Direct spray toward bushes, or grass from at least 4 to 6 feet away. Give special attention to breeding areas such as garbage cans and compost piles. Repeat as necessary.

MUD DAUBERS AND WASP NESTS: Spray mist directly on insects and their nests from approximately 2 feet away. Contacted insects will fly away from fog. Applications should be made in late evening when insects are at rest. Spray into hiding and breeding places contacting as many insects as possible.

CRAWLING INSECTS: *Ants, Cockroaches, including Asian Cockroaches, Crickets, Mole Crickets, Centipedes, and Silverfish.* Spray infested surface of patio or picnic area, hitting as many insects as possible. Also spray legs of tables and chairs to repel ants. Spray ant hills for best control.

FOR THE CONTROL OF GARDEN INSECTS: For use on roses, dahlias, asters and other ornamentals to kill *Japanese Beetles* hit by spray, as well as *Whiteflies, Aphids, exposed Thrips, Spiders, Red Mites* and *Leafminers*.

May be used on plants, as well as a multi-purpose spray in small gardens and for spot treatments of incipient insect infestations to prevent spreading in large garden areas.

May also be used on other plants such as African violets, asters, azaleas, begonias, camellias, carnations, chrysanthemums, dahlias, delphiniums, dogwood, English ivy, euonymus, fuschia, geraniums, crassula, grape vine, Kentia palm, laurel, marigolds, rhododendrons, roses, rubber plants, snapdragons, stocks, wandering Jews and zinnias.

Effective when used as directed against *Whiteflies, Aphids, Spider* and *Red Mites, Exposed Thrips, Lace Bugs, Japanese Beetles, Pavement Ants, Clover Mites* and *Amy Worms*. When spraying plants, do not operate closer than 18 inches. Use sweeping motion. Spray in one second bursts. Be cautious about wetting tender foliage, young plants and new growth. Do not spray plants when temperatures exceed 90°F. Contact insects directly whenever possible. Repeat treatment as infestations occur.

SAFEGUARD CHEMICAL CORP.
411 WALES AVENUE
BRONX, NY 10454
MADE IN U.S.A.