

8848-76

7/23/2002

1/4



U.S. ENVIRONMENTAL PROTECTION AGENCY  
Office of Pesticide Programs  
Registration Division (H7505C)  
1200 Pennsylvania Ave., N.W.  
Washington, D.C. 20460

EPA Reg. Number:  
8848-76

Date of Issuance:  
JUL 23 2002

NOTICE OF PESTICIDE:

Registration  
 Reregistration

(under FIFRA, as amended)

Term of Issuance: **Unconditional**

Name of Pesticide Product:  
Landlord's Multipurpose 0.5%  
Liquid Formula

Name and Address of Registrant (include ZIP Code):

Safeguard Chemical Corporation  
411 Wales Avenue  
Bronx, New York 10454

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act. Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is unconditionally registered in accordance with FIFRA sec. 3(c)(5), provided that you submit two (2) copies of your final printed label for before your release the product for shipment. Please refer to the A-79 enclosure for a further description of final printed labeling. A stamped copy of the label is enclosed for your records. If you have any questions regarding this action, please contact Dr. William Sproat of my team at (703) 308-8587.

Signature of Approving Official:

George T. LaRocca

Date:

JUL 23 2002

7505C  
SPROAT

# LANDLORD'S MULTI PURPOSE 0.5% LIQUID FORMAL

- \* For Residential Use Only.
- \* For Indoor and Outdoor.
- \* For Control of Fleas, Brown Dog Ticks and Lice on Premises and on Dogs
- \* For Control of Ticks which may cause Lyme disease on Premises
- \* Controls Fleas and Ticks on Dogs for 14 Days
- \* Provides 60-day (Two Months) Control of Cockroaches.
- \* Provides 60-day (Two Months) Control of Fleas.
- \* Provides 60-day (Two Months) Control of Stored Product Pests.

**ACTIVE INGREDIENT:**  
 \*Permethrin . . . . . 0.50%  
**OTHER INGREDIENTS:** . . . . . 99.50%  
 100.00%

\*(3-phenoxyphenyl) methyl (+/-) cis/trans 3-(2,2-dichloroethenyl) 2,2-dimethylcyclo-propanecarboxylate.  
 Cis/trans ratio: min. 35% (+/-) cis and max. 65% (+/-) trans.

**EPA REG. NO. 8848-76**  
**EPA EST. NO. 10806-NJ-1**

## CAUTION

**KEEP OUT OF REACH OF CHILDREN**

See rear panel for additional precautions.

**READ ENTIRE LABEL BEFORE EACH USE**

In case of medical emergencies or health and safety inquiries or in case of fire, leaking or damaged containers, information may be obtained by calling 718-585-3170.

PET USE APPLIES TO USE ONLY ON DOGS

## PRECAUTIONARY STATEMENTS

**Hazards To Humans & Domestic Animals**  
**CAUTION** Wash thoroughly after handling and before smoking or eating. Do not use on dogs under twelve (12) weeks old. Consult a veterinarian before using this product on medicated, debilitated, aged, pregnant or nursing animals. Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

### Environmental Hazards

This product is toxic to fish. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the high water mark. Do not contaminate water when disposing of equipment washwaters.

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Avoid contamination of feed and foodstuffs. Remove pets and birds and cover fish aquaria before surface applications. Do not use on humans. Do not allow children or pets to contact treated areas until surfaces are dry.

Affix trigger, pump or other type sprayer to container for application. Do not transfer to another container.

### SHAKE WELL BEFORE USING

### INDOOR APPLICATION


For spot application only. Do not use as a space spray indoors. Do not apply to classrooms while in use. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Exposed food/feed should be covered or removed.

### SURFACE SPRAYING:

For 60-Day (Two Months) control of Cockroaches, Waterbugs, Palmetto Bugs, Scorpions, Millipedes, Centipedes, Sowbugs, Pillbugs, Ants, Silverfish, Firebrats, Spiders, Crickets, Clover Mites, Cheese Mites, Granary Weevils, Rice Weevils, Confused Flour Beetles, Rust Red Flour Beetles, Drugstore Beetles, Meal Worms, Grain and Caddis: Direct the spray into hiding places, cracks and crevices, and behind shelves and drawers. For silverfish, silverfish, spray bookcases. For ants, spray trails, nests and points of entry.

To control Carpet Beetles: Spray edges of carpeting and under carpeting and rugs. Make localized application to floor and baseboards. Spray directly into cracks, crevices and infested areas of shelving.

To control Bedbugs: Spray mattresses lightly, particularly around tufts and seams. Take beds apart



NET WT. 9 oz ( 255 g )

and spray in all joints. Treat baseboards, moldings and floors.

To control Fleas (adults and larvae) and Ticks, including Ticks which may carry Lyme disease (adults and larvae): Thoroughly spray infested areas, pet beds, resting quarters, nearby cracks and crevices, along and behind baseboards, moldings, window and door frames, and entire areas of floor and floor covering. Fresh bedding should be placed in animal quarters following treatment. Allow to dry thoroughly before allowing pets to contact treated areas.

To control Clothes Moths: Remove any infested articles from storage, brush thoroughly, and air for several hours in sunlight, if possible. Apply spray liberally to empty chests, closets, bureaus and other storages directing the spray into cracks, joints and crevices. After airing, infested articles may be treated lightly, keeping nozzle at least three feet from fabric to avoid staining.

To kill Lice and Louse Eggs: Spray in an inconspicuous area to test for possible staining or discoloration. Inspect again after drying, then proceed to spray entire area to be treated. Spray from a distance of 8 to 10 inches. Treat only those garments and parts of bedding, including mattresses and furniture that cannot be either laundered or dry cleaned. Allow all treated articles to dry thoroughly before use.

**ON LIVESTOCK:**  
**TO PROTECT CATTLE (BEEF AND DAIRY), GOATS, SHEEP, HOGS AND HORSES FROM HORN FLIES, FACE FLIES, HOUSEFLIES, MOSQUITOES AND GNATS:** Apply a light mist sufficient to wet the surface of the hair. For face flies, spray face and head, but do not spray into eyes.

To control Stable Flies, Horse Flies and Deer Flies: Apply at a rate of 2 ounces per adult animal, sufficient to wet the hair thoroughly. Repeat treatment daily.

To control Blood-sucking Lice: Apply to the infested areas of the animal, using a stiff brush to get the spray to the base of the hair. Repeat every 3 weeks if required.

To control Poultry Lice: Spray roosts, walls and nests or cages thoroughly. This should be followed by spraying over the birds with a fine mist.

To control Bedbugs and Mites in poultry houses: Spray crevices of roost poles, cracks in walls, and cracks in nests where the bedbugs and mites hide.

**ON DOGS:**

**READ ENTIRE LABEL BEFORE EACH USE. Do Not Use On Dog Under 12 Weeks.** To control Fleas,

Ticks, and Lice: Start spraying at the tail, moving the dispenser rapidly and making sure that the animal's entire body is covered, including the legs and underbody. While spraying, fluff the hair so that the spray will penetrate to the skin. Make sure spray wets thoroughly, but do not saturate animal. Do not spray into eyes or face. Avoid contact with genitalia. Use protective gloves or mitts when applying product. Repeat application every two weeks if necessary. **DO NOT USE ON CATS OR KITTENS.**

Consult a veterinarian before using this product on debilitated, aged, pregnant or nursing animals.

Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur bathe your pet with mild soap and rinse with large amount of water. If signs continue, consult a veterinarian immediately.

Certain medications can interact with pesticides. Consult a veterinarian before using on medicated animals.

**OUTDOOR APPLICATION**

**TO CONTROL TICKS, INCLUDING TICKS WHICH MAY CARRY LYME DISEASE (PERIMETER TREATMENT):** Use LANDLORD'S MULTI PURPOSE 0.5% LIQUID FORMULA as a residual treatment to control Ticks including the Deer Tick (*Ixodes dammini*), Lone Star Tick (*Amblyomma americanum*), Brown Dog Tick (*Rhipicephalus sanguineus*), American Dog Tick (*Dermacentor variabilis*) and Western Black-legged Tick (*Ixodes pacificus*). and Western Black-legged Tick (*Ixodes pacificus*). For each areas listed below, apply until surface is wet (approximately 1 gal/750-1000 ft). Treat around windows and doors, porches, screens, eaves, patios, garages, under stairways and in crawl spaces where these pests may enter. Treat a band of vegetation and leaf litter 6 to 10 feet wide around the outside of buildings to help control ticks occurring there. To help control ticks in outdoor activity areas, treat a band of vegetation and leaf litter 6-10 feet wide and adjacent to activity areas, especially where dense vegetation occurs.

**FOR CONTROL OF ORNAMENTAL-GARDEN INSECTS:**

Not for use on plants grown for sale or other commercial research purposes. Not for use in commercial greenhouse, nurseries, on sod farms or grass grown for seed.

For use on roses, dahlias, asters and other ornamentals to kill Japanese Beetles hit by spray as well as Whiteflies, Aphids, Exposed Thrips, Spiders, Whiteflies, Aphids, Exposed Thrips, Spiders, Red Mites Red Mites and Leafminers.

May be used on plants as a multi-purpose spray in small gardens and for spot treatments of incipient

insect infestations to prevent spreading in large garden areas. May also be used on other plants such as African violets, asters, azaleas, begonias, camellias, carnations, chrysanthemums, dahlias, delphiniums, dogwoods, English ivy, Eunonymus, fuschia, geraniums, crassula, grape vines, Kentia palms, laurels, marigolds, rhododendrons, roses, rubber plants, snapdragons, stocks, wandering Jews and zinnias.

Effective when used as directed against Whiteflies, Aphids, Spider Whiteflies, Aphids, Spider and Red Mites, exposed Thrips, Lace Bugs, Japanese Beetles, Pavement Ants, Red Mites, exposed Thrips, Lace Bugs, Japanese Beetles, Pavement Ants, Clover Mites Clover Mites and Armyworms.

When spraying plants, do not operate closer than 18 inches. Use sweeping motion. Be cautious about wetting tender foliage, young plants and new growth. Do not spray plants when temperatures exceed 90°F. Contact insects directly whenever possible.

### **STORAGE & DISPOSAL**

Do not contaminate water, food or feed by storage or disposal.

Do Not Puncture or Incinerate!

**If Empty:** Place in trash or offer for recycling if available.

**If partly filled:** Call your local solid waste agency for disposal instructions.

### **READ ENTIRE LABEL BEFORE USE**

**CONDITIONS:** The directions for use of this product are believed to be adequate and should be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Safeguard Chemical Corporation. All such risks shall be assumed by the user or buyer.

**SAFEGUARD CHEMICAL  
CORPORATION  
411 Wales Avenue  
Bronx, NY 10454**