

8848-76

7/27/2011

1/5



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

Safeguard Chemical Corporation.
c/o Ms. Kim Davis
RegWest Company, LLC
8203 West 20th Street, Suite A
Greeley, CO 80634-4696

JUL 27 2011

Dear Ms. Davis:

Subject: Amendment: Update per me-too label and PR Notice 2007-4
Landlord's Multipurpose 0.5% Liquid Formula
EPA Reg. No. 8848-76
Your submission dated April 29, 2011

The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA) section 3(c)(7)(a), is acceptable and a stamped copy of the label is enclosed for your records.

Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on nonrefillable containers. The code may appear either on the label (and can be added by non-notification/PR Notice 98-10) or durably marked on the container itself.

If you have any questions regarding this letter, please contact Dana Pilitt, PhD of my staff at (703) 305-7071 or via e-mail at pilitt.dana@epa.gov.

Sincerely,


Richard Gebken
Product Manager 10
Insecticide Branch
Registration Division (7505P)

2/5

Landlord's Multipurpose 0.5% Liquid Formula

[[Select marketing claims from "Marketing Claims" section]]

Active Ingredients:
 Permethrin* (CAS No. 52645-53-1) 0.5%
Other Ingredients 99.5%
 Total 100.0%
 *Cis/trans isomers ratio: Min. 35% (±) cis and Max. 65% (±) trans



Keep out of Reach of Children

CAUTION

See back [side] panel for First Aid and additional Precautionary Statements.

EPA No. 8848-76

EPA Est. _____

Net Contents: _____ fl. oz. (____ ml)
 {1/2 pint through 1 gallon}

{Back [Side] Panel}

[First Aid

If Swallowed:	<ul style="list-style-type: none"> • Immediately call a poison control center or doctor. • Do not induce vomiting unless told so by a poison center or doctor. • Do not give any liquid by mouth to an unconscious person.
If in Eyes:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center for treatment advice
If on Skin or Clothing:	<ul style="list-style-type: none"> • Take off contaminated clothing • Rinse skin immediately with water for 15-20 minutes • Call a poison control center or doctor for treatment advice.
If Inhaled:	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth to mouth if possible. • Call a poison control center or doctor for treatment advice.
Contains petroleum distillate – vomiting may cause aspiration pneumonia	
Have a product container or label with you when calling the poison control center or doctor or going for treatment. You may contact 1-800-858-7378 for emergency medical treatment information.	

{Note: The First Aid statements' grid format will be used if label allows, otherwise a paragraph format will be used.}

In case of medical emergencies or health and safety inquiries or in case of fire, leaking or damaged containers, information may be obtained by calling 718-585-3170.

PRECAUTIONARY STATEMENTS Hazards to Humans & Domestic Animals

CAUTION: Thoroughly wash with soap and water after handling and before eating, drinking chewing gum, using tobacco or using the toilet. Avoid contamination of feed and foodstuffs. Remove pets and birds and cover fish aquaria

before space spraying or surface applications. Do not use on humans. Vacate room after treatment and ventilate before reoccupying. Do not allow children or pets to contact treated areas until surfaces are dry.

Environmental Hazards

This product is extremely toxic to aquatic organisms, including fish and invertebrates. To protect the environment, do not allow pesticide to enter or runoff into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help ensure that wind or rain does not blow or wash pesticide from the treated area. This pesticide is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Precautions and Restrictions

Shake Well Before Using

Read Entire Label Before Each Use

Avoid contamination of feed and foodstuff. Remove pets and birds and cover fish aquaria before surface applications. Do not use on humans or pets. Do not allow adults, children or pets to enter treated area until sprays have dried.

Remove cap, affix trigger, pump or other type sprayer to container for application. Do not transfer product to another container.

Indoor Application

Only for spot application; do not use as a space spray indoors. Do not apply to classrooms while in use. In the home, cover all food processing surfaces and utensils during treatment or thoroughly wash before use. Cover or remove exposed food/feed.

Surface Spraying

For 60-day [2-months] Control of Ants, Caddisflies, Centipedes, Cheese Mites, Clover Mites, Cockroaches, Confused Flour Beetles, Crickets, Drugstore Beetles, Firebrats, Grain Mites, Granary Weevils, Meal Worms, Millipedes, Palmetto Bugs, Pillbugs, Rust Red Flour Beetles, Rice Weevils, Scorpions, Silverfish, Sowbugs, Spiders and Waterbugs: Direct the spray into hiding places, cracks and crevices, and behind shelves and drawers. For **Silverfish**, spray bookcases. For **Ants**, spray trails, nests and points of entry.

To Control Bedbugs: Spray mattresses lightly, particularly around tufts and seams. Take beds apart and spray in all joints. Treat baseboards, moldings and floors.

To Control Carpet Beetles: Spray edges of carpet and under carpeting and rugs. Make localized application to floor and baseboards. Spray directly into cracks, crevices and infested areas of shelving.

To Control Clothes Moths: Remove any infested articles from storage, thoroughly brush and air for several hours in sunlight, if possible. Apply spray liberally to empty chests, closets, bureaus and other storages directing the spray into cracks, joints and crevices. After airing, infested articles may be treated lightly, keeping nozzle at least 3 feet from fabric to avoid staining.

To Control Fleas (adults and larvae) and Ticks (adults and larvae), including ticks that may transmit Lyme Disease: Thoroughly spray infested areas, pet beds, resting quarters, nearby cracks-and-crevices, along and behind baseboards, moldings, window and door frames, and entire areas of floor and floor covering. Place fresh bedding in animal quarters following treatment. Allow to dry thoroughly before allowing pets to contact treated areas.

To Kill Lice and Louse Eggs: Spray an inconspicuous area to test for possible staining or discoloration; inspect after drying, then proceed to spray entire area to be treated. Spray from a distance of 8-10 inches. Treat only those garments and parts of bedding, including mattresses and furniture, that cannot be either laundered or dry-cleaned. Allow all treated articles to thoroughly dry before use.

Space Spraying

Close doors and windows and shut off ventilating systems. Apply with a good sprayer adjusted to deliver a fine mist or fog. For rapid control of **Angoumois Grain Moths, Bees, Black Flies, Fruit Flies, Gnats, Hornets, Houseflies, Indian Meal Moths, Mediterranean Flour Moths, Mosquitoes, Skipper Flies, Tobacco Moths and Wasps:** Direct spray at an upward angle, distributing it uniformly throughout the entire area at a rate of 1 ounce per 1000 cubic feet of space. Keep area closed for 2 hours. Ventilate before reoccupying.

Outdoor Applications

To control Ticks, including Ticks that may carry Lyme disease (Perimeter Treatment): Use Landlord's Multipurpose 0.5% Liquid Formula [this product] as a residual treatment to control Ticks including the American Dog Tick (*Dermacentor variabilis*), Brown Dog Tick (*Rhipicephalus sanguineus*), Deer Tick (*Ixodes scapularis*), Lone Star Tick, (*Amblyomma americanum*) and Western Black-legged Tick (*Ixodes pacificus*). For each area listed below, apply until surface is wet (approximately 1 gallon per 750 to 1000 square feet). Treat around windows and doors, porches, screens, eaves, patios, garages, under stairways and in crawl spaces where these pests may enter. Treat a band of vegetation and leaf litter 6-10 feet wide around the outside of buildings to help control Ticks occurring there. To help control Ticks in outdoor activity areas, treat a band of vegetation and leaf litter 6-10 feet wide and adjacent to activity areas, especially where dense vegetation occurs.

For the Control of Ornamental Garden Insects on Ornamental Plants

Not for use on plants grown for sale or the commercial research purposes, not for use in commercial greenhouse, nurseries, on sod farms or grass grown for seed.

For the control of Garden Insects: To kill Aphids, Armyworms, Clover Mites, Exposed Thrips, Japanese Beetles, Lace Bugs, Leafminers, Pavement Ants, Red Mites, Spider Mites and Whiteflies: Using a sweeping motion from a distance of at least 18 inches, directly spray insects whenever possible on African violets, asters, azaleas, begonias, camellias, carnations, chrysanthemums, crassula, dahlias, delphiniums, dogwood, English ivy, euonymus, fuchsia, geraniums, grape vine, Kentia palm, laurel, marigolds, rhododendrons, roses, rubber plants, snapdragons, stocks, wandering Jews, zinnias and other ornamentals. Spray in 1 second intervals and be cautious about wetting tender foliage, young plants and new growth. Over-application may cause damage. Do not spray plants when temperature exceeds 90°F (32°C). Reapply if reinfestation occurs, but not more than once every week. Spray may be used on plants, as well as a multi-purpose spray in small gardens, and for spot treatments of incipient insect infestations to prevent spreading to large garden areas. Do not apply to plants grown for food (vegetables, nuts or fruit).

Storage and Disposal

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store upright at room temperature. Avoid exposure to extreme temperatures. In case of spill or leakage, soak up with an absorbent material such as sand, sawdust, earth, fuller's earth, etc. Dispose of with chemical waste. **Pesticide/Container Disposal:** Non-refillable container; do not reuse or refill this container. **If empty:** Do not reuse this container. Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down an indoor or outdoor drain.

{Per PR Notice 2007-4 the batch code/lot number will appear on the label or container.}

Conditions: The directions for use of this product are believed to be adequate and should be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or


the manner of use or application, all of which are beyond the control of Safeguard Chemical Corporation. To the extent consistent with applicable law, all such risks shall be assumed by the user or buyer will assume such risk.

Manufactured by: [Distributed by:]



Safeguard Chemical Corporation

411 Wales Avenue
Bronx, NY 10454



{Marketing Claims}

Only for Residential Use
For Indoor and Outdoor Use
For Control of Fleas, Brown Dog Ticks and Lice in Premises
Provides 60-day (2-months) Control of Cockroaches and Fleas

{End of Marketing Claims}

[] Denotes optional/alternative language
{ } Denotes language that does not appear on the market label