

DIRECTIONS

INITIAL APPLICATION: (1) Where new pool is freshly filled use one pint to 5,000 gallons of water or ratio thereof. (2) Where Algae is visible use 3 1/2 pints to 5,000 gallons followed by vacuuming next day and addition of one pint to 5,000 gallons.

MAINTENANCE APPLICATION: 4 oz. to 5,000 gallons every 3 to 5 days. When the weather is hot or many people use the pool, use every three days.

AFTER EVERY RAIN: Immediately add the same (4 oz.) dosage as above.

* * * * *

Rinse empty container thoroughly with water and discard. Do not discharge treated effluent where it will drain into lakes, streams, or ponds.

ONE GALLON



ALGAEICIDE

FOR SWIM POOL ALGAE GROWTH CONTROL

Active Ingredients:

| | |
|--|------|
| Alkyl (C ₁₂ 61%, C ₁₄ 23%, C ₁₆ 11%, C ₈ - C ₁₈ 5%) dimethyl benzyl ammonium chloride | 10% |
| Inert Ingredients: | 90% |
| | 100% |

EPA Reg. No. 8852-4

DANGER: HARMFUL IF SWALLOWED.
KEEP OUT OF REACH OF CHILDREN. READ WARNINGS ON SIDE PANEL BEFORE USING.

KEEP OUT OF REACH OF CHILDREN

ACCEPTED
2-9-72
UNDER FEDERAL INSECTICIDE
REGULATION ACT
FOR REGISTRATION
EPA REG. NO. 8852-4

Comment

Packaged Exclusively
and Distributed by



Des Plaines
Illinois 60018

ONE GALLON



ALGAECIDE

FOR SWIM POOL ALGAE GROWTH CONTROL

Active Ingredients:

Alkyl (C₁₂ 61%, C₁₄ 23%, C₁₆ 11%, C₈ - C₁₈ 5%) dimethyl benzyl ammonium chloride 10%

Inert Ingredients: 90%

100%

EPA Reg. No. 8852-4

DANGER: HARMFUL IF SWALLOWED.
KEEP OUT OF REACH OF CHILDREN. READ WARNINGS ON SIDE PANEL BEFORE USING.

ALGAECIDE

H₂O Algaecide is compatible with most commonly used swimming pool chemicals, but should not be mixed together with soaps, cleaners or other water treating chemicals.

DANGER: NEVER MIX ALGAECIDE DIRECTLY IN THE SAME CONTAINER OR VESSEL WITH CHLORINE COMPOUNDS.

Noxious gasses and fumes will result.

DANGER: WARNING

DANGER: Keep out of reach of Children. Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

FIRST AID: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

is freshly filled
ratio thereof. (2)
gallons followed
pint to 5,000

0 gallons every
any people use

same (4 oz.)

r and discard.
will drain into

Des Plaines
Illinois 60018

REMOVE CAP OUT OF RANGE