

PICFUME[®]

CHLOROPICRIN

For Control of Certain Soil-Borne and Storage Pests

Active Ingredient: Chloropicrin
Inert Ingredients:

99%
1%

E.P.A. Registration No. 8853-1

DIRECTIONS

For PICFUME use, application should be made to soil in the following manner: For fumigation of soil and seed. Ventilate and allow soil to dry before planting. For fumigation of soil and seed. Ventilate and allow soil to dry before planting. For fumigation of soil and seed. Ventilate and allow soil to dry before planting.

GENERAL INFORMATION

For fumigation of soil and seed. Ventilate and allow soil to dry before planting. For fumigation of soil and seed. Ventilate and allow soil to dry before planting. For fumigation of soil and seed. Ventilate and allow soil to dry before planting.

Field Application to Strawberry and Floral Crop Lands: Apply PICFUME to soil in the following manner: For fumigation of soil and seed. Ventilate and allow soil to dry before planting.

Application to Celery Seed Beds in Florida: Apply PICFUME to soil in the following manner: For fumigation of soil and seed. Ventilate and allow soil to dry before planting.


OTHER OUTSIDE VEGETABLE AND FLORICULTURAL SEED BEDS: Apply PICFUME to soil in the following manner: For fumigation of soil and seed. Ventilate and allow soil to dry before planting.

WARNING: Do not use PICFUME in areas where it may be harmful to humans or animals. Do not use PICFUME in areas where it may be harmful to humans or animals.

WARNING: Do not use PICFUME in areas where it may be harmful to humans or animals. Do not use PICFUME in areas where it may be harmful to humans or animals.

BRANCH
Southern Soil Fumigation Service
P. O. Box 965 Telephone 382-7272
DETON, GEORGIA 31791

DISTRIBUTED BY
HENDRIX & DAIL, Inc.
Telephone 758-1263
Stokes Highway
GREENVILLE, NORTH CAROLINA 27831



DANGER

**KEEP OUT OF REACH OF CHILDREN
POISONOUS IF INHALED
MAY BURN SKIN AND EYES
Do Not Breathe Vapor
Do Not Get in Eyes, on Skin,
on Clothing.**



POISON



SEND FOR A DOCTOR IN CASE OF ACCIDENT

ANTIDOTE: If inhaled, get victim to fresh air. If on skin, wash with soap and water. If in eyes, flush with water. If swallowed, do not induce vomiting. Get medical attention immediately.

CONTENT

When to Plant after Treatment: After treatment, leave the soil undisturbed for 48 hours before planting. Do not use the soil for human or animal consumption during this period. Do not use the soil for human or animal consumption during this period.

Use Precautions: Ventilate areas treated with PICFUME. Do not breathe the vapor. Do not get on skin or in eyes. Do not get on skin or in eyes. Do not get on skin or in eyes. Do not get on skin or in eyes.

DO NOT USE: Do not use PICFUME in areas where it may be harmful to humans or animals. Do not use PICFUME in areas where it may be harmful to humans or animals.

OTHER USES FOR PICFUME: PICFUME may be used for fumigation of soil and seed. Ventilate and allow soil to dry before planting.

THE DOW CHEMICAL COMPANY

For more information, contact your local distributor or The Dow Chemical Company.

PICFUME is a trademark of THE DOW CHEMICAL COMPANY

SALES AND WAREHOUSE
Oxford, N. C.
Telephone 693-3910

E. P. A. REG. NO. 8853-1

8853-1-1