

8853-4

6/21/2010

1 of 1



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

Mardel Belotinsky
Hendrix and Dail
P.O. Box 648
Greenville, NC 27835

JUN 21 2010

Subject: HD-PIC Fumigant
EPA Reg. No. 8853-4
Methyl Bromide Industry Panel's June 14, 2010 Request on your behalf to
Amend Label

Dear Ms. Belotinsky:

In the Agency letter of May 7, 2010, the Agency approved amended labeling for this registration with the condition that specific label revisions be made to the May 7, 2010 label stamped "Accepted with Comments". This letter further amends the May 7, 2010 label stamped "Accepted with Comments" by requiring an additional change. On page 13 under Calibration, Set-up, Repair, and Maintenance for Application Rigs, fifth bullet, first sub-bullet, revise the text to read as follows:

"If a compressed gas cylinder is used, make sure that positive pressure is maintained in the compressed gas cylinder at not less than 200 psi during the entire time it is connected to the application rig. *(This is not required for a compressed air system that is part of the application rig because if the compressor system fails, the application rig will not be operable.)*"

The label associated with this change has been previously stamped "Accepted with Comments" and is dated May 7, 2010. Submit one copy of the final printed label that incorporates the required changes before the product is released for shipment. If you have any questions, please contact Andrea Carone by phone at (703) 308-0122 or via email at carone.andrea@epa.gov or Mary Waller by phone at (703) 308-9354 or via email at waller.mary@epa.gov.

Sincerely,

A handwritten signature in cursive script that reads "Mary L. Waller".

Mary L. Waller
Product Manager (21)
Fungicide Branch
Registration Division (7504P)