Selection 8866

4

ARCLOR

HIGH POTENCY CHLORINE DIRECTIONS

FIRST: Treat water initially with ARCLOR POOL CONDITIONER AND STABILIZER. See that label for specific directions.

THEN: Use ARCLOR HIGH POTENCY CHLORINE as directed below to maintain an available chlorine residual of at least 1.0 to 1.5 ppm as determined by a reliable chlorine test kit. It will probably be necessary to repeat the initial dosage (2 oz. per 10,000 gallons of water) after the pool has been conditioned to satisfy the chlorine demand of the untreated water so as to insure a chlorine residual of 1 ppm.

HAND APPLICATION

Every day after the initial treatment, add 2 ounces of ARCLOR HIGH POTENCY CHLORINE for each 10,000 gallons of pool water. Heavy usage or high temperature may require more frequent additions of ARCLOR HIGH POTENCY CHLORINE to maintain a chlorine residual of 1.0 to 1.5 ppm as determined by a reliable chlorine test kit. Add 2 ounces of ARCLOR HIGH POTENCY CHLORINE directly to the pool water. For best results, maintain the pH of the pool water between 7.2 and 7.6. Higher pH values reduce the effectiveness of most chlorine sanitizing agents.



ACTIVE INGREDIENTS
Sodium Dichloro-S-Triazinetrione 100%

DANGER

KEEP OUT OF REACH OF CHILDREN
See antidote statement and other required
statements on side panels.

NET WEIGHT 10 LBS.

EPA Reg. No. 8866-2
MANUFACTURED BY

ARCO CHEMICAL CORP.
MILWAUKEE, WISCONSIN 53225

ARCLOR

HIGH POTENCY CHLORINE

AUTOMATIC TREATMENT

Dissolve 8 oz. (or ½ lb.) in 5 gallons of water. Adjust hypochlorinator to maintain an available chlorine residual of at least 1.0 to 1.5 ppm as determined by a reliable chlorine test kit.

DANGER

Strong oxidizing material. Contact with organic matter or any foreign material may cause fire. May cause skin irritation or eye damage.

ANTIDOTE

INTERNAL:

Feed gruel or cooked cereal followed by olive oil or cooking oil.

EXTERNAL:

Flood with cold water immediately.

CALL A PHYSICIAN.

RINSE PRODUCT FROM SKIN.

KEEP AWAY FROM CHILDREN.

DO NOT REUSE CONTAINER.

DESTROY WHEN EMPTY.