

**CONCENTRATED
POOL CHLORINE**

The control of pH is greatly simplified using ARCO CONCENTRATED POOL CHLORINE. In fact, you will require from 1/2 to 1/4 times the amount of acid usually applied. ARCO CONCENTRATED POOL CHLORINE provides a more stable form of chlorine for easier maintenance of an effective chlorine residual in pool water for disinfecting action. It requires less storage space and maintains constant strength regardless of storage time. It is economical to use in that, after the pool is stabilized, you will need to apply ARCO CONCENTRATED POOL CHLORINE less often.

INSTRUCTIONS

When starting up a new pool, superchlorinate to satisfy chlorine demand and to establish a chlorine residual of 1.0 ppm to 1.5 ppm available chlorine. To accomplish this, add 2 oz. ARCO CONCENTRATED POOL CHLORINE per 1,000 gallons of pool water. The next morning, add ARCO CYANURIC ACID at the rate of 4 oz. per 1,000 gallons to stabilize the pool.

ARCO CONCENTRATED POOL CHLORINE should be added daily or as needed at the rate of 1/2 to 1 oz. per 1,000 gallons of pool water to maintain a chlorine residual at all times of 1.0 ppm to 1.5 ppm as determined by a suitable test kit. The pH should be maintained between 7.2 and 7.6.

A shock treatment should be made every week during hot weather or during cool weather. For the shock treatment, add 2 oz. of ARCO CONCENTRATED POOL CHLORINE per 1,000 gallons of pool water. Swimmers should not be permitted in the pool after the shock treatment until the chlorine residual has reached the 1.0 ppm to 1.5 ppm range.

Keep in mind that a slight flexibility must be maintained in the event of heavy accumulations of dust and dirt caused by storms or super-heavy bathing loads which require additional dosage as needed to maintain the chlorine residual between 1.0 ppm and 1.5 ppm.



- Features a dry chlorine that dissolves immediately.
- A most effective germicide and algicide.
- Will not cause cloudiness in water.
- Will not add scale forming minerals in the water.
- Will maintain your pool crystal clear.
- Flame - resistant.

ACTIVE INGREDIENT
Sodium Dichloro-Triazinetrione Dry Matter 99.9%

DANGER
KEEP OUT OF REACH OF CHILDREN

NET WEIGHT 10 LBS
EPA Reg. No. 8866-16
PACKAGED BY

ARCO CHEMICAL CORP.
MILWAUKEE, WISCONSIN 53211

**CONCENTRATED
POOL CHLORINE**

DANGER
KEEP OUT OF REACH OF
CHILDREN

Corrosive. Causes eye damage. Do not get in eyes or on face. Do not breathe dust. May cause skin, nose and throat irritation. Wear safety goggles, dust respirator and protective clothing when handling. May be fatal if swallowed. May cause burns to broken skin.

FIRST AID

In case of personal contact, remove excess material and flush skin or eyes with cold water for at least 15 minutes. For eyes get medical attention. Clean contaminated clothing before reuse.

If swallowed, feed grain or cooking oil. Call a Physician immediately. Strong oxidizing agent. Moisture concentration may liberate irritating and hazardous chlorine-containing gases. Decomposes at 350° - 475° F. with liberation of harmful gases. In case of decomposition, if possible, isolate container in open air or well-ventilated area. Flood with large volume of water if necessary.

Mix only with water. Do not mix with other pool chemicals. Use only dry. Clean measuring utensils. Store in a cool, dry place. Keep closed when not being used. Do not reuse container. Rinse empty container thoroughly with water and discard.

This product is toxic to fish. Treated pool effluent water should not be discharged where it will drain into lakes, streams, ponds or public water. Do not contaminate water by cleaning of equipment or disposal of wastes.

Apply this product only as specified on this label.

1 FEB 15

THE UNIVERSITY OF MICHIGAN LIBRARY
1000 TAPSCOTT DRIVE
ANN ARBOR, MICHIGAN 48106
SERIALS 8866-16

SUPER SHOCK GRANULAR

DIRECTIONS

Use **SUPER SHOCK GRANULAR** at the rate of 1 pound per 10,000 gallons of water. Add total amount at one time, broadcasting directly into the pool water. Add **SUPER SHOCK GRANULAR** preferably at night or when the pool is not in use. There will be an initial high chlorine reading and the pool should not be placed in use until the residual available chlorine is at a normal level of 1 to 1.5 ppm as determined by a test kit. The use of **SUPER SHOCK GRANULAR** is recommended once weekly for heavily used commercial and semi-commercial pools and once every two weeks for residential pools receiving normal usage.

Maintain the residual available chlorine concentration of the pool water between 1.0 to 1.5 ppm as determined by test kit.

Follow the directions for use on the label of the chlorine product used for the regular chlorination of the swimming pool water.

NOTE

Test pool water frequently with a suitable chlorine test kit.



SUPER SHOCK GRANULAR

RIDS YOUR POOL OF ORGANIC WASTE

FOR
SWIMMING POOLS
RESTORES ITS
INVITING SPARKLE

ACTIVE INGREDIENT

Sodium Dichloro-s-Triazinetrione Dihydrate 100%

DANGER
KEEP OUT OF REACH OF CHILDREN

For emergency treatment, thoroughly with water and discard it. Do not use in areas where children play.

NET WEIGHT 2 Lbs. (32 oz.)

EPA Reg. No. 8866-17 EPA Est. No. 8866-WI 1

PACKAGED BY

ARCO CHEMICAL CORP.
MILWAUKEE, WISCONSIN 53225

SUPER SHOCK GRANULAR

Swimming pool water is subject to contamination of a water quality. Organic waste in the pool water is a major cause of cloudy water. **SUPER SHOCK GRANULAR** is a powerful oxidizing agent which breaks down organic waste into harmless substances. **SUPER SHOCK GRANULAR** is effective in restoring the sparkle of swimming pool water and increasing water clarity.

DANGER
KEEP OUT OF REACH
OF CHILDREN

FIRST AID

DANGER

Store in a cool, dry place.

SUPER SHOCK GRANULAR

DIRECTIONS

Use SUPER SHOCK GRANULAR at the rate of 1 pound per 10,000 gallons of water. Add total amount at one time, broadcasting directly into the pool water. Add SUPER SHOCK GRANULAR preferably at night or when the pool is not in use. There will be an initial high chlorine reading and the pool should not be placed in use until the residual available chlorine is at a normal level of 1 to 1.5 ppms as determined by a test kit. The use of SUPER SHOCK GRANULAR is recommended once weekly for heavily used commercial and semi-commercial pools and once every two weeks for residential pools receiving normal usage.

Maintain the residual available chlorine concentration of the pool water between 1.0 to 1.5 ppm as determined by test kit.

Follow the directions for use on the label of the chlorine product used for the regular chlorination of the swimming pool water.

NOTE:

Test pool water frequently with a suitable chlorine test kit.



SUPER S GRANULAR

RIDS YOUR POOL OF

FOR
SWIMMING

RESTORES
INVITING S

ACTIVE INGREDIENT

Sodium Dichloro-s-Triazinetrione

DANGER

KEEP OUT OF REACH

Rinse empty container thoroughly.
See First Aid and other precautionary
panel.

NET WEIGHT 2 L

EPA Reg. No. 8866-17 EPA

PACKAGED

ARCO CHEMICAL
MILWAUKEE, WISCONSIN