

1.6 Endrin

Roundup

Roundup

Roundup

ACCEPTED

6-30-71

NET CONTENTS  
LIQUID

8867-12

ACTIVE INGREDIENTS	PERCENTAGE
1,6-Endrin	1.6%
Ammonium sulfate	76.5%
INERT INGREDIENTS	18.9%
TOTAL	100.0%

CCC 1.6 ENDRIN  
active 1.6 Lb.  
of Endrin

SCALES - No. 107-12

ENDRIN IS A SELECTIVE HERBICIDE ACCORDING  
TO THE U.S. ECOLOGY WALKER AND  
DIFCO TESTS AND IN CONFORMITY WITH FED  
ERAL AVIATION REGULATIONS

REGISTERED TRADE  
NAME: ENDRED

REGISTRATION NUMBER:  
100-107-12

THE RECOMMENDED USE OF THIS CONTAINER IS THAT  
IT IS TO BE USED AS A SPREADER-ADJONANT. IT IS  
NOT TO BE USED AS A SPRAYER. ADDITIONAL TIME  
MAY BE REQUIRED WITH WATER AND  
CLOTHING SHOULD BE DRIED. THE  
CONTAINER IS TO BE USED FOR  
SPREADING AND NOT FOR SPRAYING.  
DO NOT USE FOR SPREADING  
AND SPRAYING.

DO NOT USE SPREADER-ADJONANT ON  
FOLIAGE OR GROWTHS.

## POISON

### ANTIDOTE AND FIRST AID TREATMENT

**INTERNAL:** If swallowed, give at least one glass of warm water and repeat if the mouth is clear. Have victim lie down and keep quiet. Call a physician immediately.

**EXTERNAL:** If on skin, wash immediately with large amounts of water. If material gets into eyes, wash immediately with running water for at least 15 minutes.

Note to physician: In case of persistent vomiting, induce emesis for anti-contaminant treatment. Otherwise patient carefully observe for repeated treatment may be necessary.

## DANGER

Poisonous by skin contact and by inhalation. Rapid absorption through skin. Do not get in eyes or skin. If on skin, wash. If case of contact, immediately rinse with copious amounts of water, then wash with plenty of water for at least 15 minutes; for eyes, get medical attention. Do not breathe vapor or spray mist. Wash thoroughly with copious amounts of water before eating or smoking. Wear respirator. Do not apply or allow to drift where occupied by people or animals. Beneficial insects. To protect fish and wildlife, do not contaminate ponds, lakes, or streams. Do not smoke. **Do not breathe spray mist.**

Workers entering treated areas should wear protective clothing and respirators. Do not eat, drink, or smoke while in treated areas. During continuous or prolonged exposure, the protective respirator should be replaced every 4 hours. Check with Bureau of Mines for protection against dust. Do not use for spraying purposes and at no time for spreading. Do not use for spraying purposes and at no time for spreading.

Do not spray on food crops, fruit trees, or other food products. Do not spray on areas where food is grown.

**HIGHLY TOXIC TO FISH AND WILDLIFE:** Do not contaminate ponds, lakes, or streams. Do not contaminate fish or game areas.

**COMBUSTIBLE MIXTURE:** Do not store near heat sources.

Do not store near incompatible materials.

### GENERAL DIRECTIONS

CCC 1.6 ENDRIN is intended for use as a spreader-adjunct to sprayers, low-volume ground sprayers, and aerial sprayers.

For aerial application, use 1.6 Lb. of Endrin per acre. For ground application, use 1.6 Lb. of Endrin per acre.

**FOLIAGE TREATMENTS:** Mix 1.6 Lb. of CCC 1.6 Endrin Sprayer Adjuvant with 1.6 Lb. of Endrin. Apply at 1.6 Lb. of Endrin per acre.

### MIXING DIRECTIONS

Mix Endrin Sprayer Adjuvant with 1.6 Lb. of Endrin. Add 1.6 Lb. of Endrin to 100 gallons of water. Stir well until completely dissolved. Add 1.6 Lb. of CCC 1.6 Endrin Sprayer Adjuvant to the mixture. Stir well until completely dissolved.

**NOTE:** Do not mix with other sprayer adjuvants.

### DIRECTIONS FOR USE

DO NOT USE FOR SPREADING AND SPRAYING.

**INSECTS CONTROLLED:** See label for specific information.

**REMARKS:** Do not use for spraying purposes.

Do not use for spreading purposes.

Do not use for spraying purposes.

Do not use for spreading purposes.

Do not use for spraying purposes.

Do not use for spreading purposes.

Do not use for spraying purposes.

Do not use for spreading purposes.

Do not use for spraying purposes.

Do not use for spreading purposes.

Do not use for spraying purposes.