



# NET CONTENTS

# LIQUID



**CAUTION!** Harmful if swallowed. Avoid prolonged breathing of dust. Avoid repeated contact with skin. Wash thoroughly with soap and water after using. Do not use on animals. Avoid contamination of feed and foodstuffs. This product should not be used for any purpose than that suggested on label.

**HIGHLY TOXIC TO FISH:** Do not contaminate any body of water nor apply to any area not specified on the label.

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

**NOTE TO PHYSICIAN:** Malathion use may cause cholinesterase inhibition. Atropine is antidotal.

**COMBUSTIBLE MIXTURE:** Keep away from heat and open flame. Do not spray into or near fire or open flame.

**READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH LABEL CAUTIONS, WARNINGS AND DIRECTIONS; AND IN CONFORMITY WITH FEDERAL AND STATE REGULATIONS.**

KEEP COOL IN SHADE.  
OUT OF DIRECT SUNLIGHT.

Do not reuse empty container. Destroy by perforating or crushing. Bury or discard in a safe place. (1 gal. and 5 gal.) Do not reuse empty drum. Return to drum reconditioner or destroy by perforating or crushing and burying in a safe place. (30 gal. and 55 gal.)

# 5 Lb. Malathion Emulsion

**CAUTION:** KEEP OUT OF REACH OF CHILDREN

### ACTIVE INGREDIENTS:

*Malathion	56.5%
Aromatic Petroleum Solvent	37.5%
INERT INGREDIENTS	6.0%
TOTAL	100.0%

\*O, O-Dimethyl Dithiophosphate of Diethyl Mercaptosuccinate

1 gallon of  
**CCC 5 Lb. Malathion Emulsion**  
contains 5 Lbs. MALATHION

USDA Reg. No. 8867-14

SEE SIDE PANEL FOR ADDITIONAL CAUTIONS.

SUGGESTED

CCC FIVE POUNDS Malathion Emulsion for the following: thrips, flea hoppers, etc.

CCC FIVE POUNDS Malathion Emulsion strengths to be used on various insects (both ground and flying).

For ground application, use recommended amount of water per gallon of water.

CCC FIVE POUNDS Malathion Emulsion water by agitation. Mixture is all-purpose.


Malathion spray—1 gallon to 100 square feet—1 gallon to 100 square feet. Plant Bugs—1 gallon to 100 square feet. Consult your local experiment station for further information.

Do not apply to dairy animals. Contamination of water should be avoided.

Do not apply to

**NOTICE:** Sell this chemical description as stated on the label under normal conditions nor any other name. This notice extends to the label, or under reasonable conditions for any such use.

**REGISTERED**  
 9-3-71  
 THE FEDERAL REGISTER  
 LIFE AND NO. 11111E AOT  
 BOUNDARY REGISTRATION  
 DER NO. 8867-14



# 5 Lb. Malathion Emulsion

**CAUTION: KEEP OUT OF REACH OF CHILDREN**

**ACTIVE INGREDIENTS:**

*Malathion .....	56.5%
Aromatic Petroleum Solvent .....	37.5%
INERT INGREDIENTS .....	6.0%
<b>TOTAL</b> .....	<b>100.0%</b>

\*O, O-Dimethyl Dithiophosphate of Diethyl Mercaptosuccinate

1 gallon of  
**CCC 5 Lb. Malathion Emulsion**  
 contains 5 Lbs. MALATHION

USDA Reg. No. 8867-14

SEE SIDE PANEL FOR ADDITIONAL CAUTIONS.

**SUGGESTIONS FOR USE ON COTTON.**

**CCC FIVE POUND MALATHION EMULSION** will control the following insects attacking cotton: Boll Weevil, aphids, thrips, flea hoppers and plant bugs.

**CCC FIVE POUND MALATHION EMULSION** contains 5 pounds Malathion per gallon. Water dilution of various strengths to be used in conventional and low volume sprayers (both ground and airplane applicators) can be prepared.

For ground application, use recommended amount of insecticide in 3 to 5 gallons of water per acre. For airplane application, use recommended amount of insecticide in 1 to 3 gallons of water per acre.

**CCC FIVE POUND MALATHION EMULSION** is mixed with water by agitation or recirculating through spray pump. If mixture is allowed to stand, re-mix before using.

**DIRECTIONS FOR USE.**

Malathion sprays are recommended to be used on Boll Weevil—1 gallon to 5 acres; Aphids—1 gallon to 10 acres; Thrips—1 gallon to 14 acres; Flea Hoppers—1 gallon to 7 acres; Plant Bugs—1 gallon to 7 acres. For timing of applications, consult your local representative of extension service or experiment station and repeat applications as local conditions warrant.

Do not apply this product where there may be grazing by dairy animals or animals being finished for slaughter. Avoid contamination of foodstuffs. When using this product suitable caution should be followed.

Do not apply this product within seven days of hand picking.

**NOTICE:** Seller warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.