


ACCEPTED

MAY 21 1973

INSECT-A-KILL 615



INSTRUCTIONS FOR CONTROL OF:
FLEAHOPPERS
GRASSHOPPERS
LYGUS BUGS
TARNISHED PLANT BUG
THRIPS
TOBACCO BUDWORM

Amount of Insect-A-Kill 615 concentrate recommended for each insect to water necessary to treat one acre before applying. If solution is allowed to stand overnight, the best and most economical results can be obtained. Insecticide is applied properly and at the right time with the Insect-A-Kill 615 program as given below.

CONTROL: CUTWORMS and GRASSHOPPERS—Apply one (1) gallon to 3 acres and one spray application as soon as cutworm damage is noticed. If cottonland previously in pasture or sod, apply when cutworms are almost certain to be present. Two applications; about 7 days apart; as soon as possible stand applying one (1) gallon to 12 acres using ground sprayers.

CONTROL: BOLL WEEVILS, LYGUS BUGS, FLEAHOPPERS, TARNISHED PLANT BUGS, and FLEAHOPPERS—Apply one (1) gallon to 3 acres, using two applications, at five to seven day intervals, starting when the plants are in the six to eight leaf stage, or when the plants are in the six to eight leaf stage, or when the plants are in the six to eight leaf stage.


CONTROL: BOLL WEEVILS, BOLLWORM, TOBACCO BUDWORM, APHIDS and FALL ARMYWORMS—Start applications when boll weevil infestations reach 10% or when other pests such as bollworms, etc., are noticed. Make applications whenever necessary. Apply one (1) gallon to 3 acres in 1 to 3 gallons spray mix per acre.

APPLICATIONS WITH AIRPLANES:—Follow the program given for ground sprayers, applying one (1) gallon to 3 acres in 1 to 3 gallons spray mix per acre. Do not apply within 7 days of hand picking or harvest. Do not contaminate feed or foodstuffs with this product. Do not contaminate feed or foodstuffs with this product.

MEANS TO CONTROL APHIDS, ARMYWORMS, BOLLWORMS, GRASSHOPPERS, GREEN CLOVER WORMS, VELVETBEAN CATERpillARS, BOLLWORMS, and FALL ARMYWORMS—Make one or two applications when infestations are noticed. Apply one (1) gallon to 3 acres in 1 to 3 gallons spray mix per acre. Do not apply within 21 days of harvest. Do not apply to live-stock or poultry. Do not make more than one application per growing season. Treated soybean plants or other legume plants should not be fed to livestock, or animals being finished for slaughter. Do not store near heat or open flame.

(CONTAINS 6 LBS. TOXAPHENE,
1 1/2 LBS. METHYL PARATHION PER GALLON)

ACTIVE INGREDIENTS:	By Weight
Toxaphene*	55.59%
O, O-Dimethyl O-p-nitrophenyl phosphorothioate**	13.90%
Aromatic Petroleum Solvent	27.12%
INERT INGREDIENTS:	3.39%
TOTAL	100.00%



E.P.A. Reg. No. 8867-31

*Technical Chlorinated camphene (chlorine content 67-69%)

**Methyl Parathion



DANGER:
KEEP OUT OF REACH OF CHILDREN

SEE OTHER WARNINGS ON RIGHT PANEL

ATROPINE IS ANTIDOTAL.
CONSULT PHYSICIAN FOR EMERGENCY SUPPLY

CALL A PHYSICIAN IMMEDIATELY

ANTIDOTE: INTERNAL—Give a tablespoonful of salt in a glass of warm water; repeat until vomit fluid is clear. Have patient lie down and keep quiet.

EXTERNAL:—If skin is contacted, remove contaminated clothing and immediately wash with soap and water.

Not for use or storage in or around the home

CLEVELAND CHEMICAL CO.
CLEVELAND, MISSISSIPPI

FOR ARMYWORM CONTROL IN SMALL GRAINS:—Apply one (1) gallon to 3 acres for control of armyworms in wheat, oats, or barley. Apply one (1) gallon to 3 acres for control of armyworms in rice. Apply suitably diluted with water. With aerial application, apply in a volume of 3 to 4 gallons per acre. Do not apply this product within 15 days of harvest. Do not feed treated forage to dairy animals or animals being finished for slaughter. Do not apply after edible parts start to form. Make only one application per season.

DANGER:—For use only by operators experienced or adequately trained in the application of toxic insecticides, and only in power operated, not hand operated sprayers. Do not get in eyes or on skin. Do not get on clothing. Rapidly absorbed through skin. Poisonous if swallowed, inhaled or absorbed through skin. Do not breathe the fumes any time. Wear protective clothing, natural rubber gloves and goggles. Wear a mask or a respirator of a type passed by the U. S. Bureau of Mines for protection against Toxaphene - Methyl Parathion mixture. Keep away from children and domestic animals. Wash thoroughly with soap and water after exposure. Use clean clothing daily. Keep all unprotected persons out of operating areas or vicinity where there may be danger of drift. Vacated areas should not be re-entered until drifting insecticides and volatile residues have dissipated. Workers entering the fields within 1 day after treatment should be protected. Wash all contaminated clothing with soap and water before re-use. Wash hands, arms and face thoroughly with soap and water before eating or smoking. Do not apply, nor allow to drift where there may be grazing by dairy animals or animals being finished for slaughter.

CLEAN UP SPILLAGE AND SPRAY WASTE:—Soak up liquid with sawdust or other absorbent material and bury. Clean up area with strong lye solution.

DISPOSAL OF EMPTY CONTAINERS: Carefully and completely wash the outside of the empty container with water. Rinse the inside of the container with water to which has been added household or commercial detergent and caustic soda (lye). Carefully discard the rinsing solution by pouring at least 18 inches deep in an isolated area away from water. Empty five gallon drums may then be disposed of as approved and recommended. Smaller containers should be broken, flattened and punctured, after which they may be buried at least 18 inches deep in an isolated area away from water.

DANGER:—Highly toxic to fish and wildlife. Do not contaminate any body of water. Do not apply to any area not specified on the label. Do not use this material for any purpose not in any manner other than as recommended on this label. Birds feeding on treated areas may be killed. Do not apply when weather conditions favor drift from areas treated. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment, or disposal of wastes. This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

NOTE TO PHYSICIANS: Methyl Parathion exerts a muscarinic like effect - i.e., stimulation of the parasympathetic nervous system. Repeated use of parasympathetic depressant, such as atropine to the limit of patient's tolerance is indicated to relieve symptoms. The administration of oxygen is helpful. 2-PAM is also antidotal and may be administered in conjunction with atropine. Toxaphene produces central nervous system excitation which ordinarily responds to barbituric acid derivatives, but this drug should be considered only if complete atropinization fails to relieve symptoms.

NOTICE TO USERS: Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.