

DIRECTIONS FOR USE ON COTTON

DSMA LIQUID PLUS Herbicide is useful as a directed application in cotton for post-emergent control of weeds and grasses such as Johnsongrass, nutsedge, Dallisgrass, cocklebur, barnyardgrass, ragweed, sandbur and puncture vine.

Add 1 gallon of DSMA LIQUID PLUS Herbicide to 40 gallons of water and mix thoroughly. Do not add any surfactant to the spray solution. Apply spray solution at 40 gallons per acre. Weed control is most effective at temperatures above 70°F. For band application in 40 inch rows, apply 1 gallon of spray solution per inch of band width per acre. Direct the spray solution to the base of the cotton plant. Keep spray off cotton foliage. A second application may be required during humid growing conditions to control perennials such as Johnsongrass and nutsedge. Apply the second application 1 to 3 weeks later.

Slight burning and a reddish discoloration of the cotton leaf may occasionally occur following the recommended treatment. The cotton plant will develop normally.

Apply only when cotton is 3 inches high to first bloom. Do not apply after first bloom. Do not feed treated foliage to livestock or graze treated areas.


NOTICE: Seller warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use. This warranty, this warranty nor any other warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.

E.P.A. Reg. No. 8867-34

E.P.A. EST. NO. 8867-MS-1

NET CONTENTS

GALLONS



DSMA Liquid Plus

CAUTION:

Keep out of the reach of children

See side panels for additional cautions

ACTIVE INGREDIENT:

Disodium Methanearsonate, Anhydrous 21.8%

INERT INGREDIENTS: 78.2%

Total 100.00%

Total Arsenic (as elemental)

all in water soluble form 8.3%

(Product contains 3.6 pounds Disodium Methanearsonate Hexahydrate per gallon).

Read Entire Label Before Using This Product

DSMA LIQUID PLUS is useful as a directed application in cotton for post-emergent control of weeds and grasses such as Johnsongrass, nutsedge, Dallisgrass, cocklebur, barnyardgrass, ragweed, sandbur and puncture vine. Best results are obtained at temperatures above 70°F.

MIXING INSTRUCTIONS: Dissolve the required amount of DSMA LIQUID PLUS in water and apply at 40 gallons per acre. Do not store DSMA LIQUID PLUS in a metal container. **NON-CROP:** Do not apply to grass, nutsedge, or any other non-crop plants. Do not apply to lawns, roadsides, or storage areas. Herbicide at a rate of 1 gallon per acre is necessary.

Any spray equipment used should be cleaned and reappplied as recommended. **LAWN AND GOLF COURSE:** Do not apply to lawns or golf courses. **CONTROL OF WEEDS:** Control of Dallisgrass, wood sorrel, and bluegrass, and other weeds. Mow lawns and golf courses after application. **LIQUID PLUS:** Apply at 40 gallons per acre. Spray treatments should be made 7 to 10 days apart, if necessary.

CAUTION:

Harmful if swallowed. Wash hands after use. Avoid contact with domestic animals. Do not contact with water and aquatic life. **ANTIDOTE:** Do not induce vomiting. **WASTE DISPOSAL:** Do not dump or dispose of wastes in a pond or stream. Destroy when necessary. Do not contact with this product.