



# DSMA

## Liquid Plus

### CAUTION:

Keep out of the reach of children  
See side panels for additional cautions

<b>ACTIVE INGREDIENT:</b>		
Disodium Methanearsonate, Anhydrous		21.8%
<b>INERT INGREDIENTS:</b>		78.2%
<b>Total</b>		<b>100.00%</b>

**Total Arsenic (as elemental)**  
all in water soluble form 8.9%  
(Product contains 3.6 pounds Disodium Methanearsonate Hexehydrate per gallon).

**Read Entire Label Before Using This Product**

CLEVELAND CHEMICAL CO., CLEVELAND, OHIO

### GENERAL INFORMATION

DSMA LIQUID PLUS is useful for selective post-emergent weed control, particularly for grassy weeds. It is a combination of herbicide and surfactant. **IT IS UNNECESSARY TO ADD ANY OTHER SURFACTANT TO THE SPRAY SOLUTION.** Best results are obtained on young, actively growing weeds at air temperatures above 70°F.

**MIXING INSTRUCTIONS:** DSMA LIQUID PLUS Herbicide must be thoroughly dissolved. Fill the spray equipment reservoir about half full with water and add the required amount of herbicide with agitation. Finish filling the reservoir with water and apply. After use, clean equipment thoroughly by flushing with water. Do not store spray solution in tank for a prolonged period.

**NON-CROP:** DSMA LIQUID PLUS Herbicide is useful for controlling Johnsongrass, nutsedge, watergrass and certain other weeds in drainage ditchbanks, right-of-way, storage yards, and similar non-crop areas. Mix DSMA LIQUID PLUS Herbicide at a rate of 1 to 2 gallons in 100 gallons of water. No additional surfactant is necessary. Spray the unwanted vegetation thoroughly to just short of run-off. Any spray equipment that gives good coverage may be used. If regrowth occurs, reapply as required.

**LAWN AND ORNAMENTAL TURF:** DSMA LIQUID PLUS Herbicide is useful for control of Dallisgrass, sandbur, bahiagrass, nutsedge, barnyardgrass, chickweed and wood sorrel with little or no injury to good lawn grasses. On new lawn, do not treat until after three mowings. Good grasses may be temporarily discolored. Zoysia, bluegrass, and bermuda are quite tolerant. Do not use on St. Augustine or centipede. Mow lawns 1 to 1½ inches high before treatment. Mix 4 fluid ounces of DSMA LIQUID PLUS Herbicide in 5 gallons of water and apply to an area of 1,000 square feet. Spray thoroughly to wet all undesirable plants. Repeat applications, 10 to 14 days apart, may be needed for good control.

### CAUTION: KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed. Avoid contact with skin. Avoid breathing spray mist. Wash hands after using. Avoid storage near feed or food products. Keep children and domestic animals off treated areas until this material has been washed into the soil. Do not contaminate waters used for domestic consumption, or by animals, wildlife and aquatic life, or for irrigation purposes.

**ANTIDOTE:** If taken internally, induce vomiting and call a physician at once.

**WASTE DISPOSAL:** Rinse spray equipment and containers and dispose of liquid wastes in a pit in non-crop lands away from water supplies. Do not reuse container. Destroy when empty.

Do not contaminate water by cleaning of equipment, or disposal of waste. Apply this product only as specified on this label.