

11-05-2000-1 108

Revised Label Text

4-Chlorophenoxyacetic Acid
EPA Reg. No. 8906-1
January 5, 1995

Center Panel

Net Contents ____ pounds

**4-CHLOROPHENOXYACETIC ACID
(4-CPA)**

Inhibits root growth of mung bean sprouts

) DANGER: Keep out of reach of children.
See left panel for additional precautionary
statements.

ACTIVE INGREDIENT: 4-chlorophenoxyacetic acid - 100%

EPA Reg. No. 8906-1
EPA Est. No. 15440-EN-1

Packed for LaChoy Food Products
A Division of Hunt-Wesson, Inc.
1645 W. Valencia Drive
Fullerton, CA 92634

)
8906-1

Revised Label Text

4-Chlorophenoxyacetic Acid
EPA Reg. No. 8906-1
January 5, 1995

Right Panel

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Use this product to improve yield and quality of mung bean sprouts, by producing rootless sprouts which are easier to handle.

Mix 9 to 12 grams of 4-Chlorophenoxyacetic Acid in 1 liter of boiling water until completely dissolved. Then add this mixture to 1,150 gallons of water. (This produces a 2 to 3 ppm concentration of 4-CPA in water.)

Soak 3,500 pounds of mung beans in this solution for 6 to 8 hours, depending on the imbibing quality of the beans being treated.

Follow this soaking period with a thorough rinse using fresh water.

Sprout and process beans by normal commercial methods.

Dispose of remaining bean parts in a sanitary land fill approved to receive materials of this kind, or use as compost in beds of ornamental flowers, shrubs and trees. Do not feed remaining bean parts to livestock.

Revised Label Text

4-Chlorophenoxyacetic Acid
EPA Reg. No. 8906-1
January 5, 1995

Left Panel

PRECAUTIONARY STATEMENTS
Hazards To Humans and Domestic Animals

DANGER: Causes irreversible eye damage. Do not get in eyes or on clothing. Wear goggles, face shield or safety glasses. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

STATEMENTS OF PRACTICAL TREATMENT

If swallowed: Drink promptly a large quantity of milk, egg white, gelatin solution or if these are not available, large quantities of water. Avoid alcohol.

If in eyes: Hold eyelids open and flush with a steady, gentle stream of water for 15 minutes. Get medical attention.

If on skin: Wash thoroughly with soap and warm water.

If inhaled: Move person exposed to fresh air and call a physician if any effects occur.

Note to physician: Probable mucosal damage may contraindicate the use of gastric lavage.

STORAGE AND DISPOSAL

Storage: Store contents in a cool dry place.

Disposal: Do not reuse empty container. Return to supplier or destroy at an approved disposal facility.