

COR-SAN 45

CLEANER DEODORIZER DISINFECTANT **FUNGICIDE**

Designed for Hospital and Institutional Use

ACTIVE INGREDIENTS:

| n-Alkyl (60% C_{14} , 30% C_{16} , 5% C_{12} , 5% dimethyl benzyl ammonium chlorides | 5 C ₁₈) 2.25% |
|--|------------------------------|
| n-Alkyl (68% C_{12} , 32% C_{14}) dimethyl | |
| ethylbenzyl ammonium chlorides | 2.25% |
| Sodium Carbonate | 3.00% |
| INERT INGREDIENTS | 92.50% |
| | 100.0% |
| NET WEIGHT: (484 Ibs.) NET CONTENTS | : 55 615. gal |
| EPA Reg. No. 8908-9 | 0 |

EPA Reg. No. 8908-9

WARNING

Keep Out of Reach of Children. See right side panel for additional precautionary statements.

CHEMICAL COMPANY

Waukegan, Illinois Paramount, California ACCEPTED

10-30-72

1

UNDER THE FEDERAL INSECTICIDE FUNGICIDE AND RODINGSTOF ACT Cor-San 45 is a cleaner, disinfectant, and sanitizer designed for institutional use, such as HOSPITALS, NURSING HOMES, and SCHOOLS where housekeeping will be of prime importance in reducing the hazard of cross-infection. Cor-San 45 can provide the assurance you need in this area, when used as directed. For use on floors, walls, sink tops, garbage pails, telephones, rest rooms, bed pans and operating rooms Effective against Staphylococcus aureus, Salmonella choleraesuis and Pseudomonas aeruginosa. Also effective against pathogenic fungi, Trichophyton interdigitale.

When used for sanitization of food processing equipment and food contact items, limit active quaternary to 200 ppm. At this level No Potable Water Rinse is required.

WARNING

Keep Out of Reach of Children. Causes eye and skin irritation. Do not get in eyes, on skin or on clothing. Harmful if swallowed. Avoid contamination of food.

FIRST AID

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash all contaminated clothing before reuse. If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Avoid alcohol.

Call a physician immediately.

UNDER THE FEDERAL INSECTICIDE FOR ECONOMIC PER

USE DIRECTIONS:

1

. . . ž<u>.</u>

Use at 2 ounces per gallon. This product will be effecvive against Pseudomonas aeruginosa PRD-10 at this Jevel. This has been substantiated by the AOAC Use Dilution Confirmation Test. At this level, the product is fungicidal against pathogenic fungi.

For best results, use Cor-San 45 with a cloth or mop and apply to walls, floors and other hard surfaces.

If used for sanitization of food equipment or food con-Fract items, limit the level of active quaternary to 200 ppm. (2.8 ounces per 5 gallons).

NO RINSE REQUIRED.

For heavy soil or organic matter, a pre-cleaning step is recommended.


PHENOL COEFFICIENTS:

Guaranteed

S. aureus

S. typhosa

Rinse empty container thoroughly with water and discard.



Minimum

42 27