USE DIRECTIONS:

For light duty cleaning, sanitizing and deodorizing, use 2 ounces per gallon.

For heavy duty cleaning and disinfecting and fungicidal activity against pathogenic fungi, use 4.5 ounces per gallon.

For best results, use Cor-San 16 with a cloth or mop and apply to walls, floors and other hard surfaces. If used for sanitization of food contact items, limit the level to 200 ppm of quaternary (8 ounces per 5 gallons).

NO RINSE REQUIRED.

For extra heavy industrial cleaning, and sanitizing, use a second application.

Do not mix with soap or anionic solutions. Cor-San 16 is non-corrosive in use dilutions on inanimate hard surfaces.

PHENOL COEFFICIENTS:

Guaranteed	Minimum
S. aureus	15
S. typhosa	9

ACCEPTED

-03-72 11 _

UNDER T	• • •	S TATE TO
FUNCICIS	•	C Prices
FOR L O	· ·	A
ED UNDE	• 1	-108-
		anna fan de ar a berne



COR-SAN 16

CLEANER

DEODORIZER

DISINFECTANT FUNGICIDE

ACTIVE INGREDIENTS

n-Alkyl (60% C ₁₄ , 30% C ₁₆ , 5% C ₁₂ , 5% C ₁ dimethyl benzyl ammonium chlorides n-Alkyl (68% C ₁₂ , 32% C ₁₄) dimethyl	.8)
ethylbenzyl ammonium chlorides	0.8%
Sodium Metasilicate Anhydrous	2.4%
Tetrasodium Ethylenediamine Tetraacetate	1.0%
INERT INGREDIENTS	95.0%
	100.0%

NET WEIGHT: SOO Ibs.) NET CONTENTS: 55 B. Julia EPA Reg. No. 8908-10

DANGER

Keep Out of Reach of Children. See right side panel for additional precautionary statements.



Cor-San 16 is a heavy duty 'eaner and disinfectant designed for general purpose use where heavy duty cleaning and sanitizing is of prime importance. When used as directed, Cor-San 16 will remove most household dirt and grime in a single, simple application. When used for industrial cleaning, follow the use directions shown on the left side panel.

Not recommended for Pseudomonas.

For sanitization of food processing equipment or food contact items, limit the active quaternary to 200 ppm. At this level No Potable Water Rinse is required.

DANGER

Keep Out of Reach of Children. Causes severe eye and skin damage. Do not get in eyes, on skin or on clothing. Wear goggles or face shield, and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of focd.

FIRST AID

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash all contaminated clothing before reuse. If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Avoid alcohol.

Call a physician immediately.

Rinse empty container throughly with water and discard.

11-3-72