

Corexit Chemicals

7675 Oil Field Bactericide

Active Ingredients

n-Alkyl* -1, 3-Propylene Diamine Monobenzoate	44.0%
Isopropyl Alcohol	56.0%
	<u>100.0%</u>

*As in fatty acids of coconut oil

DANGER! Keep Out of Reach of Children.

See first aid statement and other precautions on right panel.

RINSE EMPTY CONTAINER THOROUGHLY WITH WATER AND DISCARD IT.

EPA Registration No 8928-1

EPA Est. 9661-TX-1

EXXON CHEMICAL COMPANY U.S.A.

An operating division of EXXON CHEMICAL COMPANY, a division of EXXON CORPORATION

Houston, Texas 77001

MADE IN U.S.A.

EXXON
CHEMICALS

DANGER! CORROSIVE!

May be fatal or harmful if inhaled or swallowed. Produces severe chemical burns. Causes severe eye and skin damage. Do not breathe vapor. Do not get in eyes, on skin or on clothing. Wear goggles or face shield, rubber gloves and protective clothing when handling. Wash thoroughly after handling.

FIRST AID

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Call a physician. Wash clothing before reuse. If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Call a physician immediately. In case of inhalation exposure remove patient to fresh air, keep him warm and quiet, and call a physician immediately.

NOTE TO PHYSICIAN

Measures against circulatory shock, respiratory depression and convulsion may be needed. Probable mucosal damage may contraindicate the use of gastric lavage.

WARNING - FLAMMABLE!

Keep container closed and away from heat and open flame.

IN CASE OF FIRE

Use foam, dry chemical, carbon dioxide or water.

NET CONTENTS: 55 U. S. GALLONS/2

00. 1 1974

Chemicals

Oil Field Bactericide

ethylene Diamine Monobenzoate	44.0%
.....	56.0%
	<u>100.0%</u>
coconut oil	

Keep Out of Reach of Children.

and other precautions on right panel.

DISCARD CONTAINER THOROUGHLY WITH WATER AND DISCARD IT.

928-1 EPA Est. 9661-TX-1

CHEMICAL COMPANY U.S.A.

EXXON CHEMICAL COMPANY, a division of EXXON CORPORATION

77001

DANGER! CORROSIVE!

May be fatal or harmful if inhaled or swallowed. Produces severe chemical burns. Causes severe eye and skin damage. Do not breathe vapor. Do not get in eyes, on skin or on clothing. Wear goggles or face shield, rubber gloves and protective clothing when handling. Wash thoroughly after handling.

FIRST AID

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Call a physician. Wash clothing before reuse. If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Call a physician immediately. In case of inhalation exposure remove patient to fresh air, keep him warm and quiet, and call a physician immediately.

NOTE TO PHYSICIAN

Measures against circulatory shock, respiratory depression and convulsion may be needed. Probable mucosal damage may contraindicate the use of gastric lavage.

WARNING - FLAMMABLE!

Keep container closed and away from heat and open flame.

IN CASE OF FIRE

Use foam, dry chemical, carbon dioxide or water.

IN CASE OF SPILL OR LEAK

Recover free liquid. Soak up residue with solid absorbent. DO NOT FLUSH INTO SURFACE STREAMS.

This product is toxic to fish and wildlife. Treated effluent should not be discharged where it will drain into lakes, streams, ponds, or public water. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

GENERAL INFORMATION

COREXIT 7675 is a combination bactericide and corrosion inhibitor for use in treating water in injection wells and associated surface piping and tankage, packer fluids and drilling muds. It is not recommended for use in surface ponds which empty into rivers or lakes. It is particularly effective in killing sulfate-reducing and slime-forming bacteria, and is an excellent inhibitor against corrosion caused by hydrogen sulfide, carbon dioxide, acids and salts due to its ability to form tenacious films on metal surfaces. Treatment levels vary from 10-200 ppm depending on the severity of the problem and the method of treatment. For more detailed directions see **COREXIT Bactericide Bulletin** and appropriate Product Data Sheet.

NET CONTENTS: 55 U. S. GALLONS/208.2 LITERS

7675-b

00: 1 1974