

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER

KEEP OUT OF REACH OF CHILDREN

Corrosive. Causes severe eye damage and skin irritation. Contact with eyes or skin may be harmful. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic life and to birds and bees. Do not discharge to lakes, streams, ponds, or public waters of less than 100 feet wide with an NPDES permit. For guidance contact your Regional Office. Do not contaminate water by cleaning of equipment or disposal of waste.

PHYSICAL OR CHEMICAL HAZARDS: FLAMMABLE
KEEP AWAY FROM HEAT AND OPEN FLAME.

PHYSICAL PROPERTIES

Specific Gravity at 20/20 C	0.868	Solubility in Water at 20 C	0.001 g/g
Vapor Pressure at 20 C	140-150 mm. Hg	Solubility of Water at 20 C	0.001 g/g
Freezing Point	<-65° F (-54° C)	Flash Point	63° F (17° C)

STORAGE AND HANDLING

COREXIT 7676 solutions are corrosive to many commonly used materials of construction such as steel, galvanized iron, aluminum, tin, and zinc. These solutions can be stored and handled in baked-phenolic lined steel, stainless steel, or reinforced epoxy plastic equipment. This product freezes at about -60° F. Since product is flammable, store in an adequately protected area. Avoid heat, sparks, and open flames.

A stainless steel centrifugal pump is suggested for transfer service. Asbestos is suitable for gaskets and packing.

STORAGE AND DISPOSAL

1. **PROHIBITIONS** — Do not contaminate water, food, or feed by storage and disposal. Spill dumping is prohibited. Do not reuse empty containers.
2. **PESTICIDE DISPOSAL** — Pesticide spray mixture or residue that can no longer be used or chemically processed should be disposed of in a landfill approved for pesticides, buried in a safe place away from water supplies.
3. **CONTAINER DISPOSAL** — a. Rinses: Rinse containers for reuse. b. Empty containers: Rinse (or equivalent) and offer for recycling, reconditioning, or reuse in accordance with local, state, or federal regulations. c. Containers: Recycle, reuse, or bury in a safe place.
4. **GENERAL** — Consult Federal, State, and local regulations for all applicable laws and administrative procedures.



MICROBIOCIDAL

A MICROBIOCIDAL FOR USE IN CONTROLLING BACTERIA IN OIL FIELD APPLICATIONS

Active Ingredient: Didecyl Dimethyl Ammonium Chloride
Inert Ingredients:

KEEP OUT OF REACH OF CHILDREN
DANGER!
FLAMMABLE

STATEMENT OF PRACTICAL TREATMENT

In case of contact, immediately flush eyes or skin with plenty of water. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin, or water. If not available, drink large quantities of water. Avoid alcohol. Call a physician.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate emesis. Measures against circulatory shock, respiratory depression and convulsions.

EXXON
CHEMICALS

SOLD BY
EXXON CHEMICAL AMERICA
A DIVISION OF EXXON CHEMICAL COMPANY, A DIVISION OF EXXON CORPORATION
Houston, Texas 77001
MADE IN U.S.A.

EPA #
EPA #

7676

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

DE
ROLLING
IONS

25.0%
75.0%
100.0%

8928-15

Oil Field Waterflood or Salt Water Disposal Systems: (Do not apply in Marine and Estuarine Oil Fields.)

1. For the control of slime forming and sulfate reducing bacteria in oilfield waterflood or salt water disposal systems, add 20-40 ppm COREXIT 7676 (1-2 gallons per 1000 barrels of water) continuously. Levels for effective control will vary depending on conditions at the site.
2. For intermittent use, dose at a rate of 20-80 ppm COREXIT 7676 (1-4 gallons per 1000 barrels of water) for 4-8 hours per day, one to four times a week as needed to maintain control.

Add COREXIT 7676 directly from the drum with the proper type of metering and equipment. This product weighs 7.23 lbs./gallon (at 20°C).

NET WT. 398 LBS. (181 Kg.)
NET VOL. 55 GALS. (U.S.) (208.2 LITERS)

EN

or at least 15 minutes.
ore reuse.

solution or if these are
ilan immediately.

ve use of gastric lavage.
ion may be needed.

AS

REG. NO. 8928-15

ESTABLISHMENT NO. 8928-TX-1

(1)