

Exxon Chemical Company
8230 Stedman Street
Houston, TX 77029

Attention: P.B. Hartley

Gentlemen:

Subject: Corexit 7765
EPA Registration No. 8928-16
Your Application Dated March 15, 1988

The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, is acceptable provided that you:

1. Make the labeling changes listed below before you release the product for shipment bearing the amended labeling.
 - a. Below the Environmental Hazards section, retain the fire hazard caution to read:

Physical or Chemical Hazards
Flammable
Keep away from heat and open flame.
 - b. The signal word "DANGER" must be placed directly below the child hazard warning statement "Keep Out of Reach of Children."
 - c. Delete the word "milk" from the Statement of Practical Treatment.
 - d. Revise the statement "Wear goggles or face shield, rubber gloves and protective clothing when handling" to read "Wear goggles or face shield and rubber gloves when handling."
2. Submit five (5) copies of the final printed labeling before you release the product for shipment.

50262:I:DeLaney:L-13:KEMCO:02/02/89:03/16/89:CI:vo:ek:rw

CONCURRENCES


SYMBOL								
NAME								
DATE								

-2-

Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.

If you have any questions concerning this letter, please contact Martha DeLaney at (703) 557-6892.

Sincerely yours,


John H. Lee
Product Manager (31)
Antimicrobial Program Branch
Registration Division (TS-767C)

CORPEXIT[®]

7765

CORROSION INHIBITOR/ MICROBIOCIDES

A MICROBIOCIDES FOR USE IN CONTROLLING BACTERIA IN OIL FIELD APPLICATIONS

Active Ingredients	
N-Alkyl* -1, 3-Propylenediamine	8.4%
Glycol Acetic Acid	4.2%
Isopropyl Alcohol	16.0%
Inert Ingredients	71.4%
*3%C8, 3%C10, 41%C12, 15%C14, 10%C16, 28%C18 100.0%	

DANGER!

CORROSIVE! CAUSES EYE AND SKIN DAMAGE.

DO NOT get in eyes, on skin or clothing. Wear goggles or face shield, rubber gloves and protective clothing when handling. Harmful or fatal if swallowed. Avoid contamination of food.

KEEP OUT OF REACH OF CHILDREN

EXXON
CHEMICALS

MANUFACTURED BY

EXXON CHEMICAL AMERICAS

A Division of EXXON CHEMICAL COMPANY, a Division of EXXON CORPORATION

Houston, Texas 77253-3272

EPA Registration No. 8828-18

EPA Establishment No. 9861-TX-1

MADE IN U.S.A.

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
ENVIRONMENTAL HAZARDS**

This pesticide is toxic to fish. DO NOT apply in marine or estuarine or fields. DO NOT discharge effluent containing this active ingredient into lakes, streams, ponds, estuaries, oceans, or public waters unless this product is specifically identified and addressed in an NPDES permit. DO NOT discharge effluent containing this product to sewer systems without previously notifying the Sewage Treatment Plant Authority. For guidance contact your State Water Board or regional office of the EPA.

***** FLAMMABLE *****

PHYSICAL PROPERTIES

Specific Gravity 0.963 Solubility in Water Total
Freezing Point -20°F

STORAGE AND DISPOSAL

STORAGE

COREXIT 7765 Corrosion Inhibitor/Microbiocide should be stored in an area approved for flammable products. Keep drum openings capped to prevent evaporation or product contamination.

PROHIBITIONS

DO NOT contaminate water, food, or feed by storage or disposal of this product.

PESTICIDE DISPOSAL

Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL

Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities.

STATEMENT OF PRACTICAL TREATMENT

In case of contact, IMMEDIATELY flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately. ***NOTE TO PHYSICIAN*** Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression, and convulsion may be needed.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

USE WITH CLOSED DELIVERY SYSTEMS ONLY

COREXIT 7765 Corrosion Inhibitor/Microbiocide is intended for control of anaerobes such as sulfate-reducing bacteria of the species *Desulfovibrio desulfuricans*.

WATERFLOODS

SALT WATER DISPOSAL SYSTEMS

Add COREXIT 7765 Corrosion Inhibitor/Microbiocide via a chemical metering pump to the water injection system at a point of uniform mixing such as the inlet line to the water holding tank or the injection pump suction line slug treatment.

Initial treatment: Inject via chemical pump 200-400 ppm COREXIT 7765 Corrosion Inhibitor/Microbiocide (8-16 gallons per 1000 barrels water) for a period of 4-8 hours twice weekly.

Subsequent dosage: Inject 200-400 ppm COREXIT 7765 Corrosion Inhibitor/Microbiocide (8-16 gallons per 1000 barrels water) for 4 hours once a week, or as needed to maintain control.

Continuous treatment: Inject 20-100 ppm COREXIT 7765 Corrosion Inhibitor/Microbiocide (approximately 0.8-4 gallons per 1000 barrels water) via a suitable chemical injection pump.

PACKER FLUIDS

Mix COREXIT 7765 Corrosion Inhibitor/Microbiocide into the fluid as it is being made up, using a treat rate of 1300-2600 ppm (1-2 drums per 1000 barrels fluid) for prevention of general corrosion.

WORKOVER FLUIDS

COREXIT 7765 Corrosion Inhibitor/Microbiocide should be added to the water in the mix tank as the workover fluid is being made up. Use 250-1000 ppm COREXIT 7765 Corrosion Inhibitor/Microbiocide for this service (10.2-40.7 gallons per 1000 barrels fluid).

ACCEPTED
with COMMENTS
in EPA Letter Dated:

FEB 17 1989

Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended, for the pesticide
registered under EPA Reg. No.

5928-16

NET WT. 441 LBS. (200 KG.)

NET VOL. 55 GALS. (U.S.) (208 LITERS)

9/85
7-7765

