

# DIRECTIONS — DANGER

Dilute with water — read directions.

**Disinfection of Beauty and Barber Shop Combs, Brushes and Implements.** Clean thoroughly, rinse, then soak combs, brushes, razors, etc., for 10 minutes in a solution of **1 1/4 fl. oz.** 10% Disfecticide to 1 gallon of water (this dilution is **1000** parts per million).

**OR** 2 fluid ounces of 10% Disfecticide to 1 gallon of water (this dilution is 1600 parts per million).

To inhibit metal corrosion, add 1 tablespoonful of sodium nitrite to each gallon of solution.

Makes 100 Gallons 1000 PPM Quaternary Ammonium.

Rinse empty container thoroughly with water and discard it.

**Institutional Laundry Application; Disinfection, and Sanitization of Fabrics.** After washing, agitate in a solution containing 1 ounce of Disfecticide to 2 gallons of water to disinfect clothing and linens.

note to physician: probable mucosal damage may contraindicate the use of gastric lavage. measures against circulatory shock, respiratory depression and convulsion may be needed.

**Net contents: 1 U.S. Gallon**

**MANUFACTURED FROM 80% CONCENTRATED DISFECTICIDE, A PRODUCT OF  
COUNTESS LABORATORIES, INC. - Long Beach, California**

## DANGER

For institutional use only—not to be sold to the public.

### DIRECTIONS


Pour entire contents (1 pint 80% concentrated Disfecticide into a clean gallon jug about 3/4 filled with water. Then add more water to make 1 gallon (128 fl. oz.). It then becomes 10% strength Disfecticide.

Rinse empty pint container thoroughly and discard it.

# DISFECTICIDE *PM31*

## 80% CONCENTRATED QUATERNARY AMMONIUM

DISINFECTANT — SANITIZER — DEODORIZER



Active  
n-A  
Dir  
Eth  
Inert  
Wa  
ph  
Sta  
  
D  
Co  
ey  
ru  
A  
in  
of  
R  
If  
wl  
la

**DIRECTIONS — DANGER** Dilute with water - read directions.

Brushes and Implements. Clean thoroughly, rinse, then soak combs, brushes, razors,  
10% Disfecticide to 1 gallon of water (this dilution is 1000 parts per million).


water (this dilution is 1600 parts per million).

1 teaspoonful of sodium nitrite to each gallon of solution.

1000 PPM Quaternary Ammonium.

rinse thoroughly with water and discard it.

Sanitization of Fabrics. After washing, agitate in a solution containing 1 ounce  
of disinfectant for clothing and linens.



note to physician: probable mucosal damage may contraindicate the  
use of gastric lavage. measures against circulatory shock, respiratory  
depression and convulsion may be needed.

**CONCENTRATED DISFECTICIDE, A PRODUCT OF  
LORIAN, INC. - Long Beach, California**

**DISFECTICIDE** *PM31*

**80% CONCENTRATED  
QUATERNARY AMMONIUM**

clean  
make

# Disfecticide

10% CONCENTRATED

## QUATERNARY AMMONIUM

**Disinfectant - Sanitizer - Deodorizer**

Active Ingredients:

- n-ALKYL (50% C<sub>14</sub>, 40% C<sub>12</sub>, 10% C<sub>16</sub>)
- Dimethyl Benzyl Ammonium Chlorides ..... 10.0%
- Ethanol ..... 2.5%

Inert Ingredients:

- Water ..... 87.5%

Phenol Coefficients:	Salmonella Typhosa 50
Standard AOAC method	Staphylococcus Aureus 75

See other precautions on the back/side panel.

### **DANGER KEEP OUT OF REACH OF CHILDREN**

Corrosive. Causes severe eye and skin damage. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food. **FIRST AID**  
 In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before re-use.  
 If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician.

Net contents: 1 U.S. Gallon

depression and convulsion may be needed.

MANUFACTURED FROM 80% CONCENTRATED DISFECTICIDE, A PRODUCT OF  
COUNTESS LABORATORIES, INC. - Long Beach, California

**DANGER**

For institutional use only—not to be sold to the public.

**DIRECTIONS**

Pour entire contents (1 pint 80% concentrated Disfecticide into a clean gallon jug about 3/4 filled with water. Then add more water to make 1 gallon (128 fl. oz.). It then becomes 10% strength Disfecticide.

Rinse empty pint container thoroughly and discard it.

Further dilution with water (1 1/4 fl. ounces of 10% quaternary per gallon) yields 100 gallons of 1000 parts per million, the strength required by 48 state cosmetology boards.

Underneath the label on this pint bottle you will find another label of a different color to affix to the gallon jug. Moisten the back of it and apply to the jug. This gallon label clearly states directions for further dilution for different purposes: disinfecting, sanitizing, deodorizing

**KILLS MOST GERMS AND BACTERIA IN 10 MINUTES.**

Effective Against Both Gram Positive and Gram Negative Organisms.

Phenol coefficients on inside label.

Mfg. by COUNTESS LABORATORIES, INC., Long Beach, Calif.

Contents 1 Pint

**DISFECTICIDE** *PM31*

**80% CONCENTRATED**

**QUATERNARY AMMONIUM**

**DISINFECTANT - SANITIZER - DEODORIZER**

EPA Registration No. 8932-1

**Makes 100 gallons 1000 P.P.M. quaternary ammonium**

Active Ingredients:

n-ALKYL (50% C <sub>14</sub> , 40% C <sub>12</sub> , 10% C <sub>16</sub> )	
Dimethyl Benzyl Ammonium Chlorides	80%
Ethanol	20%

See other precautions on the back/side panel.

**DANGER KEEP OUT OF REACH OF CHILDREN**

Corrosive. Causes severe eye and skin damage. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

**FIRST AID**

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before re-use.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician.

Note to physician: Probable mucosal damage may contraindicate the use of gastric Lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

JUL 8 1975  
UNDER THE FEDERAL INSECTICIDE  
FUNGICIDE AND RODENTICIDE ACT  
FOR TOXICOMIC POISON REGISTER  
EPA UNDER NO. 8932-1