



CAN KILL YOU IF SWALLOWED

This product can kill you if swallowed even in small amounts: spray mist or dust may be fatal if swallowed.



CAN KILL YOU BY SKIN CONTACT

This product can kill you if touched by hands or spilled or splashed on skin, in eyes or on clothing (liquid goes through clothes).



CAN KILL YOU IF BREATHED

This product can kill you if vapors, spray mist or dust are breathed.

POISONOUS TO FISH AND WILDLIFE

This product is toxic to fish, birds and other wildlife. Birds and other wildlife in treated areas may be killed. Keep out of lakes, streams, or ponds. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING

(1) Wear water-proof pants, coat, hat, rubber boots or rubber overshoes. (2) Wear safety goggles. (3) Wear mask or respirator approved by the U. S. Bureau of Mines for parathion protection. (4) Wear heavy duty, natural rubber gloves.

WORK SAFETY RULES

Keep all unprotected persons and children away from treated area or where there is danger of drift.

Do not rub eyes or mouth with hands. If you feel sick in any way, STOP work and get help right away. Call a doctor (physician), clinic or hospital--immediately. Explain that the victim has been exposed to parathion and describe his condition. After first aid is given (see First Aid Treatment Section) and if a doctor cannot come, take victim to clinic or hospital.

IMPORTANT! Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking.

AFTER WORK, take off all work clothes and shoes. Shower, using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.

POST TREATED AREA

Consult your State Agricultural Extension Service or Experiment Station regarding posting treated areas.

POISON SIGNS (Symptoms)

Parathion is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die.

Some of the signs and symptoms of poisoning are: Headache, nausea, vomiting, cramps, weakness, blurred vision, pin-point pupils, tightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooling or frothing of mouth and nose, muscle spasms and coma.

FIRST AID TREATMENT

Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition.

If breathing has stopped, start artificial respiration immediately and maintain until doctor sees victim.

If swallowed and victim is awake (conscious) make him vomit quickly. Induce vomiting by sticking finger down throat or by giving soapy or strong water to drink. Repeat until vomit is clear. Never give anything by mouth to an unconscious person. Have victim lie down and keep quiet. See doctor immediately.

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. See doctor immediately.



Ring Around Brand

STOP-READ LABEL BEFORE USING!

NOT FOR HOME USE


POISON

See Side Panels for Antidote & Precautions



DANGER

Keep Out of Reach of Children



DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME

CONTAINER DISPOSAL

See instructions for Container disposal on this label.

Ring Around Brand

METHYL PARATHION 4# EMULSIFIABLE

INGREDIENTS

ACTIVE INGREDIENTS:	
0,0-dimethyl 0-p-nitrophenyl phosphorothioate----	45.57%
Xylene-----	49.19%
INERT INGREDIENTS: -----	<u>5.24%</u>

TOTAL-----100.00%

CONTAINS 4 POUNDS METHYL PARATHION PER GALLON

Manufactured By
RING AROUND PRODUCTS, INC.
MONTGOMERY, ALABAMA

GAL NET

EPA Reg. No. 8934-29

EPA Est. No. 8934-A1-1

Antidote--administer atropin intramuscularly as soon as signs of atropinization appear in conjunction with atropin. Parathion is a strong cholinergic system and producing cardi edema. The patient should be Continued absorption of the p initial improvement; VERY FOR AT LEAST 48 HOURS. 1

COTTON--To control boll of spider mites, use 1/2 to quired for uniformly thoro during the early season and period.

For aircraft applicator sistent with crop growth ar

For cotton aphid, apply seedling cotton or when hor For some species of spider of leaves indicate damage. at the 2 to 4-leaf stage, c make 3 to 4 applications at late season, apply when 10 eat at 4 to 5 day interval appear, usually during the

DO NOT APPLY TO CO

ALFALFA AND VETCH--To cc of 1/2 pint of concentrate thorough spraying of one ac

DO NOT APPLY TO ALFALF

BARLEY, OATS, RYE AND WH pint of concentrate in the spraying of one acre. Appl

DO NOT APPLY TO BARLEY

USE ONLY IN I

DO NOT REUSE EMPTY destroy all empty containers contents. For containers of 5 household detergent, for cont caustic soda (household Lye), and carefully rotate to wet al and rinse solution at least 18 i Break or punch holes in top ar

Buyer assumes all risks of cordance with directions giv