




CAN KILL YOU IF SWALLOWED

This product can kill you if swallowed even in small amounts. Spray mist or dust may be fatal if swallowed.



CAN KILL YOU BY SKIN CONTACT

This product can kill you if touched by hands or spilled or splashed on skin, in eyes or on clothing (liquid goes through clothes).



CAN KILL YOU IF BREATHED

This product can kill you if vapors, spray mist or dust are breathed.

POISONOUS TO FISH AND WILDLIFE

This product is toxic to fish, birds and other wildlife. Birds and other wildlife in treated areas may be killed. Keep out of lakes, streams, or ponds. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING

(1) Wear water-proof pants, coat, hat, rubber boots or rubber overshoes. (2) Wear safety goggles. (3) Wear mask or respirator approved by the U. S. Bureau of Mines for parathion protection. (4) Wear heavy duty, natural rubber gloves.

WORK SAFETY RULES

Keep all unprotected persons and children away from treated area or where there is danger of drift.

Do not rub eyes or mouth with hands. If you feel sick in any way, STOP work and get help right away. Call a doctor, physician, clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition. After first aid is given (see First Aid Treatment Section) and if a doctor cannot come, take victim to clinic or hospital.

IMPORTANT! Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking.

AFTER WORK, take off all work clothes and shoes. Shower, using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.

POST TREATED AREA

Consult your State Agricultural Extension Service or Experiment Station regarding posting treated areas.

POISON SIGNS (Symptoms)

Parathion is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die.

Some of the signs and symptoms of poisoning are: Headache, nausea, vomiting, cramps, weakness, blurred vision, pin-point pupils, tightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooling or frothing of mouth and nose, muscle spasms and coma.

FIRST AID TREATMENT

Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition.

If breathing has stopped, start artificial respiration immediately and maintain until doctor sees victim.

If swallowed and victim is awake (conscious) make him vomit quickly. Induce vomiting by sticking finger down throat or by giving soapy or strong water to drink. Repeat until vomit is clear. Never give anything by mouth to an unconscious person. Have victim lie down and keep quiet. See doctor immediately.

In case of contact, immediately flush eyes or skin with plenty of water for at least 15



Ring Around Brand

STOP-READ LABEL BEFORE USING!

NOT FOR HOME USE

POISON

See Side Panels for Antidote & Precautions



DANGER

Keep Out of Reach of Children

DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME

CONTAINER DISPOSAL

See instructions for Container disposal on this label.

Ring Around Brand

METHYL PARATHION 4^F EMULSIFIABLE

INGREDIENTS


ACTIVE INGREDIENTS:	
0.0-dimethyl 0-p-nitrophenyl phosphorothioate----	45.57%
Xylene-----	49.19%
INERT INGREDIENTS:-----	5.24%

TOTAL-----100.00%

CONTAINS 4 POUNDS METHYL PARATHION PER GALLON

Manufactured By
RING AROUND PRODUCTS, INC.
MONTGOMERY, ALABAMA

GAL NET



Antidote-administer atropine intramuscularly as soon as signs of atropinization appear in conjunction with atropine. Parathion is a strong cholinesterase inhibitor and producing cardiotoxicity. The patient should be kept under observation until initial improvement. VERY TOXIC FOR AT LEAST 48 HOURS.

COTTON--T: control bollworm of spider mites, use 1/2 to 1 pint of concentrate required for uniformly thorough spraying during the early season and repeat.

For aircraft application consistent with crop growth and

For cotton aphid, apply to seedling cotton or when horizontal leaves indicate damage. For some species of spider mites, apply at the 2 to 4-leaf stage, or make 3 to 4 applications at late season, apply when 10 to 15 leaves appear at 4 to 5 day interval.

DO NOT APPLY TO COTTON

ALFALFA AND VETCH--To control apply 1/2 pint of concentrate per acre thorough spraying of one acre.


DO NOT APPLY TO ALFALFA

BARLEY, OATS, RYE AND WHEAT apply 1/2 pint of concentrate in the early season and repeat spraying of one acre. Appl

DO NOT APPLY TO BARLEY

USE ONLY IN AGRICULTURE

DO NOT REUSE EMPTY CONTAINERS. Destroy all empty containers. For containers of 5 gallons or more, add 1/2 cup of household detergent for caustic soda, household lye, and carefully rotate to wet all surfaces and rinse solution at least 18 inches. Break or punch holes in top and



Ring Around Brand

STOP-READ LABEL BEFORE USING!

NOT FOR HOME USE


POISON

See Side Panels for Antidote & Precautions



DANGER

Keep Out of Reach of Children



DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME

CONTAINER DISPOSAL

See instructions for Container disposal on this label.

Ring Around Brand

METHYL PARATHION 4-F EMULSIFIABLE

INGREDIENTS

ACTIVE INGREDIENTS:	
0,0-dimethyl 0-p-nitrophenyl phosphorothioate-----	45.57%
Xylene-----	49.19%
INERT INGREDIENTS:-----	5.24%

TOTAL-----100.00%

CONTAINS 4 POUNDS METHYL PARATHION PER GALLON

Manufactured By RING AROUND PRODUCTS, INC. MONTGOMERY, ALABAMA

GAL NET

NOTE TO PHYSICIAN

Antidote--administer atropine sulfate in large doses. TWO to FOUR mg intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. 2-PAM chloride is also antidotal and may be administered in conjunction with atropine. DO NOT GIVE MORPHINE OR TRANQUILIZERS. Parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. At first sign of pulmonary edema, the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement. VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS. TREAT SYMPTOMATICALLY

DIRECTIONS FOR USE

COTTON--To control boll weevil, cotton aphids, leafworms and some species of spider mites, use 1/2 to 1 pint of concentrate in the amount of water required for uniformly thorough spraying of one acre. Apply at the lower rate during the early season and at the higher rate during and after the blooming period.

For aircraft application use approximately 3 to 10 gallons per acre consistent with crop growth and good coverage.

For cotton aphid, apply when aphids are present in buds and on leaves of seedling cotton or when honeydew develops on older cotton; repeat as needed. For some species of spider mites, apply when yellowish or whitish speckling of leaves indicate damage. For boll weevil, during the early season, apply at the 2 to 4-leaf stage, or at first squaring, if weevils are present, and make 3 to 4 applications at weekly intervals as necessary; during mid and late season, apply when 10 percent of squares or bolls are punctured and repeat at 4 to 5 day intervals as necessary. For leafworm, apply when worms appear, usually during the maturing period, and repeat as needed

DO NOT APPLY TO COTTON WITHIN 5 DAYS OF HAND PICKING.

ALFALFA AND VETCH--To control spotted alfalfa aphid, use a minimum dosage of 1/2 pint of concentrate in the amount of water required for uniformly thorough spraying of one acre. Apply in early spring.

DO NOT APPLY TO ALFALFA AND VETCH WITHIN 15 DAYS OF HARVEST OR PASTURING.

BARLEY, OATS, RYE AND WHEAT--To control green bug aphids, use 1/2 to 1 pint of concentrate in the amount of water required for uniformly thorough spraying of one acre. Apply in early spring.

DO NOT APPLY TO BARLEY, OATS, RYE AND WHEAT WITHIN 15 DAYS OF HARVEST.

USE ONLY IN ACCORDANCE WITH INSTRUCTIONS ON THIS LABEL

DO NOT REUSE EMPTY CONTAINERS FOR ANY PURPOSE. Decontaminate and destroy all empty containers. To decontaminate, proceed as follows. Completely empty contents. For containers of 5 gallons or less, use 1 quart of water and 1 tablespoonful of household detergent. For containers larger than 5 gallons, use 5 gallons of water, 2 pounds caustic soda (household lye) and 1 cupful detergent as rinse solution. Pour into container and carefully rotate to wet all inner surfaces with the solution. Bury the unused chemical and rinse solution at least 18 inches deep in an isolated location away from water supplies. Break or punch holes in top and bottom of container and bury deeply in an isolated location.

NOTICE



ACCEPT
JUN 5 1976
UNDER THE FEDERAL
FUNDS
FOR EXTENDED
UNDER NO. 2021-2

Ring Around Brand

Di-Thion

CAUTION:


Be sure to read the precautionary statements before using.

ACTIVE INGREDIENTS:

Panathion (O, O-diethyl O-p-nitrophenyl phosphorothioate)	57.39%
O, O-dimethyl O-p-nitrophenyl phosphorothioate*	28.69%
INERT INGREDIENTS	13.92%
TOTAL	100.00%

*Methyl parathion

Equivalent to 6.0 lbs. of 100% parathion and 3 lbs. of 100% methyl parathion per gallon.

 **DANGER - POISON** 

KEEP OUT OF REACH OF CHILDREN

See additional Warnings and Antidote statements on side panel.

Manufactured By

STEGALL - SYLVEST SEED CO., INC.

Montgomery, Ala.

NET VOLUME
U. S. GALLONS

USDA Reg. No. 8934-67