



CAN KILL YOU IF SWALLOWED

This product can kill you if swallowed even in small amounts. Spray mist or dust may be fatal if swallowed.



CAN KILL YOU BY SKIN CONTACT

This product can kill you if touched by hands or spilled or splashed on skin, in eyes or on clothing (liquid goes through clothes).



CAN KILL YOU IF BREATHED

This product can kill you if vapors, spray mist or dust are breathed.

POISONOUS TO FISH AND WILDLIFE

This product is toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Keep out of any body of water. Do not apply when weather conditions favor drift from treated areas. Do not apply where runoff is likely to occur. This product is highly TOXIC to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension office.

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING

(1) Wear water proof pants, coat, hat, rubber boots or rubber overshoes. (2) Wear safety goggles. (3) Wear mask or respirator approved by the U. S. Bureau of Mines for parathion protection. (4) Wear heavy duty, natural rubber gloves.

WORK SAFETY RULES

Keep all unprotected persons and children away from treated area or where there is danger of drift.

Do not rub eyes or mouth with hands. If you feel sick in any way, STOP work and get help right away. Call a doctor (physician), clinic or hospital—immediately. Explain that the victim has been exposed to parathion and describe his condition. If first aid is given (see First Aid Treatment Section) and if a doctor cannot come, take victim to clinic or hospital.

IMPORTANT: Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking.

AFTER WORK, take off all work clothes and shoes. Shower, using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.

POST TREATED AREA

Consult your State Agricultural Extension Service or Experiment Station regarding posting treated areas.

POISON SIGNS (Symptoms)

Parathion is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die.

Some of the signs and symptoms of poisoning are: Headache, nausea, vomiting, weakness, blurred vision, pin-point pupils, tightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooling or frothing of mouth and nose, muscle spasms and coma.

FIRST AID TREATMENT

Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition.

If breathing has stopped, start artificial respiration immediately and maintain until doctor sees victim.

If swallowed and victim is awake (conscious) make him vomit quickly. Induce vomiting by sticking finger down throat or by giving soapy or strong salty water to drink. Repeat until vomit is clear. Never give anything by mouth to an unconscious person. Have victim lie down and keep quiet. See doctor immediately.

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. See doctor immediately.

RESTRICTED USE PESTICIDE

FOR RETAIL SALE TO AND USE ONLY BY CERTIFIED APPLICATORS OR PERSONS UNDER THEIR DIRECT SUPERVISION AND ONLY FOR THOSE USES COVERED BY CERTIFIED APPLICATOR'S CERTIFICATION.

**STOP - READ LABEL BEFORE USING!
NOT FOR HOME USE**

POISON
See Side Panels
for Antidote &
Precautions



DANGER
Keep Out of
Reach of
Children

DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME

CONTAINER DISPOSAL

See instructions for Container disposal on this label.

M-M 4-4 INSECTICIDE

INGREDIENTS

ACTIVE INGREDIENTS:	
Malathion (O,O-dimethyl phosphorodithioate of diethyl mercaptosuccinate)	39.71%
O,O-dimethyl O-p-nitrophenyl phosphorothioate	39.72%
Xylene	11.39%
INERT INGREDIENTS	9.18%
Total	100.00%

* Methyl Parathion

CONTENTS — 4 LBS. MALATHION AND 4 LBS. METHYL PARATHION PER GALLON.

Manufactured By
RING AROUND PRODUCTS, INC.
MONTGOMERY, ALABAMA

EPA Reg. No. 8834-80

EPA Est. No. 8834-AL-1

ACCEPTED

NOV 9 1978

Under the Federal Insecticide, Fungicide and Plant Disease Act, as amended, this product is registered under EPA Reg. No. 8834-80.

NOTE TO PHV

Antidote—scopolamine, atropine sulfate in 1/2 teaspoonful of water, orally, at 15 minute intervals until signs of anticholinergic antidote are administered in conjunction with MORPHINE OR TRANQUILIZERS. Parathion affecting the central and peripheral nervous respiratory depression. At first sign of pulmonary supplemental oxygen and 100% oxygen. Symptomatic poison may occur and fatal relapses have been reported. VERY CLOSE SUPERVISION OF THE PATIENT 48 HOURS. TREAT SYMPTOMATICALLY.

DIRECTIONS FOR

Do not use this product for any uses on label.

COTTON: Cotton aphid, boll weevil, or hoppers, cotton leafworm and thrips. Use 1/2 water required for uniformly thorough spray at the lower rate during the early season and after the blooming period. For aircraft applications per acre consistent with crop growth.

Boll Weevils . . . Apply 1/2 pint per acre to 2 pints per acre in late season or when infestations are severe. Bollworms: Use 2 pints.

Applications for control of weevils should be when punctured squares reach 5% to 10% schedule. Applications for the control of bollworms are noted and 4 to 5 small worms are found per on a 5-day schedule. Use 2 pints per acre when

NOTICE

DO NOT APPLY TO COTTON WITHIN HARVEST WORKERS ENTERING FIELDS WHICH SHOULD BE PROTECTED. DO NOT GRAZE FEED TRASH TO DAIRY ANIMALS OR AT SLAUGHTER.

USE ONLY IN ACCORDANCE WITH IT

DO NOT REUSE EMPTY CONTAINERS AND DESTROY ALL EMPTY CONTAINERS. To decontaminate empty contents. For containers of 5 gallons or less: 1 spoonful of household detergent; for containers of water, 2 pounds caustic soda (household Lysol solution). Pour into container and carefully rotate solution. Turn the unused chemical and rinse at isolated location away from water supplies. Bury of container and bury deeply in an isolated local

NOTICE

Buyer assumes all risks of use, storage or strict accordance with directions given herewith

BEST AVAILABLE COPY