



CAN KILL YOU IF SWALLOWED
This product can kill you if swallowed even in small amounts. Spray mist or dust may be fatal if swallowed.



CAN KILL YOU BY SKIN CONTACT
This product can kill you if touched by hands or spilled or splashed on skin, in eyes or on clothing (liquid goes through clothes).



CAN KILL YOU IF BREATHED
This product can kill you if vapors, spray mist or dust are breathed.

POISONOUS TO FISH AND WILDLIFE

This product is toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Keep out of any body of water. Do not apply when weather conditions favor drift from areas treated. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your cooperative Agricultural Extension Service.

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING

1. Wear water proof pants, coat, hat, rubber boots or rubber overshoes. 2. Wear safety goggles. 3. Wear mask or respirator approved by the U. S. Bureau of Mines for parathion protection. 4. Wear heavy duty natural rubber gloves.

WORK SAFETY RULES

Keep all unprotected persons and children away from treated area or where there is danger of drift.


Do not rub eyes or mouth with hands. If you feel sick in any way, stop work and get help right away. Call a doctor, physician, clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition. After first aid is given, see First Aid Treatment Section, and if a doctor cannot come, take victim to nearest hospital.

IMPORTANT: Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking.

AFTER WORK: Take off all work clothes and shoes. Shower using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.

POST TREATED AREA

Consult your State Agricultural Extension Service or Experiment Station regarding posting treated areas.



Parathion is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die.

Some of the signs and symptoms of poisoning are: Headache, nausea, vomiting, cramps, weakness, blurred vision, pinpoint pupils, tightness in chest, labored breathing, or dizziness, sweating, watering of eyes, drooping or frothing of mouth and nose, muscle spasms and coma.


FIRST AID TREATMENT

Call a doctor, physician, clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition.

If breathing has stopped, start artificial respiration immediately and maintain until doctor sees victim.

If swallowed and victim is awake, conscious, make him vomit quickly. Induce vomiting by sticking finger down throat or by giving soapy or strong water to drink. Repeat until vomit is clear. Never give anything by mouth to an unconscious person. Have victim lie down and keep quiet. See doctor immediately.

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. See doctor immediately.



Ring Around Brand

**STOP - READ LABEL BEFORE USING!
NOT FOR HOME USE**

DO NOT

See Side Panels for Antidote & Precautions



DANGER

Keep Out of Reach of Children

DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME

CONTAINER DISPOSAL

See instructions for Container disposal on this label.

Ring Around Brand

Para-Tox 6-3

ACTIVE INGREDIENTS	PERCENT
Toxothene Technical Chlorinated Camphene Content 67 to 69%	XXX 52.82%
* O, O dimethyl O-p-nitrophenyl inophosphate	XXX 26.41%
Xylene	XXX 16.01%
INERT INGREDIENTS	XXX 4.73%
TOTAL	100.00%

* Methyl Parathion
Each gallon of Para-Tox 6-3 contains 1.5 pounds of Parathion.

Manufactured By
RING AROUND PRODUCTS, INC.
MONTGOMERY, ALABAMA

GAL NET

EPA Reg. No. 8934 79

EPA Est. No. 8934-AL-1

NOTE TO

Antidote-administer atropine in large intramuscularly as soon as convulsions or signs of atropinization appear. 2 PAM choline in conjunction with atropine. DO NOT Parathion is a strong cholinesterase inhibitory system and producing cardiac and respiratory edema. The patient should be given supplemental absorption of the poison may or may not be prevented. VERY CLOSE SUPERVISOR FOR AT LEAST 48 HOURS. Toxaphene ordinarily responds to the hydrochloric acid only if complete atropinization fails to re-

DIRECTI

1. Add about one half total amount of water.
2. Start agitation and add Para-tox 6-3.
3. Continue to mix and add remaining water.

This product is an emulsifiable concentrate for control of certain insects attacking cotton.

DIRECTIONS FO

EARLY SEASON CONTROL: Overwintered Thrips. Use 1 pint per acre. See caution 2.

MID-SEASON AND LATE SEASON CONTROL: Leafworms, Flea Beetles, Flea Spiders. Mix 5 day intervals until cotton is gone. 1 Pro

CAUTION!

Do not apply within 100 feet of water. Do not apply to crops grazed by dairy animals. Do not apply to crops grazed by dairy animals.

DIRECTIONS FOI


Apply 3 pints of Para-tox 6-3 per acre to Corn Earworms, Grasshoppers, Green stink bugs, and other insects. Apply suitably diluted with water at 1 to 4 gallons per acre.

CAUTION!

Do not apply to crops grazed by dairy animals. Do not apply to crops grazed by dairy animals.

DO NOT use this product on all crops. For more information, see label. For more information, see label. For more information, see label. For more information, see label.

For more information, see label. For more information, see label.



Ring Around Brand

STOP - READ LABEL BEFORE USING!

NOT FOR HOME USE

DO NOT
See Side Panels
for Antidote &
Precautions



DANGER
Keep Out of
Reach of
Children

DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME

CONTAINER DISPOSAL

See instructions for Container disposal on this label.

Ring Around Brand

Para-Tox 6-3

ACTIVE INGREDIENTS	PERCENT
Toxaphene Technical Chlorinated Camphene Chlorine content 67% to 69%	XXXX 52.82%
*O, O-dimethyl O-p-nitrophenyl thiophosphate	XXXX 26.41%
Xylene	XXXX 16.01%
INERT INGREDIENTS	PERCENT
	XXXX 4.73%
TOTAL	100.00%

*Methyl Parathion
Each gallon of Para-Tox 6-3 contains 4 pounds
Toxaphene and 1.5 pounds of Methyl Parathion

Manufactured By
RING AROUND PRODUCTS, INC.
MONTGOMERY, ALABAMA

GAL
NET

EPA Reg. No. 8934 79

EPA Est. No. 8934-AL-1

NOTE TO PHYSICIAN

Antidote--administer atropine in large doses TWO to FOUR mg intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. 2-PAM chloride is also antidotal and may be administered in conjunction with atropine. DO NOT GIVE MORPHINE OR TRANQUILIZERS. Parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. At first sign of pulmonary edema, the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement. VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS. Toxaphene produces central nervous system excitation which ordinarily responds to the barbituric acid derivatives, but this drug should be considered only if complete atropinization fails to relieve symptoms.

DIRECTION FOR USE

1. Add about one half total amount of water to be used
2. Start agitation and add Para-tox 6-3
3. Continue to mix and add remaining water

This product is an emulsifiable concentrate that mixes readily with water, for use in the control of certain insects attacking cotton or soybeans.

DIRECTIONS FOR USE ON COTTON:

EARLY SEASON CONTROL: Overwintered Boll Weevils, Cotton Flea Hoppers, and Thrips. Use 1 pint per acre making from 2 to 4 applications at 4 to 5 day intervals.

MID SEASON AND LATE SEASON CONTROL: Aphids, Boll Weevils, Bollworm, Cotton Leafworms, Flea Hoppers, Red Spider Mites, and Thrips. Use 1 pint per acre. Apply at 4 to 5 day intervals until control is gained. Proper timing of application is essential.

CAUTION!

Do not apply within 7 days of handpicking or harvest.

Workers entering treated fields within 2 days after application should wear protective clothing. Do not use on forage crops to be fed or grazed by dairy animals or animals being finished for slaughter. Do not apply or allow to drift to areas occupied by unprotected humans or livestock or poultry.

DIRECTIONS FOR USE ON SOYBEANS:

Apply 3 pints of Para-tox 6-3 per acre to control Aphids, Armyworms, Bean Leaf Beetles, Corn Earworms, Grasshoppers, Green Cloverworm, Stink Bugs and Velvetbean Caterpillars. Apply spray diluted with water. For aerial applications apply diluted insecticide at 3 to 4 gallons per acre.

CAUTION!

Do not spray until 7 days before harvest. Do not apply to treated plants or animals intended for slaughter. Do not feed or allow to drift to areas occupied by unprotected humans or livestock or poultry. Do not apply more than 100 ppm during season.

NOTICE

Do not reuse empty drug or containers for any purpose. Decontaminate and destroy all empty containers. To decontaminate proceed as follows: Completely empty contents. For containers of 5 gallons or less, use 1 quart of water and 4 tablespoonful of household detergent. For containers larger than 5 gallons, use 2 gallons of water, 2 pounds caustic soda, household lye, and 1 cupful of detergent, as rinse solution. Pour into container and carefully rotate to wet all inner surface with the solution. Pour the unused chemical and rinse solution at least 100 feet or an isolated location away from water supplies. Break or punch holes in top and bottom of container and bury deeply in an isolated location.

NOTICE

Read and follow all rules of use, storage, or handling of this product on the label or in directions given hereon.

ALL YOU IF
ATHED
can kill you if
mist or dust are

areas may be
drift from
water by
specified on this

dues on crops
ural Extension

TECTIVE

Wear safety
for parathion

where there is

rk and get help
xplain that the
nd is given (see
me or hospital
Always wash
nd water. Wear
Wash protective
rator should be

regarding

et with all skin
ately. Exposed

ning cramps,
breathing nor
d nose, muscle

Victim has been

maintain until

duce vomiting
nk. Repeat until
Have victim lie

r for at least 15
diately

89-34-79