



**DANGER**

Do not get in eyes, on skin or on clothing. Do not breathe fumes. Wear natural rubber gloves, protective clothing and goggles. In case of contact wash immediately with soap and water. Wear a mask or respirator of a type passed by the U. S. Bureau of Mines for Endrin and Guthion protection. Keep all unprotected persons out of the operating areas.

Vacated areas should not be re-entered until drifting insecticide and volatile residues have dissipated. Do not contaminate feed and foodstuffs. Wash hands, arms and face thoroughly with soap and water before eating or smoking. Wash all contaminated cloth, clothing with soap and hot water before re-use.

This product is toxic to fish, birds and other wildlife. Birds feeding on treated areas may be killed. Keep out of lakes, streams or ponds. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

**FIRST AID TREATMENT**

**IF SWALLOWED:** Give a tablespoonful of salt in a glass of warm water. Repeat until vomit fluids clear. Have patient lie down and keep quiet. CALL A PHYSICIAN.

**INHALATION:** Remove patient from contaminated atmosphere.

**SKIN:** In case of contact, remove contaminated clothing and immediately wash skin thoroughly with soap and water.

**EYES:** In case of contact, flush immediately with water for at least 15 minutes.

**INFORMATION FOR PHYSICIANS (TREATMENT):** Give atropine preferably by injection, grams 1.30 to 1.15, 2 to 4 mg. at once and every hour or oftener as needed to achieve and maintain full atropinization. 2 PAM is also antidotal and may be administered in conjunction with atropine. Never give morphine. Clear chest by postural drainage. Artificial respiration or oxygen administration may be necessary. Observe continuously for 48 hours.

Treat symptomatically. There is no specific antidote for endrin poisoning. If drug causes central nervous system excitation, in case of poisoning administer barbiturates for anti-convulsant therapy.

**CONTAINER DISPOSAL**

**DO NOT** re-use the container. Completely empty contents and bury in used chemical at least 100 yds. deep in an isolated location away from water supplies.

**GLASS CONTAINER:** Break container and bury pieces at least 100 yds. deep in isolated location away from water supplies.

**METAL CONTAINERS**

**1-GALLON CANS:** Pour 1 pt. of water into empty can and add 1 tablespoonful household detergent. Rotate can carefully to wet all inner surfaces with the solution. Bury, rinse with water, or at least 100 yds. deep in isolated location away from water supplies. Punch holes in top and bottom of can, crush can, and bury deeply in an isolated location.


**5-GALLON, 30-GALLON and 55-GALLON DRUMS:** Pour following mixture into empty containers: 5-Gallon Drum: 2 qts. water, 1 cup caustic soda, household lye, 2 tablespoons detergent.

**30-GALLON DRUM:** 1 gallon water, 1 lb. caustic soda, household lye, 1 cup detergent. **55-GALLON DRUM:** 5 gallons water, 2 lb. soda, household lye, 1 cup detergent.

Rotate container carefully until all inner surfaces are thoroughly wet. Bury the can or drum in an isolated area away from water supplies.

**DANGER:** Handle caustic soda, household lye, with extreme care. Do not get on face, eyes or on clothing. Read and carefully follow precautions on package. Punch holes in top and bottom of container. Crush container. Bury deeply in isolated area.

**IF THE ABOVE RINSE METHOD CANNOT BE USED:** punch holes in top of container and burn in hot fire until all paint has been completely burned off container. Extreme care should be exercised to insure that containers are completely empty and that persons stay well away from smoke and fumes. Do not attempt to burn more than 5 containers at one time.



**Ring Around Brand**

**STOP READ LABEL BEFORE USING!**

**NOT FOR HOME USE**

**POISON**

See Side Panels for Antidote & Precautions



**DANGER**

Keep Out of Reach of Children

DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME

**CONTAINER DISPOSAL**

See instructions for Container disposal on this label.

**Ring Around Brand**

**E - G 161**

EMULSIFIABLE LIQUID

(Contains 1.6 lb. Endrin and 1 lb. Guthion per gallon)

**ACTIVE INGREDIENTS**

Endrin, Hexachlorocyclohexane 12.12%

O, O Dimethyl S, 4, 4, 1, 2, 3, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100

**INERT INGREDIENTS**

**DANGER:** Poisonous if swallowed, inhaled or absorbed through skin. Rapidly absorbed through skin. See side panel for additional required warning statements.

Manufactured By  
**Ring Around Products, Inc.**  
MONTGOMERY, ALABAMA

GAL NET

Application should be made...

This product is an emulsifiable liquid...

For early season control, insulfur...

For mid and late season control, use water to give good coverage should be taken in crop areas.

...which has... animals or animal... application should not allow this... residues...


Workers should see... WORKERS ENTERING SHOULD...


For aircraft application, use good coverage...

USE ONLY IN ACCORDANCE WITH LABEL DIRECTIONS

Endrin is highly toxic to bees exposed to direct treatment or residues on crops...


GUTHION is a...





**Ring Around Brand**  
**READ LABEL BEFORE USING!**  
**NOT FOR HOME USE**

**POISON**  
 See Side Panels  
 for Antidote &  
 Precautions



**Keep Out of  
 Reach of  
 Children**

DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME

**CONTAINER DISPOSAL**

See instructions for Container disposal on this label.

**Ring Around Brand**  
**E - G 161**

**EMULSIFIABLE LIQUID**

(Contains 1.6 lb. Endrin and 1 lb. Guthion per gallon)

**ACTIVE INGREDIENTS**

Endrin, Hexachlorocyclopentadiene, 100% technical, 1.6 lb. per gallon

Guthion, Disopropyl phosphorothioate, 1.0 lb. per gallon

**INERT INGREDIENTS** 8.4 lb. per gallon

**DANGER** Poisonous if swallowed, inhaled or absorbed through skin. Rapidly absorbed through skin. See side panel for additional required warning statement.

Manufactured By  
**RING AROUND PRODUCTS, INC.**  
 MONTGOMERY, ALABAMA

GAL  
NET

**RECOMMENDATIONS**

Apply to plants and beets, etc. (See directions on page 2 of this label for application rates and procedure.)

For control of sucking insects, apply to plants, etc. (See directions on page 2 of this label for application rates and procedure.)

For early season control of aphids, apply to plants, etc. (See directions on page 2 of this label for application rates and procedure.)

For control of late season control of aphids, apply to plants, etc. (See directions on page 2 of this label for application rates and procedure.)

For control of late season control of aphids, apply to plants, etc. (See directions on page 2 of this label for application rates and procedure.)

**USAGE CAUTION**

Do not apply to plants which have received applications of this material within 7 days of harvest of such animals. Do not apply within 7 days of hand picking. Workers entering fields within 7 days of application should wear protective clothing.

Do not allow this material to drift or be blown onto neighboring property or crops, trees, etc. Do not apply at a time when there is a strong wind blowing in the direction of the application. Do not apply in areas where there are sensitive plants or other undesirable plants.

Dealers should sell in Original Package Only.


**WORKERS ENTERING THE FIELDS WITHIN 24 HOURS AFTER APPLICATION OF E-G 161 SHOULD WEAR PROTECTIVE CLOTHING**



For general application, use with 20 to 40 gallons of water per acre to give good coverage. For ground application, use with 20 to 40 gallons of water per acre.

USE ONLY IN ACCORDANCE WITH INSTRUCTIONS ON LABEL.

It is the responsibility of the user to assume all risks of application of this material.

\*GUTHION is Registered with the U.S. Patent Office.





## DANGER

Do not get in eyes, on skin or on clothing. Do not breathe fumes. Wear natural rubber gloves, protective clothing and goggles. In case of contact wash immediately with soap and water. Wear a mask or respirator of a type passed by the U. S. Bureau of Mines for Endrin and Guthion protection. Keep all unprotected persons out of the operating areas.

Vacated areas should not be re-entered until drifting insecticide and volatile residues have dissipated. Do not contaminate feed and foodstuffs. Wash hands, arms and face thoroughly with soap and water before eating or smoking. Wash all contaminated cloth clothing with soap and hot water before re-use.

This product is toxic to fish, birds and other wildlife. Birds feeding on treated areas may be killed. Keep out of lakes, streams or ponds. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

## FIRST AID TREATMENT

**IF SWALLOWED:** Give a tablespoonful of salt in a glass of warm water. Repeat until vomit turns clear. Have patient lie down and keep quiet. CALL A PHYSICIAN.

**INHALATION:** Remove patient from contaminated atmosphere.


**SKIN:** In case of contact, remove contaminated clothing and immediately wash skin thoroughly with soap and water.

**EYES:** In case of contact, flush immediately with water for at least 15 minutes.

**INFORMATION FOR PHYSICIANS (TREATMENT):** Give atropine preferably by injection, grains 1/40 to 1/15 (2 to 4 mg.) at once and every hour or oftener as needed to achieve and maintain full atropinization. 2-PAM is also antidotal and may be administered in conjunction with atropine. Never give morphine. Clear chest by postural drainage. Artificial respiration or oxygen administration may be necessary. Observe continuously for 48 hours.

Treat symptomatically. There is no specific antidote for endrin poisoning. Endrin causes

R  
R E A



See Side Panels  
for Antidote &  
Precautions

DO NOT USE,

See inst