

(2)

CAUTION

KEEP OUT OF REACH OF CHILDREN

May be harmful if swallowed, inhaled, or absorbed through the skin. Avoid breathing of spray mist and provide adequate ventilation of area being treated. Contact with skin, eyes, or clothing should also be avoided. Wash thoroughly with soap and warm water after handling. Avoid contamination of food, utensils, and food preparation areas. Remove pets and cover fish bowls before spraying. If misuse results in accidental illness, get prompt medical aid.

To Physician - Atropine sulfate is antidotal.

FLAMMABLE. Do not spray into or near open flame. Do not smoke while using.

CONTENTS UNDER PRESSURE. Keep container away from stoves, radiators, or other hot surfaces. Temperatures exceeding 120°F. may cause the container to burst. Do not puncture or incinerate.

Avoid excessive wetting of plastic, rubber and asphalt surfaces such as tiles and floor covering.

ACTIVE INGREDIENTS:

Pyrethrins	.050%
*Piperonyl butoxide, technical	.100%
†M-octyl bicycloheptane dicarboximide	.166%
**o-Isopropoxyphenyl methylcarbamate	.500%
Petroleum distillate	

INERT INGREDIENTS

*Consists of .061 (butylcarbityl) (6-propylpiperonyl) ether and .02% related compounds.

† MOK 264 Insecticide Synergist.

**Baygon®, U.S. Pat. No. 3,111,039.

2-27-70
 UNDER THE FEDERAL INSECTICIDE
 FUNGICIDE AND RODENTICIDE ACT
 FOR ECONOMIC POISON REGISTERED
 UNDER NO. 8766-3

GENERAL INFORMATION

For the Control of Garden Insects—


For use on Roses, Dahlias, Asters and other
 ornamentals to kill Japanese Beetles,
 Aphids, exposed Thrips, and Spider Mites.
 Hold container at least 18 inches from
 foliage, spray lightly in one-second bursts,
 spraying both top and underside of foliage.

Do not wet the plant when spraying. Prop-
 erly treated foliage will be protected from
 the above named garden insects for about
 one week.

This ornamental spray may be used on
 plants, as a multi-purpose spray in small
 gardens, and for spot treatment of incipi-
 ent insect infestations to control spreading
 in large gardens.

This spray may be used on such plants as
 African Violets, Asters, Azaleas, Begonias,
 Camellias, Carnations, Chrysanthemums,
 Dahlias, Delphiniums, Dogwood, Geran-
 iums, Crassula, Grape Vine, Kentia Palm,
 Laurel, Marigolds, Rhododendrons, Roses,
 Rubber Plants, Snapdragons, Stocks, Wan-
 dering Jew and Zinnias. Move houseplants
 to porch or patio before spraying


As a fungicide, spray before infection oc-
 curs for the prevention of Powdery Mildew
 and Black Spot on Roses. Spray at five to
 seven day intervals while danger of fungi
 infection persists.



Beetle-Down

**JAPANESE BEETLE
 PRESSURIZED
 SPRAY BOMB**

**READY
 ROSE
 SPRAY**



CAUTION

Keep out of reach of children
 See right panel for additional cautions.

NET WEIGHT 1 LB.

CAUTION

Avoid breathing of spray or prolonged or
 repeated contact with skin. Avoid contact with
 eyes. Wash thoroughly after using.

Avoid contamination of feed and foodstuffs.

**Do not spray closer than 18 inches. Do not
 wet the plant when applying the spray.** Do not
 use near fishbowls or aquariums. Do not spray
 near open flame. Do not smoke while using.

CONTENTS UNDER PRESSURE

Never set container on stoves, radiators,
 nor place where temperature will exceed 120°
 F. and may cause it to burst. Do not puncture
 or throw container into fire. Discard empty
 container. Do not re-use for any purpose.

Active ingredients	
Pyrethrins	0.025%
Technical Piperonyl Butoxide*	0.256%
Rotenone	0.130%
Other Cube Extractives	0.205%
Folpet [N-trichloromethylthio- phthalimide]	0.700%
Carbaryl (1-Naphthyl N-Methylcarbamate)	1.000%
Inert ingredients	97.654%
Total	100.000%

*Equivalent to 0.204% Butylcarbaryl-6-(propyl
 piperonyl) ether and 0.052% of related compounds

NOTICE: Buyer assumes all responsibility for
 safety and use not in accordance with direc-
 tions.

U.S.D.A. Reg. No. 8766-3

Packed for . . .

Jackson & Perkins Co.

World's Largest Rose Growers and Nurserymen
 Medford Oregon 97501