



CAN KILL YOU IF SWALLOWED

This product can kill you if swallowed even in small amounts. Spray mist or dust may be fatal if swallowed.



CAN KILL YOU BY SKIN CONTACT

This product can kill you if touched by hands or spilled or splashed on skin, in eyes or on clothing (liquid goes through clothes).



CAN KILL YOU IF BREATHED

This product can kill you if vapors, spray mist or dust are breathed.

POISONOUS TO FISH AND WILDLIFE

This product is toxic to fish, birds and other wildlife. Birds and other wildlife in treated areas may be killed. Keep out of lakes, streams, or ponds. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING

1. Wear safety goggles, hat, coat, rubber boots or rubber overshoes. 2. Wear gloves. 3. Wear mask or respirator approved by the U.S. Bureau of Mines for use with EPN or Guthion. 4. Wear heavy duty natural rubber gloves.

WORK SAFETY RULES

1. Do not apply over persons and children. Stay from treated area or where there is drift.

2. If you feel sick in any way STOP work and get to a doctor immediately. Explain that you have been exposed to EPN or Guthion and describe his condition. Get to a doctor immediately. See your doctor and if a doctor cannot come, get to a hospital immediately.

IMPORTANT: Before removing clothes, wash them with soap and water. Always wash hands and arms with soap and water before smoking, eating, or drinking.

NOTE: Wash your work clothes when leaving job. Do not wear contaminated work clothes and protective equipment with soap and water. They should be replaced according to instructions.

3. Do not contaminate water, food, or feed. Do not contaminate areas where children, pets, or livestock are present. Do not eat, drink, or use tobacco while using this product.

POST TREATED AREA

1. Do not enter treated area until advised by Extension Station regarding restrictions.

2. Do not allow children, pets, or livestock to enter treated area until advised by Extension Station regarding restrictions.

3. Do not allow children, pets, or livestock to enter treated area until advised by Extension Station regarding restrictions.

4. Do not allow children, pets, or livestock to enter treated area until advised by Extension Station regarding restrictions.

5. Do not allow children, pets, or livestock to enter treated area until advised by Extension Station regarding restrictions.

6. Do not allow children, pets, or livestock to enter treated area until advised by Extension Station regarding restrictions.

FIRST AID TREATMENT

1. If inhaled: Get victim to fresh air. Explain that the victim has been exposed to EPN or Guthion. Get to a doctor immediately. If breathing is difficult, give oxygen. If not breathing, give artificial respiration.

2. If swallowed: Do not induce vomiting. Give small sips of water to drink. Get to a doctor immediately. Explain that the victim has been exposed to EPN or Guthion.

3. If on skin: Wash with soap and water. If in eyes: Wash with water for 15 minutes. Get to a doctor immediately. Explain that the victim has been exposed to EPN or Guthion.

4. If on clothing: Remove clothing. Wash with soap and water. Get to a doctor immediately. Explain that the victim has been exposed to EPN or Guthion.



Ring Around Brand

STOP! READ LABEL BEFORE USING!

NOT FOR HOME USE

POISON

See Side Panels for Antidote & Precautions



DANGER

Keep Out of Reach of Children

DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME

CONTAINER DISPOSAL

See instructions for Container disposal on this label.

Ring Around Brand

EPN-G 210

ACTIVE INGREDIENTS:

Endosulfan Sulfate 21.0%

Inert Ingredients 79.0%

Net Weight 25.0 lbs.

Net Weight 45.0 lbs.

Net Weight 75.0 lbs.

Net Weight 150.0 lbs.

Net Weight 300.0 lbs.

Net Weight 600.0 lbs.

Net Weight 1200.0 lbs.

Net Weight 2400.0 lbs.

Net Weight 4800.0 lbs.

Net Weight 9600.0 lbs.

Net Weight 19200.0 lbs.

Net Weight 38400.0 lbs.

Net Weight 76800.0 lbs.

Net Weight 153600.0 lbs.

Net Weight 307200.0 lbs.

Net Weight 614400.0 lbs.

Net Weight 1228800.0 lbs.

Net Weight 2457600.0 lbs.

Manufactured By
RING AROUND PRODUCTS, INC.
MONTGOMERY, ALABAMA

GAL
NET

Antidote: Administered intramuscularly or intravenously until signs of recovery. Antidotes to be administered in conjunction with ANTIDOTES.

EPN and GUTHION: peripheral nervous system sign of pulmonary edema symptomatically. Con have been reported a PATIENT IS INDICA

RING AROUND B
2 lbs. EPN and 1 lb. in conventional hydrolyte in 3 to 4 gallon amount of water req

Early Season Control: apply a minimum of 1 1/2 gal as necessary.

Mid Season Control: per acre. For control and 4 or 5 larvae at minimum of 1/4 gallon the squares are punct

Late Season Control: apply a minimum of 100 terminals. For a gallon per acre of

DO NOT APPLY W
FIELDS WITHIN 24
CLOTHING. DO NOT

USE ONLY

Do NOT DESTROY or destroy all empty container contents. For container household detergent for caustic soda, household and care of the state to v and must be followed by Break it up and...



Ring Around Brand

READ LABEL BEFORE USING!

NOT FOR HOME USE

POISON

**See Side Panels
for Antidote &
Precautions**



DANGER

**Keep Out of
Reach of
Children**

DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME

CONTAINER DISPOSAL

See instructions for Container disposal on this label.

Ring Around Brand

EPN-G 210

1/2 lb. container	1.00
1 lb. container	1.50
5 lb. container	7.50
10 lb. container	14.00
25 lb. container	35.00
50 lb. container	70.00
100 lb. container	140.00
1000 lb. container	1400.00

Manufactured By
RING AROUND PRODUCTS, INC.
MONTGOMERY ALABAMA

GAL
NET

NOTE TO PHYSICIAN

Antidote—administer atropine sulfate in large doses. TWO to FOUR mg intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. 2-PAM chloride is also antidotal and may be administered in conjunction with atropine. **DO NOT GIVE MORPHINE OR TRANQUILIZERS**

EPN and GUTHION are strong cholinesterase inhibitors affecting the central and peripheral nervous systems producing cardiac and respiratory depression. At first sign of pulmonary edema, the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement; **VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS. TREAT SYMPTOMATICALLY.**

GENERAL DIRECTIONS

RING AROUND BRAND EPN-G 210 is an emulsifiable concentrate which contains 2 lbs EPN and 1 lb GUTHION for use on cotton insects listed. It is suitable for use in conventional hydraulic sprayers and airplane sprayers. For aerial application, dilute in 3 to 4 gallons of water per acre. For conventional application, dilute in the amount of water required for uniformly thorough coverage of one acre of cotton.

Early Season Control: For control of thrips, cotton fleahoppers, and cottonleaf worms apply a minimum of 1 gallon per 6 acres. For control of lygus bugs apply a minimum of 1 1/2 gallon per 6 acres. Application may be repeated at 5 day intervals as necessary.

Mid-Season Control: For control of tobacco budworms, apply a minimum of 1/2 gallon per acre. For control of bollworm, apply a minimum of 1/2 gallon per acre when eggs and 4 or 5 larvae are found per 100 terminals. For control of bollweevils, apply a minimum of 1/4 gallon per acre when the squares are fruiting freely and 10-25% of the squares are punctured. Application may be repeated at 5 day intervals as necessary.

Late-Season Control (first bolls through mature cotton): For control of bollworms apply a minimum of 1/2 gallon per acre when eggs and 4 or 5 larvae are found on 100 terminals. For control of cotton aphids and bollweevils apply a minimum of 1/4 gallon per acre. Application may be repeated at 5 day intervals as necessary.

DO NOT APPLY WITHIN 3 DAYS OF HAND PICKING. WORKERS ENTERING FIELDS WITHIN 24 HOURS AFTER APPLICATION SHOULD WEAR PROTECTIVE CLOTHING. DO NOT FEED TREATED FORAGE OR GIN TRASH TO LIVESTOCK.

**USE ONLY IN ACCORDANCE WITH INSTRUCTIONS
ON THIS LABEL**

DO NOT REUSE EMPTY CONTAINERS FOR ANY PURPOSE. Decontaminate and destroy all empty containers. To decontaminate, proceed as follows: Completely empty contents. For containers of 5 gallons or less, use 1 quart of water and 4 tablespoonful of household detergent; for containers larger than 5 gallons, use 5 gallons of water, 2 pounds caustic soda (household lye), and 1 cupful detergent as rinse solution. Pour into container and carefully rotate to wet all inner surfaces with the solution. Bury the unused chemical and rinse solution at least 18 inches deep in an isolated location away from water supplies. Break or punch holes in top of bottom of container and bury deeply in an isolated location.

NOTICE

Read and follow all directions, cautions, and warnings on this label.



CAN KILL YOU IF SWALLOWED
This product can kill you if swallowed even in small amounts. spray mist or dust may be fatal if swallowed.



CAN KILL YOU BY SKIN CONTACT
This product can kill you if touched by hands or spilled or splashed on skin, in eyes or on clothing (liquid goes through clothes).



CAN KILL YOU IF BREATHED
This product can kill you if vapors, spray mist or dust are breathed.

POISONOUS TO FISH AND WILDLIFE

This product is toxic to fish, birds and other wildlife. Birds and other wildlife in treated areas may be killed. Keep out of lakes, streams or ponds. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label. This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING

- 1. Wear water-proof pants, coat, hat, rubber boots or rubber overshoes.
- 2. Wear safety goggles.
- 3. Wear mask or respirator approved by the U.S. Bureau of Mines for EPN and Parathion protection.
- 4. Wear heavy duty natural rubber gloves.

WORK SAFETY RULES

Keep all unprotected persons and children away from treated area or where there is danger of drift. Do not rub eyes or mouth with hands. If you feel sick in any way STOP work and get help right away. Call a doctor, physician, clinic or hospital immediately. Explain that the victim has been exposed to EPN and Parathion and describe his condition. When first aid is given, see First Aid Treatment Section, and if a doctor cannot come, take victim to clinic or hospital. **IMPORTANT:** Before removing rubber gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating, or drinking. **AFTER WORK,** take off all work clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.


POST TREATED AREA

Consult your State Agricultural Extension Service or Experiment Station regarding post-treated areas.

EPN and Parathion are very dangerous poisons. They rapidly enter the body on contact with all skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die. Some of the signs and symptoms of poisoning are: Headache, nausea, vomiting, rump, weakness, blurred vision, pin-point pupils, tightness in the chest, labored breathing, nervousness, sweating, watering of eyes, drooling or frothing of the mouth and nose, muscle spasms, and coma.

FIRST AID TREATMENT

Call a doctor, physician, clinic or hospital immediately. If you are not sure where to go, call your local health department. If you have been exposed to EPN or Parathion, do not eat, drink, or smoke. If breathing has stopped, call a doctor immediately. If you are having trouble breathing, call a doctor immediately. If swallowed, do not induce vomiting. If on clothing, wash with soap and water. If on skin, wash with soap and water. If in eyes, wash with water. If in mouth, spit out and wash with water. Do not use mouthwash. Do not use any other first aid treatment. Do not use any other first aid treatment. Do not use any other first aid treatment.



Ring Around Brand


STOP - READ LABEL BEFORE USING!

NOT FOR HOME USE

POISON
See Side Panels for Antidote & Precautions



DANGER
Keep Out of Reach of Children



DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME

CONTAINER DISPOSAL

See instructions for Container disposal on this label

Ring Around Brand

ACTIVE INGREDIENTS

EPN (Ethion) 100% active	1.000
Parathion 100% active	1.000
Inert Ingredients	2.500
Total Weight	5.000

NET WEIGHT 5.000 LBS. (2.27 KG.)

Manufactured By
RING AROUND PRODUCTS, INC.
MONTGOMERY, ALABAMA

Antidote - Administer orally or intramuscularly until signs of recovery appear. Administer in 15 MINUTE INTERVALS.

EPN and Parathion cause peripheral nervous system signs of pulmonary edema. Symptoms have been reported after treatment. PATIENT IS INDICATED.

Ring Around Brand Parathion and 2 lbs. of 100% active ingredient hydraulic spray to 4 gallons of water or 1 gallon of water per acre of COTTON. For control of bollworms, yellow stink bug and repeat at 5 day intervals.

INSECT
Thrips
Certain species Spider
Eggus Bees

Cotton Fleahopper
Yellow Striped Armyworm
Webworm
Overwintered Bollworm
Certain Species Spider
Cotton Aphid

Boll Weevil
Bollworm
Cotton Leafworm
Fall Armyworm

ATTENTION: DO NOT WORK WITH THIS PRODUCT

USE ONLY

DO NOT REUSE. Destroy all empty contents. For contact with household detergent, caustic soda, bleach and carefully rotate and rinse solution at Breaker point before reuse.