



**TRIPLE ACTION  
CRABGRASS  
CONTROL**  
(PRE-EMERGENT)

ACCEPTED  
DEC 17 1971  
UNDER THE FEDERAL INSECTICIDE  
FUNGICIDE AND RODENTICIDE ACT  
FOR ECONOMIC POISON REGISTERED  
UNDER NO. 87943 SUBJECT  
TO ATTACHED COMMENTS.



**18-6-6**

**RESEED THE SAME DAY**  
CONTAINS  
**bandane, fertilizer & perlite**  
**COVERS 5,000 SQ. FT.**

<b>ACTIVE INGREDIENTS:</b>	<b>GUARANTEED FERTILIZER &amp; ANALYSIS</b>
<p>Bandane 1.00% Fertilizer 18.00% Perlite 6.00% Inert 75.00%</p>	<p>Nitrogen 18.00% Phosphorus 6.00% Potassium 6.00%</p>

Patent liability is assigned to The Dow Chemical Company

**CAUTION: KEEP OUT OF REACH OF CHILDREN!**  
See back panel for additional cautions

MANUFACTURED BY  
**LITE-WEIGHT PRODUCTS INC**  
707 FUNSTON ROAD KANSAS CITY, KANSAS 66115



CRABGRASS  
CONTROL



FERTILIZER



SOIL INSECT  
CONTROL

FUNGICIDE AND HERBICIDE ACT  
FOR ECONOMIC POISON REGISTERED  
UNDER NO. 8940-3 SUBJECT  
TO ATTACHED COMMENTS.

# 18-6-6

**RESEED THE SAME DAY**  
**CONTAINS**  
**bandane, fertilizer & perlite**  
**COVERS 5,000 SQ. FT.**

**ACTIVE INGREDIENTS:**

Polychlorobicyclopentadiene Isomers (Chlorine Content 60-62%)	12.0%
INERT INGREDIENTS:	88.0%
	100.0%

"Polychlorobicyclopentadiene Isomers" is also known as "Bandane". Inert ingredients of this product are Perlite fertilizer containing 18.0% available Nitrogen, 6.0% Phosphoric acid and 6.0% soluble Potash.

**GUARANTEED FERTILIZER & ANALYSIS**

Total Nitrogen (N) 18% minimum, (16% of N derived from Urea, ammoniacal nitrogen)

Total available Phosphoric Acid (P<sub>2</sub>O<sub>5</sub>) 6% minimum; derived from DiAmmonium Phosphate.

Total available soluble Potash (K<sub>2</sub>O) 6% minimum; derived from Muriate of Potash.

Potential acidity equivalent to 750 lbs. calcium carbonate per ton.

**CAUTION: KEEP OUT OF REACH OF CHILDREN**  
**See back panel for additional cautions**

**MANUFACTURED BY**  
**LITE-WEIGHT PRODUCTS, INC.**  
**707 FUNSTON ROAD · KANSAS CITY, KANSAS 66115**

EPA REGISTRATION NO 8940 3

NET WT. 30 LBS.

# SUP-RO TRIPLE ACTION CRABGRASS CONTROL

## DIRECTIONS

**CRABGRASS CONTROL:** It is important to apply SUP-RO Triple Action CRABGRASS CONTROL before crabgrass seed germinates. Contents of this bag will treat 5,000 square feet of lawn or apply at the rate of 6 pounds per 1,000 square feet. Crabgrass is killed as it germinates without affecting spring seeded grasses and can also be applied at the same time as seeding. Any standard fertilizer spreader may be used for application. Uniform distribution is important for maximum control.

This product is toxic to fish and wildlife. Do not apply to any area not specified on the label. Keep out of lakes, ponds and streams. Birds feeding on treated areas may be killed.

**FERTILIZER BENEFIT:** SUP-RO Triple Action CRABGRASS CONTROL contains a 18-6-6 lawn food. When applied as directed it will not burn grasses and will supply lawn grasses a good portion of annual food requirements needed for proper growth.

**WATERING:** Water sufficiently to wash product off grass and to the soil level.

**INSECT CONTROL:** SUP-RO Triple Action CRABGRASS CONTROL is a herbicide-insecticide chemical. It will kill existing lawn soil insects: Ants, White Grubs, European Chafer Grubs and Japanese Beetle Grubs. Apply to lawn or turf for control of crabgrass. One application of SUP-RO Triple Action CRABGRASS CONTROL per annum, made in early spring, will protect lawns and ornamental turf grasses from crabgrass.

### SPREADER SETTINGS:

SCOTTS .....  
GREENFIELD .....  
CYCLONE .....

ACCEPTED

12/17/71

8940-3

### CAUTION:

Harmful if swallowed. In case of contact with skin, wash with soap and water. Avoid contamination of feed and foodstuffs. Keep children and pets off treated area until material is washed into the soil.

### ANTIDOTE:

**EXTERNAL:** in case of spillage on skin, wash promptly with soap and water.  
**INTERNAL:** Emetic of 1 Tablespoonful of mustard in tumbler of water. Call physician.

Do not reuse empty container. Destroy it by burying with waste or burning. Stay away from smoke or fumes.

### NOTICE:

This is a limited warranty. Expressions of opinion are given for informational purposes only. The user should refer to the label for complete instructions. The user should refer to the label for complete instructions.

MANUFACTURED BY  
**LITE-WEIGHT PRODUCTS, INC.**  
707 FUNSTON ROAD • KANSAS CITY, KANSAS 66115

pean Chafer Grubs and Japanese Beetle Grubs. Apply to lawn or turf for control of crabgrass. One application of SUP-RO Triple Action CRABGRASS CONTROL per annum, made in early spring, will protect lawns and ornamental turf grasses from crabgrass.

**SPREADER SETTINGS:**

SCOTTS .....  
GREENFIELD .....  
CYCLONE .....

**ACCEPTED**

12/17/71

UNLESS THE PRODUCT IS A PESTICIDE  
FUNCTIONING AS SUCH, IT DOES NOT ACT  
FOR ECONOMIC PURPOSES. REGISTERED  
UNDER NO. 8940-3 SUBJECT  
TO ATTACHED COMMENTS.

**CAUTION:**

Harmful if swallowed. In case of contact with skin, wash with soap and water. Avoid contamination of feed and foodstuffs. Keep children and pets off treated area until material is washed into the soil.

**ANTIDOTE:**

**EXTERNAL:** in case of spillage on skin, wash promptly with soap and water.

**INTERNAL:** Emetic of 1 Tablespoonful of mustard in tumbler of water. Call physician.

Do not reuse empty container. Destroy it by burying with waste or burning. Stay away from smoke or fumes.

**NOTICE:**

Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

**MANUFACTURED BY**  
**LITE-WEIGHT PRODUCTS, INC.**  
**707 FUNSTON ROAD • KANSAS CITY, KANSAS 66115**

EPA REGISTRATION NO. 8940-3