

BALFINTM Combination Fertilizer and Insecticide

BALFINTM Combination Fertilizer and Insecticide

(back panel)

(back panel)

TREATS
2500 sq. ft.

TREATS
2500 sq. ft.

LITE-WEIGHT PRODUCTS, INC.

SUP-RO

SUP-RO TRIPLE ACTION

Triple Action

CRABGRASS KILLER/FERTILIZER/INSECTICIDE

CRABGRASS/FERTILIZER/INSECTICIDE

1. KILLS CRABGRASS BEFORE YOU SEE IT
2. FERTILIZES YOUR LAWN (16-8-4)
3. KILLS SOIL INSECTS

This product KILLS CRABGRASS, FOXTAIL AND BARNYARDGRASS at sprouting-- one of the most effective grass weed killers available.

FERTILIZES YOUR LAWN with special 16-8-4 formulation of necessary nitrogen, phosphorus and potash.

KILLS GRUBS AND OTHER LAWN-DAMAGING SOIL INSECTS with one of the most effective soil insecticides available. Controls Ants, Japanese Beetle Larvae, White Fringed Beetle Larvae, and White Grubs.

CAUTION: Keep out of reach of children. See back panel for additional caution statements.

CONVENIENT & ECONOMICAL -- One application does three important lawn chores -- saving time, work and money. This product will not damage established bluegrass, ryegrass, fescue, zoysiagrass, bermudagrass, St. Augustinegrass and centipede-grass turfs when applied as directed. Do not apply to bentgrass turfs. Do not apply in spring to turfs planted the previous fall.

Active Ingredients:

WHEN TO APPLY: Apply SUP-RO TRIPLE ACTION anytime in the spring before crabgrass germinates. DO NOT SOW GRASS SEED FOR 42 DAYS AFTER APPLICATION.

n-butyl-N-ethyl-a,a,a-trifluoro-2,6-dinitro-p-toluidine . . . 0.55%
Mechanical Chloroane 2.30%



HOW TO APPLY: It is important that SUP-RO TRIPLE ACTION be applied evenly over your lawn without skip or misses. Do not over-apply or under-apply. The contents of this bag should be applied for every 2500 square feet of lawn area (for example, 50 x 50 = 2500 sq. ft.). If your lawn measures 50 x 100 (or 5000 sq. ft.) 2 bags are sufficient.

Inert Ingredients 97.15%
(inclusive to herbicidal and insecticidal content)
Equivalent to 1.38% Octachloro-4, 7-methanotetrahydroindane
and 0.92% related compounds

Guaranteed Minimum Fertilizer Analysis
Total Nitrogen 16%
Available Phosphoric Acid (P₂O₅) 8%
Soluble Potash (K₂O) 4%

Potential acidity equivalent to 650 pounds of calcium carbonate per ton.

1. Using a spreader set for the proper one-half rate (see table for spreader settings) spread one-half of the required amount for your lawn, moving at a steady rate in one direction.
2. Spread the other half of the required amount over the same area moving across or at right angles to the first application (This minimizes skips and overlaps, insuring good coverage) when turning or stopping spreader, spreader gate should be closed.



BALFIN™ Combination Fertilizer and Insecticide

(From panel continued)

SPREADER SETTING

The settings listed below are calculated to apply SUP-RO TRIPLE ACTION at one-half rate, as directed above. These settings are approximate. Check application rate of your spreader before applying. Settings may vary with age and condition of spreader.

| <u>Spreader</u> | <u>Setting</u> |
|--------------------------|----------------|
| Lawn Beauty | 10 |
| Bears | 8 |
| Scott Models 35-3 & 35-8 | 9 |
| Cyclone | 6 |

CAUTION: May be harmful if swallowed. Avoid contact with skin. Avoid contamination of foodstuffs, feeds and fishponds. Wash thoroughly with soap and water after using. This product is toxic to fish and wildlife. Keep out of lakes, streams and ponds. Birds feeding on treated areas may be harmed.

The manufacturer makes no warranties, express or implied, concerning this product or its use, which extend beyond the description on the face hereof. All statements concerning this product apply only when used as directed.

LITE-WEIGHT PRODUCTS, INC.

U.S. Reg. No. (1471-49 Elanco Products Co., Div. of Eli Lilly & Co.)

