

**THE CHEXIT COMPANY INC**

P O Box 277

TWO RIVERS, WISCONSIN 54241

CONTAINS 10% MONO-AMMONIUM PHOSPHATE

WATERPROOF AND WATER-SOLUBLE BAITS

"CHEXIT" CONTAINING 1% CHLOROPHYLL

NET CONTENTS: 1/2 GALLON CONTAINER (1.89 L.)

Rats and mice will readily tear apart "CHEXIT" and accomplish their own destruction. Simply place "CHEXIT" in locations where rats and mice feed, water, or travel, among walls, in corners, and in concealed locations where rats and mice can feed unobserved. Contaminated or spoiled baits should be replaced by fresh "CHEXIT" promptly. baiting should continue until all signs of feeding have stopped.

(above paragraph is pt. medium with "CHEXIT" in pt. heavy)

Caution: (1/4 pt. heavy) Avoid eye or mouth or skin contact. Place bait in areas inaccessible to children, pets, and domestic animals or in tamper proof bait stations. (1/8 pt. heavy) See back panel for additional warning. (1 pt. medium)

**ACTIVE INGREDIENTS:**

Warfarin (o-(*o*-sacetylphenyl)-4-hydroxymethyl). 1% ACTUAL INGREDIENTS

(1/2 pt. medium)

**THE CHEXIT COMPANY, INC.**

P. O. Box 315

TWO RIVERS, WISCONSIN 54241

ACCEPTEO

10-19-70

SACK PANEL:

8948-1

For best results in RAT control, an uninterrupted supply of CHEXIT RAT AND MOUSE BAIT should be maintained for at least 10 days. This package contains enough bait to kill only two or three rats.

For best results in MOUSE control, place at least tablespoon amounts ( $\frac{1}{4}$  to  $\frac{1}{2}$  ounce) of CHEXIT RAT AND MOUSE BAIT at 8 to 12 foot intervals. An uninterrupted supply of bait should be maintained for at least 15 days.

(Above 2 paragraphs 12 pt. medium)

WARNING: (14 pt. heavy) This product contains a blood anti-coagulant which when taken internally could cause serious hemorrhage in humans and animals. If taken give an emetic of warm salt water; repeat until vomit is clear. (12 pt. medium)  
CALL A PHYSICIAN IMMEDIATELY. Note for physician: (12 pt. heavy) Treat same as overdose of Dicumarol. (12 pt. medium)

THE CHEXIT COMPANY, INC. (12 pt. heavy)

Two Rivers, Wisconsin 54241 (12 pt. medium)

**THE CHEXIT COMPANY, INC.**

P. O. Box 315  
TWO RIVERS, WISCONSIN 54241

Dear Sir,

This display carton will be used for display purposes only. The consumer will purchase the individual "THRU-PAX" that are displayed in this carton.

Enclosed are "THRU-PAX" bags consumer will be taking home and using. They will have full cautions, warnings, and directions on them.

Sincerely,

*[Signature]*  
The Chexit Co., Inc.

**THE CHEXIT COMPANY, INC.**

P. O. Box 315

TWO RIVERS, WISCONSIN 54241

ACCIDENTAL

10-19-70

DISCRETE CANTON BODU 3021

8948-1

10-19-70

ACUTE PAIN:

50  
50/5 oz.  
AMMO-PAK ..... (10 pt. heavy) ..... ~~500~~ 500  
.....

CALCIUM ..... (14 pt. heavy)

ASIDE OUT OF PACKAGE OR CALCIUM ..... (12 pt. heavy)

ACTIVE INGREDIENTS:

Warfarin (3-(acetoxybenzyl)-4-hydroxycumarin) . 20.  
INHAL INHALATION ..... ~~50.075~~ 50.075  
..... (1 pt. medium)

....., nego. no. \_\_\_\_\_

..... (1 pt. medium)

THE CHEXIT COMPANY, INC. TWO RIVERS, WISCONSIN 54241 USA

(1 pt. heavy)

(1 pt. medium)

**THE CHEXIT COMPANY, INC.**

P. O. Box 315

TWO RIVERS, WISCONSIN 54241

10-19-70

1000' x 1000' x 1000' x 1000'

8948-1

RHS and LHS panels (both are the same)

1000' x 1000' x 1000' x 1000'

1000' x 1000' x 1000' x 1000'

1000' x 1000' x 1000' x 1000'

TOP SHELL:

1000' x 1000' x  
1000' x 1000' x  
1000' x 1000' x

1000' x 1000' x 1000' x 1000'

1000' x 1000' x  
1000' x 1000' x  
1000' x 1000' x

1000' x 1000' x  
1000' x 1000' x  
1000' x 1000' x

← Illustration of sets in this area →

← Illustration of sets in this area →

THE CHEXIT COMPANY, INC.

P. O. Box 315

TWO RIVERS, WISCONSIN 54241

10-19-70

100% Chexit Worm Bait

100% Chexit Worm Bait

8948-1

12 miles and ....(1 pt. med.)

Shrews

Illustration  
of rat in  
this area.

MOLE

MOUSE

SHR.

(4 pt. heavy)

100% Chexit  
S-bait/Cu.  
"Thru-Pak"  
(.4 pt. heavy)

Shaduck ....(14 pt. heavy)

Under set or Admon of children. Place bait in areas inaccessible to children, pets, and domestic animals or in tamper proof bait stations. (14 pt. heavy) Available from THE CHEXIT COMPANY, INC. (1 pt. med.) See side panel for additional precautions. (.1 pt. med. italic)

ACTIVE INGREDIENTS:

Warfarin ( $\beta$ -( $\alpha$ -acetoxybenzyl)- $\alpha$ -4-hydroxywarfarin). .01%

.01 pt. medium)

Castor oil, water, sucrose,

14 pt. heavy)

100% Chexit, 100% Chexit, 100% Chexit, 100%

(4 pt. heavy)

(.1 pt. med. italic)

100% Chexit, 100% Chexit, 100% Chexit, 100% Chexit  
100% Chexit, 100% Chexit.

# THE CHEXIT COMPANY, INC.

P. O. Box 315

TWO RIVERS, WISCONSIN 54241

10-19-70

6 LB. TANTRON 3021 001

LIGHT SIDE TRAIL:

8948-1

CHEXIT  
RAT AND  
MOUSE  
BAIT  
(48 pt. heavy)

12.5 MILS 16....(16 pt. med.)

Illustration  
of rat in  
this area.

Illustration  
(16 pt. heavy)

mats and mice will eagerly tear apart "THRO-PAK" and accomplish their own destruction. Simply place "THRO-PAK" in locations where rats and mice feed, water, or travel, along walls, in corners, and in concealed locations where rats and mice can feed unobserved. Contaminated or spoiled baits should be replaced by fresh "THRO-PAK" promptly. Waiting should continue until all signs of feeding have stopped.  
(above paragraph 16 pt. medium)

LIGHT SIDE TRAIL:

CHEXIT  
RAT AND  
MOUSE  
BAIT  
(48 pt. heavy)

12.5 MILS 16....(16 pt. med.)

Illustration  
of rat in  
this area.

Illustration  
(16 pt. heavy)

This product contains a blood anticoagulant which taken internally will cause serious hemorrhage in humans and animals. If taken, give an emetic or induce vomiting; repeat until vomit is clear. (16 pt. heavy) Call a physician immediately. Note: Do not dilute the (16 pt. heavy) product with water or dilute it. Do not mix it.

# THE CHEXIT COMPANY, INC.

P. O. Box 315  
TWO RIVERS, WISCONSIN 54241

10-19-70

3 IN. CANTON BOD. COPY

TOP PANEL:

8948-1

EASY TO USE .....(36 pt. heavy)

"LINKO-BAK" .....(48 pt. heavy)

For best results in RAT control, an uninterrupted supply of CHEXIT RAT AND MOUSE BAIT should be maintained for at least 10 days.....(12 pt. medium)

For best results in MOUSE control, place at least tablespoon amounts ( $\frac{1}{2}$  to  $\frac{1}{2}$  ounce) of CHEXIT RAT AND MOUSE BAIT at 6 to 12 foot intervals. An uninterrupted supply of bait should be maintained for at least 15 days.....(12 pt. medium)

illustration of rats in this area.

BACK PANEL:

ONBAK  
(36 pt. heavy)

BAIT STATIONS  
(18 pt. heavy)

PROTECT CHILDREN, PETS, AND DOMESTIC ANIMALS FROM CHEXIT RAT AND MOUSE BAIT.....(14 pt. heavy)

METAL .....(10 pt. heavy)

illustration of metal  
bait station in this area

EXTRA SICKLE  
SOIL-IN BAIT SECTION  
(14 pt. medium)

DOZE  
SPINES UN  
LOCKED  
(14 pt. med.)

PLASTIC.....(14 pt. heavy)

illustration of plastic  
bait station in this area

SOIL BURNING  
SOIL-IN BAIT SECTION  
FOR EASY CLEAN UP (4 pt. med.)

THIS BAIT IS TO BE USED IN SECT OF INTERVALS AGAINST IT'S TAIL  
THAT HAS BEEN PLACED IN THE HOME, OFFICE, KITCHEN, BATH, OR  
STOR .....(8 pt. heavy)