



40 LBS. NET WT.

TURF MAGIC CRABGRASS CONTROL + 15% NITROGEN

A highly effective pre-emergence herbicide. When applied as recommended, this product will give excellent control of crabgrass and the following weeds in ornamental turf.

Crabgrass	Hardy Crabgrass	Smooth Crabgrass
Common Chickweed	Johnson Grass (from seed)	Texas Bluegrass
Field Purslane	Lamb's Quarters	White Grass
Florida Pusley	Lovage	Yellow Foxtail
Green Foxtail	Purslane	

GUARANTEED ANALYSIS

Primary Plant Foods	
Total Nitrogen (N)	15%
Available Phosphoric Acid (P ₂ O ₅)	0%
Soluble Potash	0%
Primary Plant Food derived from Ammonium Sulfate	
ACTIVE INGREDIENTS	
Dimethyl ester of tetrachloroterephthalic Acid	1.25%
INERT INGREDIENTS	
TOTAL	98.75%
	100.00%

USE THIS PRODUCT IN ACCORDANCE WITH THE FOLLOWING DIRECTIONS: 2-52-1-1

DIRECTIONS

When to Apply

TURF MAGIC CRABGRASS CONTROL kills crabgrass and other annual weeds as they germinate, but not after they have rooted. To be effective, TURF MAGIC CRABGRASS CONTROL must be applied before weed seeds germinate in early spring. This usually coincides with the time when forsythia blossoms start to fall. Make application on a calm day to avoid wind drift.

How Much to Apply

Determine how much lawn is to be covered in square feet. Apply contents of bag (40 lbs.) evenly to 2000 sq. ft. on area 40 x 50 ft. Use only lawn spreader in good condition. Do not spread over a larger area than recommended as such application would give poor results. To control annual crabgrass or other weeds or late germinating grasses, a late summer or fall application of 50 lbs. per 2000 sq. ft. should supplement the early spring application.

How to Apply

For best results, TURF MAGIC CRABGRASS CONTROL should be evenly applied with the usual method. It is recommended that the area be covered twice. Apply one-half the application then apply the remaining half at right angles to the first to assure thorough coverage. Water thoroughly. Avoid runoff.

RE-SEEDING

If spring seeding is necessary, there should be a 60 day delay before seeding after application of TURF MAGIC CRABGRASS CONTROL. Re-seeding should not be done within 30 days after application. If re-seeding is done between 30 and 60 days after application, the amount of seed should be increased 50% to insure healthy stands. An early spring application may be made to newly seeded lawns after they have exhibited greening of the grass.

CAUTION

Do not use on dahlias, lawn or newly seeded lawn. Do not store near seeds, fertilizers or other pesticides. Do not contaminate feed or food stuffs. Fill spreader on non turf to avoid spilling chemical on lawn.

Spreader Settings

Turf Magic	8
Control	8
Scot	10
Top Gun	5

TAYLOR EVANS SEED CO. — TULIA, TEXAS

40 LBS. NET WT. 79088

COVER 2000 sq. ft.
\$5.95

ACCEPTED

NOV 16 1972

UNDER THE FEDERAL INSECTICIDE FUNGICIDE AND RODENTICIDE ACT FOR ECONOMIC POISON REGISTERED UNDER NO. 2952-1. SUBJECT TO ATTACHED COMMENTS.



Crabgrass Control + 15% Nitrogen

CONTAINS DACTHAL
GUARANTEED
100% EFFECTIVE

DO NOT REUSE EMPTY CONTAINER. DESTROY IT BY BURYING WITH WASTE OR BURNING. STAY AWAY FROM SMOKE OR FUMES.

ACTIVE INGREDIENTS
Dimethyl ester of tetrachloroterephthalic Acid 1.25%
INERT INGREDIENTS 98.75%
TOTAL 100.00%

USE AS A PRE-EMERGENCE HERBICIDE (EPA Reg. No. 1-523-534)

CAUTION

KEEP OUT OF REACH OF CHILDREN. AVOID PROXIMITY TO WATER. WASH HANDS AFTER HANDLING. AVOID CONTACT WITH EYES.

THIS PRODUCT IS TOXIC TO FISH AND WILDLIFE. HAZARDOUS IF SWALLOWED. MAY BE IRRITANT. KEEP OUT OF ANY BODY OF WATER. AVOID CONTACT WITH WATER. DO NOT GET ON CLOTHING. IF ON CLOTHING, REMOVE IMMEDIATELY. IF ON SKIN, WASH IMMEDIATELY. IF IN EYES, FLUSH IMMEDIATELY. IF IN MOUTH, SWALLOW. IF IN MOUTH, SWALLOW. IF IN MOUTH, SWALLOW.