

TURF MAGIC TRIPLE TREAT

is a combination of insecticides, herbicides and lawn feed scientifically prepared to control listed soil insects, feed your lawn and kill weeds both by leaf and root action. Turf Magic Triple Treat is effective in cool weather, as well as warm weather, so it is suitable for control of tough winter annuals.

GUARANTEED ANALYSIS

Primary Plant Foods	7%
Total Nitrogen (N)	0.9%
1 Water available Nitrogen	0.1%
Available Phosphoric Acid (P ₂ O ₅)	0.8%
Soluble Potash (K ₂ O)	0.8%
Primary Plant Foods derived from:	
Sulfate of Ammonia, Diammonium Phosphate, Sulfate of Potash Magnesia, Stead Meal, Bone Meal & Cottonseed Meal.	
Magnesium	3.00%
Sulfur (combined)	10.00%
Iron	1.00%
Manganese	0.5%
Zn	0.5%
Secondary Plant Foods & Trace Elements derived from:	
Sulfate of Potash Magnesia, Copper Sulfate, Iron Sulfate, Manganese Sulfate, Zinc Sulfate & EDTA Iron Chelate.	
Turf Magic Triple Treat	
ACTIVE INGREDIENTS	
Dimethylamine salt of dicamba (3,6-dichloro-o-anisic acid)*	0.09%
Dimethylamine salt of related acids	0.12%
Dimethylamine salt of 2,4-dichlorophenoxyacetic acid**	2.07%
Technical chlordane***	3.00%
INERT INGREDIENTS	99.412%
TOTAL	100.000%
Equivalent to 0.57% 3,6-dichloro-o-anisic acid (dicamba)	
Equivalent to 1.72% 2,4-dichlorophenoxyacetic acid	
Equivalent to 18% octachloro 4,7-methanotetrahydro-dane and 12% related compounds	

TURF MAGIC TRIPLE TREAT

controls the following weeds in annualized and grasses:

Knotted weed	Harder	Pigweed
Chickweed, mouseear & common	Plantain	Regweed
Clover	Red Sorrel	Wild Mustard
Cardinal	Lambquarters	Cocklebur

TURF MAGIC TRIPLE TREAT

controls listed surface and soil insects:

Asian Garden Beetle (larvae)	Tick	Ant
Chiggers	White Fringed Beetle (larvae)	Carpet Ant
Earwig	White Grubs	Fire Ant
European Chalcid (larvae)	Wire Worms	Harvester Ant
Japanese Beetle (larvae)	Green June Beetle	Leaf Cutter Ant

DIRECTIONS

When to Apply

Apply in the spring or fall.

How Much to Apply

Apply at the rate of 2.0 lbs. per 100 sq. ft. Contents of this bag covers 2000 sq. ft.

How to Apply

For best control of weeds, apply to moist grass and do not water for 24 hours after treatment. To obtain best results, Turf Magic Triple Treat should be applied evenly with no skips or misses. It is recommended that the area be covered twice. Apply 1/2 the application then apply the remaining half at right angles to the first to assure thorough coverage. For best control of weeds and surface insects, the lawn should not be watered before 24 to 48 hours after treatment. For best control of soil insects, the lawn should be watered immediately after treatment.

Spreader Settings	
Turf Magic	9
Control	9
Scot	11
Cyclone	5

CAUTION KEEP OUT OF REACH OF CHILDREN.

Do not apply within the dripline of desirable trees and shrubs.

Do not use on newly seeded lawns. Do not use on Centipede Grass, Carpet Grass, St. Augustine, or other grasses where desirable Bent Grass or Clover is present.

Avoid contact with skin, eyes and clothing when handling. Do not take internally. Wash thoroughly with soap and water after handling this product and before eating or smoking.

Do not store near and avoid contamination of foods, feeds, insecticides, fungicides, other fertilizers, streams, lakes or ponds. Do not apply on or near desirable flowers, shrubs, fruits or vegetables. Wash spreader thoroughly after use. Avoid drifting desirable plants.

Avoid prolonged or repeated inhalation of dust. Take care to fish and wild life. Birds feeding on treated areas may be harmed. Keep children and pets off the treated areas until insecticide has worked into the soil and areas have dried completely.

Do not apply where runoff is likely to occur.

Do not contaminate water by cleaning of equipment or disposal of wastes.

TAYLOR EVANS SEED CO. — TULIA, TEXAS
40 LBS. NET WT. 79088

Feeds and needs your lawn
and controls listed soil insects

\$5.50

**TURF
magic**

ACCEPTED

NOV 17 1972

FEDERAL INSECTICIDE ACT
FOR ECONOMIC PEST CONTROL REGISTERED UNDER NO. 8952-6
SUBJECT TO ATTACHED COMMENTS.

8952-6

TRIPLE TREAT

FEEDS AND NEEDS YOUR LAWN AND
CONTROLS LISTED SOIL INSECTS

TO ATTACHED COMMENTS.
SUBJECT TO UNDER NO. 8952-6
FOR ECONOMIC PEST CONTROL REGISTERED UNDER THE FEDERAL INSECTICIDE ACT

DO NOT REUSE EMPTY CONTAINER.
DESTROY IT BY BURYING WITH WASTE
OR BURNING. STAY AWAY FROM SMOKE
OR FUMES.

DO NOT REUSE EMPTY CONTAINER.
DESTROY IT BY BURYING WITH WASTE
OR BURNING. STAY AWAY FROM SMOKE
OR FUMES.

DO NOT REUSE EMPTY CONTAINER.
DESTROY IT BY BURYING WITH WASTE
OR BURNING. STAY AWAY FROM SMOKE
OR FUMES.

DO NOT REUSE EMPTY CONTAINER.
DESTROY IT BY BURYING WITH WASTE
OR BURNING. STAY AWAY FROM SMOKE
OR FUMES.

DO NOT REUSE EMPTY CONTAINER.
DESTROY IT BY BURYING WITH WASTE
OR BURNING. STAY AWAY FROM SMOKE
OR FUMES.

DO NOT REUSE EMPTY CONTAINER.
DESTROY IT BY BURYING WITH WASTE
OR BURNING. STAY AWAY FROM SMOKE
OR FUMES.

EPA Registration No. 8952-6

CAUTION

KEEP OUT OF REACH OF CHILDREN
(See back panel for additional caution statement)

ACTIVE INGREDIENTS

Dimethylamine salt of dicamba (3,6-dichloro-o-anisic acid)*	0.09%
Dimethylamine salt of related acids	0.12%
Dimethylamine salt of 2,4-dichlorophenoxyacetic acid**	2.07%
Technical chlordane***	3.00%

INERT INGREDIENTS 99.412%

TOTAL 100.000%

*Equivalent to 0.57% 3,6-dichloro-o-anisic acid (dicamba)

**Equivalent to 1.72% 2,4-dichlorophenoxyacetic acid

***Equivalent to 18% octachloro 4,7-methanotetrahydro-dane and 12% related compounds

TURF MAGIC TRIPLE TREAT

is a combination of insecticide, herbicide and lawn feed scientifically prepared to control listed soil insects, feed your lawn, and kill weeds both by leaf and root action. Turf Magic Triple Treat is effective in cool weather, as well as warm weather, as it is suitable for control of tough winter annuals.

GUARANTEED ANALYSIS

Primary Plant Foods	
Total Nitrogen (N)	7%
6.9 Ammoniacal Nitrogen	
1 Water insoluble Nitrogen	
Available Phosphoric Acid (P ₂ O ₅)	5%
Soluble Potash (K ₂ O)	8%
Primary Plant Foods derived from:	
Sulphate of Ammonia, Diammonium Phosphate, Sulfate of Potash Magnesia, Blood Meal, Bone Meal & Cottonseed Meal.	
Magnesium	3.90%
Sulfur (combined)	18.00%
Iron	1.80%
Manganese	.85%
Zinc	.85%
Secondary Plant Foods & Trace Elements derived from:	
Sulphate of Potash Magnesia, Copper Sulphate, Iron Sulphate, Manganese Sulphate, Zinc Sulphate & EDTA Iron Chelate.	
Turf Magic Triple Treat	
ACTIVE INGREDIENTS	
Dimethylamine salt of dicamba (3,6-dichloro-o-anisic acid)*	.059%
Dimethylamine salt of related acids	.012%
Dimethylamine salt of 2,4-dichlorophenoxyacetic acid**	.207%
Technical chlordane***	.300%
INERT INGREDIENTS	
	99.412%
TOTAL	100.000%

*Equivalent to .057% 3,6-dichloro-o-anisic acid (dicamba)

**Equivalent to .172% 2,4-dichlorophenoxyacetic acid

***Equivalent to .18% octachloro 4,7-methanotetrahydrodione and .12% related compounds

TURF MAGIC TRIPLE TREAT

controls the following weeds in ornamental turf grasses:

Knot weed	Henbit	Figwort
Chickweed (mouseear & common)	Plantain	Ragweed
Clover	Red Sorrel	Wild Mustard
Dandelion	Lambquarters	Cocklebur

TURF MAGIC TRIPLE TREAT

controls listed surface and soil insects:

Asiatic Garden Beetle (Larvae)	Ticks	Ants
Chiggers	White Fringed Beetle (Larvae)	Carpenter Ants
Earwigs	White Grubs	Fire Ants
European Chalcid (Larvae)	Wire Worms	Harvester Ants
Japanese Beetle Larvae	Green June Beetle	Leaf Cutter Ants

DIRECTIONS

When to Apply

Apply in the spring or fall

How Much to Apply

Apply at the rate of 2# per 100 sq. ft. Contents of this bag covers 2000 sq. ft.

How to Apply

For best control of weeds, apply to moist grass and do not water for 24 hours after treatment. To obtain best results Turf Magic Triple Treat should be applied evenly with no skips or masses. It is recommended that the area be covered twice. Apply 1/2 the application, then apply the remaining half at right angles to the first to assure thorough coverage. For best control of weeds and surface insects the lawn should not be watered before 24 to 48 hours after treatment. For best control of soil insects lawn should be watered immediately after treatment.

Feeds and weeds your lawn
and controls listed soil insects

\$5.50

ACCEPTED

NOV 17 1972

THIS PRODUCT IS A PESTICIDE
FUNCTIONING AS A HERBICIDE ACT
FOR THE CONTROL OF WEEDS. IT IS REGISTERED
UNDER THE FEDERAL INSECTICIDE ACT
TO ATTACHED COMMENTS.

895-2-6

**TURF
MAGIC**

TRIPLE

Technical information

NET INGREDIENTS

TOTAL

Equivalent to 0.57% 3,6-dichloro-o-anisic acid (dicamba)
Equivalent to 1.72% 2,4-dichlorophenoxyacetic acid
Equivalent to 18% octachloro 4,7-methanetetrahydrodione and 12% related compounds

99.612%

100.000%

TURF MAGIC TRIPLE TREAT

controls the following weeds in ornamental turf grasses:

Knot weed	Morbid	Fogweed
Chickweed (mouseear & common)	Plantain	Bayonet
Claver	Red Sorrel	Wild Mustard
Dandelion	Lambquarters	Cocklebur

TURF MAGIC TRIPLE TREAT

controls listed surface and soil insects

Asiatic Garden Beetle (larvae)	Ticks	Ants
Chiggers	White Fringed Beetle (larvae)	Carpenter Ants
Earwigs	White Grubs	Fire Ants
European Chalcids (larvae)	Wire Worms	Harvesting Ants
Japanese Beetle (larvae)	Green June Beetle	Leaf Cutter Ants

DIRECTIONS

When to Apply

Apply in the spring or fall

How Much to Apply

Apply at the rate of 2# per 100 sq. ft. Contents of this bag covers 2000 sq. ft.

How to Apply

For best control of weeds, apply to moist grass and do not water for 24 hours after treatment. To obtain best results Turf Magic Triple Treat should be applied evenly with no skips or areas. It is recommended that the area be covered twice. Apply 1/2 the application, then apply the remaining half at right angles to the first to assure thorough coverage. For best control of weeds and surface insects the lawn should not be watered before 24 to 48 hours after treatment. For best control of soil insects lawn should be watered immediately after treatment.

Spreader Settings	
Turf Magic	9
Central	9
Scoti	11
Cyclone	5

CAUTION KEEP OUT OF REACH OF CHILDREN.

Do not apply within the dripline of desirable trees and shrubs.

Do not use on newly seeded lawns. Do not use on Centipede Grass, Carpet Grass, St. Augustine, and dichondra nor on lawns where desirable Bent Grass or Clover is present.

Avoid contact with skin, eyes and clothing when handling. Do not take internally. Wash thoroughly with soap and water after handling this product and before eating or smoking.

Do not store near and avoid contamination of foods, seeds, insecticides, fungicides, other fertilizers, streams, lakes or ponds. Do not apply on or near desirable flowers, shrubs, fruits or vegetables. Wash spreader thoroughly after use. Avoid drift to desirable plants.

Avoid prolonged or repeated inhalation of dust. Toxic to fish and wildlife. Birds feeding on treated areas may be harmed. Keep children and pets off the treated areas until insecticide has worked into the soil and areas have dried completely.

Do not apply where runoff is likely to occur.

Do not contaminate water by cleaning of equipment or disposal of wastes.

TAYLOR EVANS SEED CO. — TULIA, TEXAS
40 LBS. NET WT. 79088

NOV 17 1972

FUNGICIDE AND INSECTICIDE ACT
FOR ECONOMIC PISON REGISTER-
ED UNDER NO. 8952-6
SUBJECT TO ATTACHED COMMENTS.

8952-6

TRIPLE

FEEDS AND WEEDS YOUR LAWN
CONTROLS LISTED SOIL INSECT

TO ATTACHED COMMENTS.
SUBJECT TO UNDER NO. 8952-6
FOR ECONOMIC PISON REGISTER-
ED UNDER NO. 8952-6
FUNGICIDE AND INSECTICIDE ACT
SUBJECT TO UNDER THE FEDERAL INSECTICIDE

DO NOT REUSE EMPTY CONTAINER.
DESTROY IT BY BURYING WITH WASTE
OR BURNING. STAY AWAY FROM SMOKE
OR FUMES.

ACCEPTED

E. P. A. Registration No. 8952-6

EASY OPEN BAG PULL WHITE TAPE
GREENLAWN PLUS 21-5-7 broadleaf weed killer

AGWAY GREENLAWN PLUS 21-5-7 broadleaf weed killer

TREATS 10,000 SQUARE FEET


Iron added for greener lawn.

Controls chickweed & broadleaf weeds & fertilizes your lawn in one easy application.

CAUTION: KEEP OUT OF REACH OF CHILDREN

See additional cautions on back panel.

HERBICIDE INGREDIENTS		Percent By Wt.
Active Ingredients		
Triethanolamine 2,4-Dichlorophenoxyacetic Acid (1)		1.45%
Butoxyethanol ester of silvex (2)		0.60%
2-(2,4,5-trichlorophenoxy) Propionic Acid		97.95%
Inert Ingredients (not more than)*		TOTAL 100.00%
*FERTILIZER-GUARANTEED ANALYSIS 21-5-7		
Total Nitrogen (N)		21.00%
5.7 Water Insoluble Nitrogen		5.00%
Available Phosphoric Acid (P ₂ O ₅)		7.00%
Soluble Potash (K ₂ O)		0.50%
Iron (Fe)		0.50%
EPA Reg. #8590-389 Manufactured by AGWAY INC., SYRACUSE, NEW YORK 13201		



Net Wt.
46 Lbs.

GREENLAWN PLUS 21-5-7 broadleaf weed killer

GREENLAWN PLUS 21-5-7 broadleaf weed killer

EASY OPEN BAG PULL WHITE TAPE

Net Wt. 46 Lbs.



GREENLAWN PLUS 21-5-7 broadleaf weed killer

CONTROLS CHICKWEED AND BROADLEAF WEEDS AND FERTILIZES YOUR LAWN IN ONE EASY APPLICATION

46 POUNDS TREATS 10,000 SQUARE FEET

CAUTION: Harmful if swallowed. Avoid inhalation of dust. This product may cause skin irritation. Avoid contact with skin, eyes or clothing. Flush eyes with water and get prompt medical attention. Wash hands after using.

Vapors from this product may injure susceptible plants in the immediate vicinity. Do not store near other fertilizer, seeds, insecticides or fungicides. Clean lawn spreader thoroughly after using by washing with strong spray from garden hose and wipe dry. Do not contaminate water used for irrigation or domestic purposes. Do not reuse empty containers. Destroy by burying with wastes. Do not burn.

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not apply when weather conditions favor drift from areas treated. Apply this product only as specified on this label.

DIRECTIONS

READ THESE ENTIRE DIRECTIONS AND DISCLAIMER. USE STRICTLY IN ACCORDANCE WITH LABEL CAUTIONS, DIRECTIONS AND DISCLAIMER.

To control many broadleaved weeds in lawns such as Chickweed, Dandelion, Plantain and Ground Ivy; to feed the lawn for a thicker, more vigorous turf, make application as soon as weeds start to grow in the spring. Apply two days after mowing at the rate of 4.6 lbs. per 1,000 square feet. This rate of application is equivalent to about 200 lbs. of 21-5-7 fertilizer and 1.74 lbs. of 2,4-Dichlorophenoxyacetic acid equivalent plus 0.88 lbs. of 2,4,5-Trichlorophenoxy propionic acid equivalent per acre. (Broadcast evenly with a lawn spreader after a rain, heavy dew or sprinkling. Do not apply if rain is expected within twenty-four hours.)

An additional application may be made in late summer or early fall when grasses begin to grow vigorously. For best results and a more vigorous turf, supplement with additional application of Agway lawn fertilizer through the growing season.

NOTE: AVOID DRIFT TO OR APPLICATION ON VALUABLE PLANTS, FLOWERS AND SHRUBS. Do not use on new lawns until they have been established for four to five months. Do not use on Dichondra. Do not use on bentgrass, carpetgrass, St. Augustine grass or clovers.

APPROXIMATE SETTINGS* FOR ESTABLISHED LAWN & TURF AREAS

Spreader	Twice Over Applications	Once Over Applications
Agway or Jackson	5	8½
Agway or Cyclone #B	3½	4½
Scotts	4½	8

*NOTE: These settings are furnished as a guide only. age, condition of spreader, speed of operation and roughness of terrain can cause variation in rates.

DISCLAIMER: Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

NOTE: This pesticide is to be sold ONLY in this original, unbroken package.

CODE 88-4337

GREENLAWN PLUS 21-5-7 broadleaf weed killer