


WEEDTRINE®-D

AQUATIC HERBICIDE

E.P.A. Reg. No. 8959-9

E.P.A. Est. No. 42291-GA-1

FOR USE IN AND AROUND
STILL LAKES
PONDS
DITCHES



ACTIVE INGREDIENT

Diquat dibromide [6,7-dihydrodipyrido (1,2-a:2',1'-C) pyrazinedium dibromide] 8.53%

INERT INGREDIENTS 91.47%

WEEDTRINE-D CONTAINS 0.4 lb. diquat cation per gallon as 0.746 lb. salt per gallon

**KEEP OUT OF REACH OF CHILDREN
WARNING**

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: IMMEDIATELY give water or milk to drink and induce vomiting by inserting finger in throat. Do not induce vomiting or give anything by mouth to an unconscious person. Take person and product container to nearest hospital or physician fast. **PROMPT TREATMENT IS ESSENTIAL TO COUNTERACT POISONING** and should be initiated before signs and symptoms of injury appear.

IF ON SKIN: IMMEDIATELY wash with plenty of soap and water. Get medical attention.

IF IN EYES: IMMEDIATELY wash eyes with water for at least 15 minutes and get medical attention.

IF INHALED: IMMEDIATELY remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention.

NOTE TO PHYSICIANS: To be effective, treatment for diquat poisoning must begin **IMMEDIATELY**. Treatment consists of binding diquat in the gut with suspensions of activated charcoal or bentonite clay, administration of cathartics to enhance elimination and removal of diquat from the blood by charcoal hemoperfusion or continuous hemodialysis.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS
ONE GALLON (3.78 Liters)



DIVISION OF LAPORTE WATER TECHNOLOGIES, INC.
Milwaukee, WI 53022

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING: May be fatal if inhaled. Harmful if swallowed or absorbed through skin. Causes substantial but temporary eye injury, causes skin irritation. Do not get material on skin, eyes or clothing. Contact with skin may increase danger when handling concentrate. Do not breathe spray mist in order to avoid nasal, throat and respiratory tract irritation. Applicators and other handlers must wear coveralls over long-sleeved shirt and long pants, chemical resistant gloves, chemical resistant footwear plus socks, chemical resistant headgear for overhead exposure, a dust/mist filtering respirator (MSHA/NIOSH approval number prefix TC-21C) and a chemical resistant apron when cleaning equipment, mixing or loading.

ENVIRONMENTAL HAZARDS: This product is toxic to aquatic invertebrates. Do not apply directly to water except as specified on this label. Do not use treated water for animal consumption, spraying irrigation or drinking purposes until 5 days after treatment. Treatment of dense weed areas may result in oxygen loss from decomposition of dead weeds. This loss of oxygen may cause fish suffocation. Therefore, treat only 1/3 to 1/2 of the dense weed areas at a time and wait 14 days between treatments. **DO NOT APPLY TO MUDDY WATER.** Avoid creating muddy water during application. Do not apply under conditions of high wind and wave action. Do not apply where plants are covered with mud deposits. Do not contaminate water when disposing of equipment wash waters. Consult your State Fish and Game Agencies before applying this product to public waters.

USER SAFETY REQUIREMENTS: Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions exist for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS: Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, food or feed by storage, disposal or cleaning of equipment. Open dumping is prohibited.

STORAGE: Keep pesticide in original container. Do not put concentrate or dilute into food or drink containers. Do not contaminate feed, foodstuffs or drinking water. Do not store or transport near feed or food. Store at temperatures above 32°F.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide spray mixture or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

GENERAL INFORMATION

WEEDTRINE-D is a non-volatile herbicide for use in controlling submersed and floating aquatic weeds. Absorption and herbicidal action of **WEEDTRINE-D** is usually quite rapid with effects visible in a few days.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

AQUATIC USE SITES

For application only to ponds, lakes and drainage ditches where there is little or no outflow of water and which are totally under the control of the product's user. Do not use treated water for animal consumption, spraying, irrigation or domestic purposes for 5 days after treatment.

SUBMERSED WEEDS	Gals./Surface Acre
Bladderwort (<i>Utricularia</i> spp.)	5-10
Coontail (<i>Ceratophyllum demersum</i>)	10
Elodea (<i>Elodea</i> spp.)	10
Naiad (<i>Najas</i> spp.)	5
Pondweeds (<i>Potamogeton</i> spp.)*	10
*Except <i>P. robinsii</i> ; also Richardson Pondweed, <i>P. richardsonii</i> , in Minnesota	
Watermilfoil (<i>Myriophyllum</i> spp.)	5-10

APPLICATION: In early season where submersed weed growth has not reached the surface, apply **WEEDTRINE-D** by pouring directly from the container into the water in strips 40 feet apart or dilute at least 5:1 with water and apply as a surface spray or by underwater injection, distributing chemical as evenly as possible. In late season where submersed weeds have reached the water surface, treat in strips no more than 20 feet apart with a 2:1 solution. Use the high rate of application as indicated by the weeds present. Where algae are present along with the submersed weeds, pre-treatment with **CUTRINE-PLUS** Algaecide is advised for optimum results.

FLOATING WEEDS	Gals./Surface Acre
Pennywort (<i>Hydrocotyl umbellata</i>)	2 1/2 - 3 3/4
Salvinia (<i>Salvinia rotundifolia</i>)	2 1/2 - 3 3/4
Water Hyacinth (<i>Eichornia crassipes</i>)	2 1/2 - 3 3/4
Water Lettuce (<i>Pistia stratiotes</i>)	2 1/2 - 3 3/4

APPLICATION: Dilute **WEEDTRINE-D** 64:1 with water (2 oz. **WEEDTRINE-D** per gallon of water). Add 1 oz. of non-ionic surfactant per 10 gal. of spray solution. 150 gallons of this solution will treat 1 acre at the lower rate and 240 gallons will treat 1 acre at the higher rate. Use higher rate for late season application.

Duckweed (*Lemna* spp.) 5

APPLICATION: Dilute **WEEDTRINE-D** 25:1 with water (5 oz. of **WEEDTRINE-D** per gallon of water). Add 1 oz. of non-ionic surfactant per 10 gal. of spray solution. 130 gallons of this solution will treat 1 acre. Apply as a surface spray taking care to cover all the plants on the water surface and on damp, marginal areas. Re-treatment may be necessary for season-long control.

MARGINAL WEEDS

Cattails (*Typha* spp.) 5

APPLICATION: For topkill, dilute **WEEDTRINE-D** 19:1 with water (6.5 oz. of **WEEDTRINE-D** per gallon of water). Add 1.6 oz. of non-ionic surfactant per 10 gallons of spray solution. Wet foliage thoroughly with spray solution. Repeat treatment, as necessary to control regrowth. For best results, apply before flowering.

ALGAE: **WEEDTRINE-D** will control certain filamentous algae (*Spirogyra* spp. and *Pithophora* spp.) Apply 0.5 to 1.5 ppm **WEEDTRINE-D** for control. Apply in same-manner as for submersed weeds.

Formula For Parts Per Million (ppm) Recommendations

Gallons to use = ppm recommended x acreage of water x average depth of water x 7.

For example: 1/2 ppm recommendation; 2 acre pond; 4 foot average depth - 1/2 x 2 x 4 x 7 = 28 gallons required

NOTE: Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. Do not use on lawns. Rinse all spray equipment thoroughly with water after use. Use only non-ionic surfactants in conjunction with **WEEDTRINE-D**.

NOTICE

Neither Applied Biochemists nor the seller makes any warranty, guarantee or representation, expressed or implied, concerning this material except that it conforms to the chemical description on the label. Neither shall be held responsible in any manner for any personal injury or property damage or other type of loss resulting from the handling, storage and use of this material not in strict accordance with directions given here v. h.