

8/24/2009

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, DC 20460

AUG 24 2009

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Marianne Radtke, Regulatory Affairs Manager Applied Biochemists W175 N11163 Stonewood Drive, Suite 234 Germantown, WI 53022

Subject:

Notification per PR Notice 98-10 Cutrine-Plus Algaecide/Herbicide EPA Registration Number: 8959-10 Application Date: July 15, 2009 Receipt Date: July 27, 2009

Dear Ms. Radtke:

This acknowledges receipt of your notification, submitted under the provisions of PR Notice 98-10, FIFRA 3(c) 9.

Proposed Notification:

Label changes as per PR Notice 98-10 and PR Notice 2007-4

Comments:

The notification is acceptable. A copy has been inserted in your file for future reference.

Should you have further questions concerning this letter, please contact Killian Swift by telephone at 703-308-6346 or by email at swift.killian@epa.gov. When submitting information or data in response to this letter, a copy of this letter should accompany the submission to facilitate processing.

Sincerely yours

ShaRon Carlisle

(Acting) Product Manager 34

Regulatory Management Branch II Antimicrobials Division (7510P)

20f9

Piesse resa instructions of	<u>) /e</u>	verse before cor	<u>ting for</u>	m.			Form Appr	OV	OMB N	o. 20	70-006	O. Approvel expires 2-28-95
\$EPA		Environmental	Inited S I Pro 1 ngton, I	ectio		ncy			Regist Amen Other	rat	ion	OPP Identifier Number
			Appli	catio	n for F	esticio	le - Secti	on]	·		
1. Company/Product Number 8959-10					2. EPA Product Manager 3. Proposed Classific Tracy Lantz					, <u> </u>		
4. Company/Product (Name CUTRINE-PLUS /	e) AL(GAECIDE/HERBI	CIDE			PM# None None					None Restricted	
5. Name and Address of Applicant (Include ZIP Code) APPLIED BIOCHEMISTS W175 N11163 STONEWOOD DR. STE 234 GERMANTOWN, WI 53022					6. Expedited Reveiw. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No.							
Check if th)IS I:	s a new address					t Name _					
					Sect	tion - Il						
Amendment - Explai	spo	nse to Agency letter	dated_			Final printed labels in repsonse to Agency letter dated "Me Too" Application. Other - Explain below.						
Explanation: Use additi	ona	l page(s) if necessar	v. (For	section	n Land Sec	ction II)						
Update the Medical Emerg Required Certification State Update to comply with cont Required Certification State	enc eme	y contact information ent attached. er regulations in 2007				·						
					Sect	ion - II		•				
1. Material This Product W	/III I	Be Packaged In:	-									
Child-Resistant Packaging	T	Unit Packaging	_		Water	Soluble Pa	ckaging		2. Туре	of C	ontainer	
√ Yes		Yes			Yes						Metal	
No No		✓ No			✓ No				✓ Plastic Glass			
* Certification must be submitted If "Yes" No. per Container					If "Yes Packag	s" No. per Paper ge wgt container Other (S			Specify)			
3. Location of Net Content	s in	formation	4. Size	e(s) Ret	ail Contair	ner	1	5. Loc	ation of l	abe	Directio	ons
Label	Co	ntainer		1,	, 2-1/2, 5, 55 Gallon							
6. Manner in Which Label is Affixed to Product Sleeve, paper and screenprinted Lithograph Paper glued Stenciled					Other			- 				
						ion - IV	/					
1. Contact Point (Complete	te il	tems directly below t	for iden	tificatio	n of indivi	dual to be	contacted, if	nece	ssary, to	proc	ess this	application.)
Name Marianne Radtke				· I				e No. (include Area Code) 5106 ext 328				
Certificatio I certify that the statements I have made on this form and all I acknowledge that any knowlinglly false or misleading statem both under applicable law.					ell attach	all attachments thereto are true, accurate and complete.						6. Date Application Received (Stamped)
2. Signature Calthe			>	3. Title Regulatory Affairs Manager								
4. Typed Name Marianne Radtke					5. Date	Date July 17, 2009 resubmet May/18, 2009						

Notification Statements For:

Product:

Cutrine Plus Algaecide/Herbicide

EPA Reg. No.

8959-10

Registrant:

Applied Biochemists

Certification Statement for PR Notice 98-10

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Certification Statement for PR Notice 2007-4

This notification is consistent with the guidance in PR Notice 2007-4 and the requirements of EPA's regulations at 40 CFR Sections 156.10, 156.140, 156.144, 156.146 and 156.156. No changes have been made to the Confidential Statement of Formula for this product. I understand that it is a violation of 18 U.S.C Sec. 1001 to willfully make any false statement to EPA. I further understand that if the amended label is not consistent with the requirements of 40 CFR Sections 156.10, 156.140, 156.144, 156.146 and 156.156, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Marianne Radtke

Regulatory Affairs Manager

May 17, 2009

Signature: Mariane Retice

APPLIED BIOCHEMISTS

W175 N11163 Stonewood Drive Suite 234
Regulatory Services
Marianne Radtke
Germantown, WI 53022-4799
262 255-4619 Fax
262 255-4449 ext. 328
E-mail -mradtke@advantistech.com

July 15, 2009

Office of Pesticide Programs (7504P)
Document Processing Desk (NOTIF)
U.S. Environmental Protection Agency
One Potomac Yard
2777 South Crystal Drive
Arlington, VA 22202-4501
Attn: Tracy Lantz – Acting PM (34)

Subject:

Cutrine Plus

EPA Reg. No. 8959-10

Application Date May 28, 2009

Tracy:

This is a resubmittal of this product due to the fact that the verbiage from 2007-4 will be allowed.

Applied Biochemists is submitting a Notification for the above subject product for:

Update the Medical Emergency contact information

Cattle

Update to comply with container language as specified in PR Notice 2007-4.

In support of this application for notification, enclosed are the following documents:

- A completed application for notification (EPA 8570-1) form with attached certification statements as required by PR 98-10 and PR Notice 2007-4.
- Two copies of the product labeling with changes highlighted.

If you have any questions please contact me at 800-558-5106 ext 328 or by e-mail at mradtke@advantistech.com if there are any questions.

Sincerely.

Marianne Radtke

Regulatory Affairs Manager

5069

CUTRINE - PLUS

ALGAECIDE/HERBICIDE

Pat. No. 3,930,834

ACTIVE INGREDIENTS:

PA Reg. No. 8959-10

EPA Est. No. 42291-GA-1

FOR USE IN: LAKES, POTABLE WATER RESERVOIRS FARMS, FISH AND INDUSTRIAL PONDS, FISH HATCHERIES RACEWAYS, CROP AND NON-CROP IRRIGATION CONVEYANCE SYSTEMS, DITCHES, CANALS, AND LATERALS.

COPPER AS ELEMENTAL....*9.0%

TRINE-PLUS co om mixed Coppe	NOTIFICATION Date Reviewed: Reviewed By:	
	FIRST AID	
If inhaled:	 Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificing preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice. 	ial respiration,
If on skin or clothing:	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. 	
If in eyes:	 Hold eye open and rinse slowly and gently with water for 15-20 minulenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. 	
if swallowed:	 Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center. Do not give anything by mouth to an unconscious person. 	
or going for t Action Netwo	duct container or label with you when calling a poison cont creatment. If a medical emergency arises contact Arch Cho ork in the US call 1-800-654-6911 or outside the US call pill, leak, fire or exposure involving this material call CHEI	emicals Emergency 423-780-2970. For

Manufactured By:

Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage.



GERMANTOWN, WISCONSIN 53022 1-800-558-5106 www.appliedbiochemists.com

See Additional Precautions on Back Panel

NET CONTENTS: GALLON (Lite	rs
-----------------------------	----

GENERAL INFORMATION

6000

CUTRINE-PLUS, under field conditions, is effective in controlling a broad range of algae including: Chara, Spirogyra, Cladophora, Vaucheria, Ulothrix, Microcystis and Oscillatoria. CUTRINE-PLUS has also been proven effective in controlling the rooted aquatic plant, Hydrilla verticillata. The ethanolamines in CUTRINE-PLUS prevent the precipitation of copper with carbonates and bicarbonates in the water. Waters treated with CUTRINE-PLUS may be used for swimming, fishing, drinking, livestock watering or irrigating turf, ornamental plants or crops immediately after treatment.

DIRECTIONS FOR USE

It is a violation of Federal L'aw to use this product in a manner inconsistent with its labeling.

SURFACE SPRAY/INJECTION

ALGAECIDE APPLICATION

For effective control, proper chemical concentration should be maintained for a minimum of three hours contact time. The application rates in the chart are based on static or minimal flow situations. Where significant dilution or loss of water from unregulated inflows or outflows occur (raceways) within a three hour period, chemical may have to be metered in.

- Identify the algae growth present as one of the following types: Planktonic (suspended),
 Filamentous (mat forming), or Chara/Nitella.
- Determine the surface acreage (1 acre=43,560 sq. ft.) and average depth of infested area.
- Refer to the chart below to determine gallons of CUTRINE-PLUS to apply per surface acre.

Application Rates Gallons Per Surface Acre

ALGAE TYPE	PPM COPPER	DEPTH IN FEET						
Planktonic	0.2 - 0.6	0.6 – 1.8	1.2 – 3.6	1.8 - 5.4	2.4 – 7.2			
Filamentous	0.2 - 0.8	0.6 – 2.4	1.2 – 4.8	1.8 – 7.2	2.4 – 9.6			
Chara/Nitella	0.4 1.0	1.2 – 3.0	2.4 – 6.0	3.6 - 9.0	4.8 – 12.0			

- Under conditions of heavy infestation, treat only 1/3 to 1/2 of the water body at a time to avoid fish suffocation caused by oxygen depletion from decaying algae.
- Before applying, dilute the required amount of **CUTRINE-PLUS** with enough water to ensure even distribution with the type of equipment being used. (e.g. 9 parts of water to 1 part Cutrine-Plus in a hand-pump sprayer). **Faster results will be seen** when applied under calm and sunny conditions when water temperature is a least 60° F. Break up floating algae mats before spraying or while application is being made. Use hand or power sprayer adjusted to rain-sized droplets. Spray shoreline areas first to avoid trapping fish.

CUTRINE-PLUS Granular Algaecide may be used as an alternative in low volume flow situations, spot treatments or treatment of bottom-growing algae in deep water.

GENERAL TREATMENT NOTES

The following suggestions apply to the use of **CUTRINE-PLUS** as an algaecide or herbicide in all approved use sites:

For optimum effectiveness...

- Apply early in the day under calm, sunny conditions when water temperatures are at least 60°F.
- Treat when growth first begins to appear or create a nuisance, if possible.
- Apply in a manner that will ensure even distribution of the chemical within the treatment area.
- Re-treat areas if regrowth begins to appear and seasonal control is desired. Allow one to two weeks between consecutive treatments.
- Allow seven to ten days to observe the effects of treatment (bleaching and breaking apart of plant material).

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS DANGER

CORROSIVE. Causes irreversible eye damage and skin burns. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling this product. Wash thoroughly with soap and water after handling and before eating, drinking, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals.

HERBICIDE APPLICATION (For Hydrilla Control) CUTRINE-PLUS:

Control of Hydrilla verticillata can be obtained from copper concentrations of 0.4 to 1.0 ppm resulting from CUTRINE-PLUS treatment. Choose the application rate based upon stage and density of Hydrilla growth and respective water depth from the chart below.

Application Rates
Gallons/Surface Acre*

Growth/Stage Relative Density	PPM Copper	DEPTH IN FEET							
		1	2	3	4	5	6		
Early Season Low Density	0.4 0.5	1.2 1.5	2.4 3.0	3.6 4.5	4.8 6.0	6.0 7.5	7.2 9.0		
	0.6	1.8	3.6	5.4	7.2	9.0	10.8		
Mid-Season Moderate Density	0.7	2.1	4.2	6.3	8.4	10.5	12.6		
	0.8	2.4	4.8	7.3	9.6	12.0	14.4		
Late Season High Density	0.9 1.0	2.7 3.0	5.4 6.0	8.1 9.0	10.8 12.0	13.5 15.0	16.2 18.0		

Application rates for depths greater than six feet may be obtained by adding the rates given for the appropriate combination of depths. Application rates should not result in excess of 1.0 ppm copper concentration within treated water.

8099

On waters where enforcement of use restrictions for recreational, domestic and irrigation uses are acceptable, the following mixture can be used as an alternative Hydrilla control method.

Tank mix 3 gallons of **CUTRINE-PLUS** with 2 gallons of **HARVESTER**. Apply mixture at the rate of 5 gallons per surface acre. Dilute with at least 9 parts water and apply as a surface spray or underwater injection. Observe all cautions and restrictions on the labels of both products used in this mixture.

PERMITS:

Some states may require permits for the application of this product to public waters. Check with your local authorities.

DRIP SYSTEM APPLICATION

FOR USE IN POTABLE WATER AND IRRIGATION CONVEYANCE SYSTEMS

- CUTRINE PLUS should be applied as soon as algae or Hydrilla begins to interfere noticeably with normal delivery of water (clogging of lateral headgates, suction screens, weed screens and siphon tubes).
 Delaying treatment could perpetuate the problem causing massing and compacting of plants. Heavy infestations and low flow conditions increasing water flow rate during application may be necessary.
- Prior to treatment it is important to accurately determine water flow rates. In the absence of weirs, orifices, or similar devices which give accurate water flow measurements, volume of flow may be estimated by the following formula:

Average Width (feet) x Average Depth (feet) x Velocity* (feet/second) x 0.9 = Cubic Feed per Second (C.F.S.)

*Velocity is the time it takes a floating object to travel a given distance. Dividing the distance traveled (feet) by the time (seconds) will yield velocity (feet/second). This measurement should be repeated at least three times at the intended application site and then averaged.

 After accurately determining the water flow rate in C.F.S. or gallons/minute, find the corresponding CUTRINE-PLUS drip rate on the chart below.

WAT FLOW		CUTRINE-PLUS DRIP RATE*					
C.F.S.	Gal/Min	Qts/Hr.	MI/Min.	FL.Oz./			
1	450	1	16	Min.			
2	900	2	32	0.5			
3	1350	3	47	1.1			
4	1800	4	63	1.6			

- Calculate the amount of **CUTRINE-PLUS** needed to maintain the drip rate for a period of 3 hours by multiplying Qts./Hr. x 3; ml/Min. x 180; or Fl. Oz./Min. x 180. Dosage will maintain 1.0 ppm Copper concentration in the treated water for the 3 hour period. Introduction of the chemical should be made in the channel at weirs or other turbulence-creating structures to promote the dispersion of chemical.
- Pour the required amount of CUTRINE-PLUS into a drum or tank equipped with a brass needle valve and constructed to maintain a constant drip rate. Use a stop watch and appropriate measuring container to set the desired drip rate. Readjust accordingly if flow rate changes during the 3 hour treatment period.
- Distance of control obtained down the waterway will vary depending upon density of vegetation growth. Periodic maintenance treatments may be required to maintain seasonal control.

STORAGE & DISPOSAL:

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited.

PESTICIDE STORAGE: Keep container closed when not in use. Keep pesticide in original container. Do not put concentrate or dilute into food or drink containers. Do not reuse or refill container. Do not contaminate feed, feedstuffs, or drinking water. Do not store or transport near feed or food.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional office for guidance.

(For <5gallon non-refillable containers only):

CONTAINER DISPOSAL: Nonrefillable container. Do not reuse container. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container ½ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling or reconditioning if available or puncture and dispose of in approved landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke. Consult Federal, State or local authorities for approved alternative procedures.

(For >5gallon non-refillable containers only):

CONTAINER DISPOSAL: Nonrefillable container. Do not reuse container. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container ¼ with water and recap. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand container on its end and tip it back and forth several times. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. Then offer for recycling or reconditioning if available or puncture and dispose of in approved landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke. Consult Federal, State or local authorities for approved alternative procedures.

(For 275Gallon refillable container only):

CONTAINER DISPOSAL: Refillable container. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. To clean the container before final disposal, empty the remaining contents from this container into application equipment or mix tank. Fill container about 10 percent full with water. Agitate vigorously or recirculate water with pump for 2 minutes. Repeat rinsing procedure two more times.

WARRANTY

To the extent consistent with applicable law neither the manufacturer nor the seller makes any warranty, expressed or implied concerning the use of this product other than indicated on the label.

To the extent consistent with applicable law buyer assumes risk of use of this material when such use is contrary to label instructions. Read and follow the label directions.