9959-12

12/27/2010



U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs Antimicrobials Division (7510P) 1200 Pennsylvania Avenue NW Washington, D.C. 20460

NOT	ICF	OF	PEST	ICIDE:

Registration
x Reregistration

(under FIFRA, as amended)

EPA Reg.

8959-12

Date of

Issuance:

DEC 2 7 2

Term of Issuance:

Conditional

Name of Pesticide Product:

Cutrine Plus Granular Algaecide

Name and Address of Registrant (include ZIP Code):

Applied Biochemists W175 N11163 Stonewood Dr., Suite 234 Germantown, WI 53022

Note: Changes in liabeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

Based on your response to the Coppers RED, the EPA has reregistered this product subject to the comments recorded in the succeeding paragraph. This action is taken under the authority of section 4(g)(2) of the Federal Insecticide, Fungicide and Rodenticide Act, as amended. Reregistration under this section does not eliminate the need for continual reassessment of pesticides. The EPA may require submission of data at any time to maintain the registration of the subject product.

Signature of Approving Official:

Jacqueline Campbell-McParlane

Product Manager Team-34

Regulatory Management Branch II Antimicrobials Division (7510P) Date:

DEC 2 7 2010

A stamped copy of the label is enclosed for your records. Submit two (2) copies of the revised labeling bearing the labeling revisions listed above.

If these conditions are not complied with, this registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

If you have questions concerning this matter, please contact me at (703) 308-6416 or by email at Campbell-McFarlane.Jacqueline@epa.gov.

Sincerely,

Jacqueline Campbell-McFarlane


Product Manager (34)

Regulatory Management Branch II Antimicrobials Division (7510P)

Enclosure:

Stamped Label

Chemistry/Acute Toxicology Data Evaluation



Update: 2010-09-20

30f7

CUTRINE PLUS GRANULAR ALGAECIDE

FOR USE IN: LAKES; POTABLE WATER RESERVOIRS; FARM; FIRE; FISH HATCHERIES Especially for Control of Chara, Nitella, Hydrilla & bottom growths of filamentous algae

KEEP OUT OF REACH OF CHILDREN DANGER / PELIGRO

Si usted no etiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand label, find someone to explain it to you in detail).

FIRST AID

If in eyes:

Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

If swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to- mouth if possible. Call a poison control center or doctor for further treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

IN CASE OF EMERGENCY CALL: 1-800-654-6911

For help with a spill, leak, fire or exposure involving this product call CHEMTREC 1-800-424-9300. **Note to Physician:** Probable mucosal damage may contraindicate the use of gastric lavage.

See Additional Precautions on Back Panel

NET CONTENTS:

MANUFACTURED FOR:




N175 W11163 Stonewood Drive, Suite 234 GERMANTOWN, WISCONSIN 53022 1-800-558-5106

www.appliedbiochemists.com

EPA. REG. NO. 8959-12 EPA. ES

EPA. EST. Xxxxx-yy-zz

PAT. NO. 3,930,834



^{*}Metallic copper equivalent, 3.7%. Contains 2.2 lbs. of elemental copper per 60 lbs.

Update: 2010-09-20

4017

GENERAL INFORMATION

CUTRINE-PLUS GRANULAR is effective in controlling a broad range of benthic (bottom-growing) algae including: Chara, Nitella and filamentous forms. **CUTRINE-PLUS GRANULAR** is also effective in controlling the rooted aquatic plant, *Hydrilla verticillata*. The ethanolamines in **CUTRINE-PLUS GRANULAR** prevent the precipitation of copper with carbonates and bicarbonates in the water. Waters treated with **CUTRINE-PLUS GRANULAR** may be used for swimming, fishing, drinking water treatment, livestock watering or irrigating turf, ornamental plants or crops following treatment.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this **CUTRINE-PLUS GRANULAR** in a manner inconsistent with its labeling. Read entire label and use strictly in accordance with precautionary statements and directions.

For applications in waters destined for use as drinking water, those must receive additional and separate potable water treatment. Do not apply more than 1.0 ppm as metallic copper in these waters.

GENERAL PRECAUTIONS AND RESTRICTIONS

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For requirements specific to your State or Tribe, consult the State or Tribal agency responsible for pesticide regulation.

Do not enter or allow others to enter until application of product has been completed.

{For end-use products in containers ≥ 50 pounds.}

- A. LARGE AREA TREATMENT (over 5,000 sq. ft.)
- 1. Identify form(s) of targeted bottom-growing algae (Chara / Nitella or Filamentous) or Hydrilla.
- 2. Estimate the height of targeted plant growth (in ft.) in the water column. This would be the distance from bottom to top of plants.
- 3. Calculate surface area (acres) of the treatment area (area of infestation) using the following formula: Length (ft.) x Width (ft.)

43.560 = Surface Acre(s)

4. Refer to Table 1 to determine lbs. of **CUTRINE-PLUS GRANULAR** to apply per surface acre based upon type and height of targeted growth.

Table 1 Pounds of Guidhet Plus Grandlar to Apply per Agre						
Form of Algal Growth	Height of Plant Growth (feet)					
Growth	1	2	3			
Bottom						
Filamentous	20	40	60			
Chara / Nitella	30	60	90			
Hydrilla	70	140	210			

5. Distribute **CUTRINE-PLUS GRANULAR** evenly over the water surface directly over the targeted vegetation, varying rates with the height of the vegetation in the water column. A dry fertilizer spreader may be used to ensure even distribution.

{For end-use consumer products in containers less than 50 pounds)}

B. SMALL AREA (SPOT) TREATMENT (under 5,000 sq. ft.)

pdate: 2010-09-20

50f7

For treatment around small areas such as docks, rafts, water intakes, etc., apply product uniformly at the rate of 1.5 pounds (24 oz.) per 1,000 square feet. (In areas less than 1 ft. deep, reduce dosage by 2 oz. per inch of water per 1,000 sq. ft. so as to not exceed 1.0 ppm copper).

OTHER TREATMENT FACTORS AND CONSIDERATIONS

The following suggestions apply to the use of **CUTRINE-PLUS GRANULAR** as an algaecide in all approved use sites:

- Apply CUTRINE-PLUS GRANULAR before growth has reached the surface and begun to form mats
 or canopies. If this has already occurred, application of Cutrine-Plus liquid is recommended.
- Calm and sunny conditions when water temperature is at least 60°F will usually expedite control results.
- Visible reduction in algae growth should be observed in 24 to 48 hours following application with full
 effects of treatments (bleaching and breaking apart of plant material) sometimes taking 7 10 days
 depending upon algae forms, weather, degree of infestation and water temperatures.
- Re-treat areas if re-growth begins to appear and seasonal control is desired.
- Apply treatment along the shore and proceed outwards in bands to allow fish to move into untreated areas. No more than ½ of the water body may be treated at one time (Refer to Environmental Hazards for additional guidance). The minimum retreatment interval between consecutive treatments is 14 days.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER. Corrosive. Causes irreversible eye damage and skin burns. May be fatal if absorbed through the skin. Harmful if swallowed or inhaled. Do not get in eyes, on skin, or on clothing. Avoid breathing dust.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Mixers, loaders, applicators, and other handlers must wear the following:

- Coveralls over long sleeved shirt and long pants
- Protective eyewear (goggles, face shield)
- Chemical resistant footwear
- Socks
- Chemical resistant gloves

When mixing and loading wear a chemical resistant apron. For overhead exposure wear chemical resistant headgear. When cleaning equipment, wear a chemical resistant apron.

Users must wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Users must remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Users must remove PPE immediately after handling this product. As soon as possible, wash thoroughly and change into clean clothing. Wash outside of gloves before removing.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic invertebrates. Waters treated with this product may be hazardous to aquatic organisms. Treatment of aquatic weeds and algae can result in oxygen loss from decomposition of dead algae and weeds. This oxygen loss can cause fish and invertebrate suffocation. To minimize this hazard, do not treat more than ½ of the water body to avoid depletion of oxygen due to decaying vegetation. Wait at least 14 days between treatments. Begin treatment along the shore and proceed outwards in bands to allow fish to move into untreated areas. Consult with the State or local agency with primary responsibility for regulating pesticides before applying to public waters to determine if a permit is required.

Update: 2010-09-20

6047

This product may be toxic to trout and other species of fish. Fish toxicity is dependent upon the hardness of water. Do use in water containing trout if the carbonate hardness of the water does not exceed 50ppm. Do not use in waters containing Koi and hybrid goldfish. Not intended for use in small volume, garden pond systems.

Certain water conditions including low pH (<6.5), low dissolved organic carbon (DOC) levels (3.0 mg/L or lower), and "soft" waters (i.e. alkalinity less than 50 mg/L), increases the potential acute toxicity to non-target aquatic organisms.

STORAGE & DISPOSAL

Do not contaminate water, food or feed by storage or disposal. *{For plastic containers}*

PESTICIDE STORAGE: Keep container closed when not in use. Keep pesticide in original container. Do not put concentrate or dilute into food or drink containers. Do not reuse or refill container. Do not contaminate feed, feedstuffs, or drinking water. Do not store or transport near feed or food.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Open dumping is prohibited. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

{For plastic containers}

CONTAINER DISPOSAL: Nonrefillable container. Do not reuse container. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling or reconditioning if available or puncture and dispose of in approved landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke. Consult Federal, State or local authorities for approved alternative procedures.

{For bagged product}

CONTAINER DISPOSAL: Nonrefillable container. Do not reuse or refill this container. Completely empty bag into application equipment by shaking and tapping sides and bottom to loosen clinging particles. If not emptied in this manner, the bag may be considered an acute hazardous waste and must be disposed in accordance with local, state and federal regulations. When completely empty, offer for recycling if available, or dispose of bag in a sanitary landfill or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

Warranty

To the extent consistent with applicable law neither the manufacturer nor the seller makes any warranty, expressed or implied concerning the use of this product other than indicated on the label. To the extent consistent with applicable law buyer assumes risk of use of this material when such use is contrary to label instructions. Read and follow the label directions.

{Optional marketing text}

[Bottom growing Filamentous Algae mat Control]

[Controls bottom-growing algae along shorelines, beaches, docks, piers and rafts]

8959-12 Cutrine Plus Granular Aໄຊ້. ລາດໍ່ວ MASTER LABEL 9-20 TOTT

[Clay based formulation allow granules to sink rapidly to bottom releasing the absorbed chelated copper and providing excellent control of chara and filamentous algae]

[Registered for use in lakes and potable water reservoirs, farm, fish and fire ponds, fish hatcheries.]

[Is far less corrosive to equipment and other metal surfaces than other chelated copper compounds.]

[Treated water can be used for swimming, domestic uses and livestock watering immediately after chemical application.]

[Water from treated lakes and ponds may be used to irrigate turf, fairways and ornamental plants.]

[Fish can be caught and consumed immediately after application.]

[Will not plate-out or precipitate under normal storage conditions nor does the copper in precipitate out and become ineffective in alkaline or hard water.]

[Has been used successfully in trout ponds which contained cold, hard water.]

[Is available in two formulations (liquid and granular) for controlling floating, suspended and bottom-growing types of algae.]

[Effectively controls the noxious submersed weed, Hydrilla verticillata, without requiring post-treatment water use restrictions associated with other herbicides.]

[This **CUTRINE-PLUS GRANULAR** is compatible with the aquatic herbicides Weedtrine®-D, Harvester[™] and Aquathol K.]

[This **CUTRINE-PLUS GRANULAR** works best when with species targeted dosage or concentrations are diluted for best application coverage.]

[For most effective results, evenly spread the required amount of **CUTRINE-PLUS GRANULAR** to ensure even distribution with the type of equipment being used.]